

**GENERAL CATALOGUE**  
**OF THE**  
**HOMOPTERA**

W. E. CHINA, *General Editor*  
Z. P. METCALF, *Managing Editor*

**FASCICLE IV**  
**FULGOROIDEA**  
**PART 12**  
**NOGODINIDAE**

BY  
Z. P. METCALF, D.Sc.  
*State College of the University of North Carolina*

*Published by*  
NORTH CAROLINA STATE COLLEGE, RALEIGH, N. C., U. S. A.

*Printed by a Grant in Aid from the National Science Foundation*

**1954**

LIBRARY OF CONGRESS  
CATALOGUE CARD NUMBER 28-7846

*Printed in the United States of America by*  
WAVERLY PRESS, INC., BALTIMORE, MD.

## INTRODUCTION

The present catalogue of the Family Nogodinidae forms Part 12 of Fascicle IV of the General Catalogue of the Homoptera of the World, which is devoted to the Superfamily Fulgoroidea.

### CLASSIFICATION ADOPTED

The classification adopted in the present catalogue is a modification of the one proposed by Melichar in 1923.

### CHARACTERS OF THE FAMILY NOGODINIDAE

The Family Nogodinidae is one of the smaller families of the Fulgoroidea. The present catalogue contains 41 genera and 129 species. Seventeen of the known genera include but a single species.

This family was established as a group of the Family Ricaniidae by Melichar 1898c: 295. Later it was considered as a tribe or a subfamily of the Family Ricaniidae until Muir in 1930c: 466, recognizing the fundamental characters of the segments of the hind tarsi and other characters, established it as a distinct family.

The general characters of the family may be briefly summarized as follows: Head, including the compound eyes, about as wide as the pronotum, sometimes slightly wider, sometimes a little narrower. The crown is short and broad, generally separated from the frons by a distinct transverse carina. Frons longer than wide, the lateral margins nearly parallel for two-thirds of its length then narrowed to the clypeal suture; lateral carinae strongly elevated, the median carina sometimes distinct, sometimes barely visible. A few genera have fairly distinct intermediate carinae. Clypeus less than half as long as the frons; lateral carinae distinct, median carina usually fairly distinct, intermediate carinae rare. Antennae small, the first segment short, collarlike, the second segment usually distinctly longer than broad. Pronotum short and broad, anterior margin sometimes projecting to the anterior margin of the compound eyes; posterior margin deeply incised; laterally the pronotum narrows behind the compound eyes and usually extends ventrad to the level of the clypeus; the lateral areas of the pronotum are variously expanded below the compound eyes. Mesonotum large, usually longer than its greatest width, tricarinate. Tegmina large, usually broader toward the apex, coriaceous, subhyaline or hyaline, with numerous veins and crossveins; costal membrane with several crossveins; basal cell usually large; clavus not punctulate, with claval veins united at the middle or beyond; the claval stem reaching the apex of the tegmina. Hind tibia with lateral spines; second segment of the hind tarsus small with a pair of spines at the apex.

## HISTORICAL RÉSUMÉ

Thirty-two of the forty-one recorded genera were described by Stål, Schmidt, Distant, Jacobi, and Melichar, and these same authors are responsible for most of the species recognized in this catalogue. Bergroth, China, Gerstaecker, Hesse, Muir, and Signoret were the authors of the other genera and some of the species. Melichar 1923a: 149 gives keys to and descriptions of the thirty-five genera that were known at that time and a detailed catalogue of the known species.

## GEOGRAPHIC DISTRIBUTION

The species of this family are found chiefly in the tropical and subtropical regions of the World. About two-thirds of the known species have been recorded from the Eastern Hemisphere and one-third from the Western Hemisphere. In the Eastern Hemisphere while extending from Okinawa, Formosa, and China, and from Arabia, Iran, and India through most of the East Indies and New Guinea and the Solomon Islands, south to New South Wales, they seem to be absent from the New Hebrides Islands, Loyalty Islands, and New Zealand. No species have been recorded from Europe, America north of Mexico, the West Indies, Polynesia, Micronesia, and Hawaii. In the Western Hemisphere they extend as far north as San Luis Potosi and Tamaulipas, south through Central America to Rio de Janeiro.

The known geographic distribution of each species is indicated by superscript figures at the end of the lines, which correspond to geographic regions designated by the same superscript figures. In general we have indicated the distribution as given by the author of the reference, using the country as the smallest unit except in the larger countries, where states and provinces are used as the smallest units. In the larger island groups the individual islands are indicated wherever possible, in view of the importance of island endemism.

## THE PURPOSES TO BE SERVED BY A CATALOGUE OF INSECTS

A catalogue of animals should serve practically all fields of biology. It should be, therefore, as complete a listing of all the records of families, subfamilies, tribes, genera, species, and varieties as it is possible for the author to assemble. The nature of the reference is of the greatest importance. A student of zoogeography should be able to find a complete list of the regions inhabited by the various species. The student of ecology should be able to find references to all that is known about the life history, food plants, and other pertinent data. The student of economic entomology should be able to check the histories of those species that are suspected of being injurious to plants. The plant disease specialist should be able to

check the current nomenclature of the species which are disease vectors or suspected of being disease vectors. Those research workers studying morphology, physiology, or genetics should be able to trace the development in the field of their special interest. And lastly, the student of taxonomy should be relieved of the burden of searching for past recordings, and the journals which publish taxonomic papers should not have to pay the cost of publishing the past records and duplicating the synonymy that is already well known. Thus it would be necessary only to record synonymy which has been developed since the publication of the catalogue. Incidentally, I am pleased to note an increase in the method of literature citations developed in my *Bibliography of the Homoptera Auchenorrhyncha*. Thus Smith 1950a: 63 is a better method of citation than the present method: Smith, Ann. Mag. Nat. Hist (12) 5: 63.

Unfortunately this method was not adopted in the earlier numbers of this series and since about three-fourths of the catalogues are in manuscript, it was not deemed wise to make this change at this time.

#### FORM OF THE PRESENT CATALOGUE

This catalogue follows the general form of the present series. The family is divided into genera which are arranged in as nearly a phylogenetic order as our present knowledge will permit. The species are arranged under the genera in alphabetic sequence. Titles of books are not abbreviated but are condensed if they are unduly long. The abbreviations of journal references follow in general the scheme proposed in the *World List of Scientific Periodicals* with minor exceptions, the chief difference being that the names of countries, states, cities and other geographical units are not abbreviated. A few references are listed under their titles rather than under the abbreviations of the journals in which they were published, because in these cases the titles are usually better known than the journals, for example, Van Duzee 1917 Catalogue of Hemiptera of American North of Mexico *not* Techn. Bull. California Agr. Exp. Sta. Ent. 2. If the journal has been published in series the abbreviation of the journal is followed by a series number or by such an abbreviation as n. s. (new series), o. s. (old series), n. f. (neue Folge), or the like. This is followed by a note indicating the nature of the reference.

The notes which follow the references are generally self explanatory, but three points may be mentioned here. Such notations as "[described]," "[notes]," "[key]," and the like are intended to be suggestive rather than precise or exclusive. The notation "[error]" means not accepted in this catalogue. Usually the latest published synonymy is accepted, but not always. The other notation "[comparative note]" is used to designate those references, often of the greatest taxonomic significance, in which two

generic, specific or other groups are compared. All references have been checked against the original save those marked with an asterisk (\*), which have been accepted from reliable sources. Every effort has been made to have the references full and complete and to give an indication of the character of the data contained. Where the writer knows that reprints have been issued with different pagination, this is indicated in parentheses following the page numbers of the original. In a few cases, where the matter has been reprinted under a different title with different pagination, separate references are given. Where authentic editions have been published these have been indicated by separate references. Genera established without included species have been dated from their original description, with their type fixation dated at the time of the first inclusion of species. Original spellings have been retained in all cases, except obvious typographical errors. Typographical errors are indicated by placing "[sic]" after the misspelled name.

The determination of obvious typographical errors is not always easy. These errors range all the way from clearly apparent transpositions of letters, to misspelled names of individuals, geographical names, and many others of like character. However, so many generic names have been formed by the transposition and substitution of letters that one is often at a loss to know which names are misspelled and which are not. For example, *Neokolla* and *Keonolla*, or *Alebra*, *Elebra*, and *Eualebra*.

All variations in spelling save those which refer to endings only, are appropriately cross-referred. The species have also been listed under every known generic combination so that it is possible to find any species without recourse to the index, which will be published at the completion of the Fascicle, together with the full bibliography.

The writer takes no pride in the authorship of *nomen nova*. He uses them only when he thinks they are necessary. No new names are proposed for species or genera described by living authors without first giving the original author an opportunity to correct primary or secondary homonyms.

A catalogue is not a revision of a group and the location of the genera and species in the present catalogue is merely an attempt to reflect what is believed to be the general consensus of the best authorities at the present time. Doubtful genera and species have been included to call them to the attention of subsequent revisers.

An attempt has been made throughout this catalogue to interpret all references in the light of the period in which they were published. This is not always easy and leads perhaps to erroneous conclusions at times, but it is certainly much sounder from the standpoint of nomenclature than the tendency to evaluate references from previous decades in the light of present day practices and procedures.

In the present number of this series we have departed from our previous method of giving latinized names to varieties which in the past have been designated by Arabic letters, Greek letters, numbers, or other designations. All varieties are catalogued, however, under the first designation regardless of its form. Some of these varieties may prove to be valid species with further study and then may be given latinized designations.

Primary homonyms of species have been replaced by *nomen nova*; secondary homonyms have been restored to their original names if the homonym has been relieved by moving one or the other or both species to other genera.

All specific endings have been modified to agree with the suggestions made by Blackwelder 1940, *Journal of the Washington Academy of Sciences* **31**: 135–140. There are certain disadvantages inherent in this method, but it seems to the writer that these limitations are outweighed by the advantages of this system. We are confronted by so many coined words that can have no sex that it seems better to use this system and disregard apparent violations of Latin and Greek grammar. Thus the Greek word *Tettix*, although masculine in origin, is treated in its various combinations as feminine because they end in *x*.

In a detailed catalogue such as this it is practically impossible to eliminate all errors. The author will appreciate it very much if his attention is directed to all such mistakes. It is especially easy to overlook local lists when published in the proceedings of local natural history societies, references to species of economic importance when published in scientific agricultural journals, references to vectors of plant diseases when published in phytopathological journals, and many other references of a similar nature. It will be very much appreciated if authors will send me reprints of all articles dealing with the Homoptera Auchenorrhyncha so that this material may be included in future catalogues to make them as complete as possible. Also it would seem to the author that changes in the nomenclature adopted in this catalogue should not be made in the future without a full explanation.

All literature available to the writer before December 31, 1953 has been included in this catalogue.

Z. P. METCALF

*Raleigh, North Carolina*  
*January 1954*

## Family **NOGODINIDAE**

- Nogodini* 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 204  
*Group* [Key] :295 [Key to genera] :353 [Listed]  
1902 Melichar, Ann. Mus. Zool. St. Petersburg **7**: 98  
(23) *Group* [Listed]
- Nogodiniaria* 1906 Distant, Fauna of British India **3**: 387 *Division*  
[Described, key to Oriental genera] Equals  
*Nogodini*
- Nogodinae* 1906 Melichar, Abh. Zool. Bot. Ges. Wien. **3**: 314  
*Group* [Listed]
- Bladinini* 1907 Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div.  
Ent. **3**: 9, 93 *Tribe* [Described] Equals *Nogodini*
- Nogodiniaria* 1909 Distant, Trans. Linn. Soc. London Zool. (2) **13**:  
43 *Division* [A new genus]
- Nogodini* 1910 Bierman, Notes Leyden Mus. **33**: 37 *Group*  
[Notes]
- Nogodinini* 1912 Schmidt, Stett. Ent. Zeit. **73**: 83 *Tribe* [Notes]  
Equals *Nogodini* :85 [New genera and species] :87  
[Taxonomy] Equals *Nogodini* Equals *Bladinini*
- Bladinini* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 300 *Tribe*  
[Listed] Equals *Nogodini* Group.
- Nogodinini* 1918 Schmidt, Stett. Ent. Zeit. **79**: 376 *Tribe* [Listed]  
1919 Schmidt, Stett. Ent. Zeit. **80**: 132 [Nomenclature]  
Equals *Bladinini* :137 *Tribe* [Key to genera]
- Bladinaria* 1920 Bergroth, Arkiv Zool. **12**: 23, 25 *Division* [Notes]  
Equals *Nogodiniaria*
- Nogodinini* 1923 Melichar, Gen. Insect. **182**: 120 *Tribe* [Notes]  
:149 [Notes, key to genera]
- Nogodini* 1923 Muir, Proc. Hawaiian Ent. Soc. **5**: 235 [Key]  
1925 Handlirsch, Schröder's Handbuch der Entomologie **3** (17-18): 1110 To *Ricaniinae* Subfamily  
[error]
- Nogodiniaria* 1925 Handlirsch, Schröder's Handbuch der Entomologie **3** (17-18): 1110 To *Ricaniinae* Subfamily  
[error]  
1925 Hesse, Ann. South African Mus. **23**: 162 *Division*  
[A new genus from South Africa] Equals *Nogodini*  
*Tribe*
- Nogodinini* 1926 Schmidt, Treubia **7**: 247 *Tribe* [Listed]  
1928 Schmidt, Treubia **10**: 135 *Tribe* [Listed]



- Nogodininae* 1929 Haupt, Zool. Jahrb. Syst. Ökol. **58**: 205 *Subfamily* [Key] Equals *Bladininae*
- Nogodinidae* 1930 Muir, Ann. Mag. Nat. Hist. (10) **6**: 466 *Family* [Key] :475 [Notes]
- Nogodininae* 1931 Lallemand, Mém. Mus. R. Hist. Nat. Belgique 4 (1): 73 *Subfamily* [Listed]
- Nogodinini* 1931 Schmidt, Wien. Ent. Zeit. **48**: 75 *Tribe* [Listed]
- Nogodinidae* 1932 Brues and Melander, Bull. Mus. Comp. Zool. Harvard Coll. **73**: 120 [Key]
- Nogodinini* 1932 Schmidt, Stett. Ent. Zeit. **93**: 50 *Tribe* [Listed]
- Nogodini* 1935 Lallemand, Rev. Suisse Zool. **42**: 670 *Tribe* [Listed]
- Nogodinini* 1935 Wu, Catalogus Insectorum Sinensium **2**: 112 *Tribe* [Listed]
- Nogodininae* 1938 China, Zool. Ser. Field Mus. Nat. Hist. **20**: 434 [A new genus]
- Nogodinidae* 1938 Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**: 282 *Family* [Key] :385 [Described] :386 [Key to American genera]
- Nogodininae* 1939 Lallemand, Ann. Mag. Nat. Hist. (11) **4**: 78 *Subfamily* [Listed]
- Nogodinidae* 1939 Metcalf, Jour. Soc. Bibl. Nat. Hist. **1**: 247 [Listed]
- Nogodininae* 1940 Haupt, Zeits. Naturw. **94**: 94 [Morphology of wings]
- Nogodininae* 1940 Müller, Zoologica, Stuttgart **36** (1-2): 63-72; Pl. XXI, Fig. 119; Pl. XXII, Fig. 120 *Subfamily* [Symbionts, illustrated]
- Nogodinidae* 1942 da Costa Lima, Insetos do Brasil **3**: 40 [Key]
- Nogodininae* 1942 Lallemand, Notes Ent. Chinoise **9**: 70, 74 *Subfamily* [A new genus and a new species from Tonkin]
- Nogodinidae* 1944 Fennah, Proc. Ent. Soc. Washington **46**: 185 [Listed] :187, 190, 193 [Venation] :188 [Tracheation]
- 1944 Metcalf, A Bibliography of the Homoptera **2**: 146 [Bibliography]
- 1945 Fennah, Proc. United States Nat. Mus. **95**: 482 [Review of the genera and species from Trinidad]
- 1945 Fennah, Proc. Ent. Soc. Washington **47**: 122, 123 [Morphology of pretarsus] :229; Pl. 23 [Morphology of ♂ genitalia, illustrated]

- 1945 Metcalf, *Zoologica* **30**: 136 *Family* [Notes]  
 1947 Metcalf, Jour. Elisha Mitchell Sci. Soc. **62**: 164  
 [Geographic distribution]  
*Nogodininae* 1949 Müller, Biol. Centralbl. **68**: 358 *Subfamily* [Listed]  
*Nogodinidae* 1950 Fennah, Bull. Bernice P. Bishop Mus. **202**: 14  
 [Key]  
*Nogodinae* 1950 Lallemand, Mém. Inst. Sci. Madagascar (A) **4**: 91  
*Subfamily* [Two new species of *Exphora* from  
 Madagascar]  
*Nogodinidae* 1951 Metcalf, Comm. Biol. **12** (1): 13 *Family* [Listed]  
 1951 Pesson, Traité de Zoologie **10**: 1526 [Listed]  
 1952 China and Fennah, Ann. Mag. Nat. Hist. (12) **5**:  
 192, 193, 197 [Comparative note]  
 1952 Metcalf, Jour. Washington Acad. Sci. **42**: 226  
*Family* [Listed]  
 1953 Hennig, Beitr. Ent. **3**: 69 [Bibliography]  
*Nogodinini* 1953 Lallemand and Synave, Verh. Naturf. Ges. Basel  
**64**: 252 *Tribe* [Listed]

### Genus *Vutina* Stål

- PSEUDOTYPE *Vutina sexmaculata* 1909 Distant, Ann. Mag. Nat. Hist.  
 (8) **4**: 333  
 PSEUDOTYPE *Vutina sexmaculata* 1912 Schmidt, Stett. Ent. Zeit. **73**: 85  
 LOGOTYPE *Flata atrata* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307  
 PSEUDOTYPE *Ricania sexmaculata* 1916 Jacobi, Deutsche Ent. Zeit.  
**1915**: 307  
 TYPE *Flata atrata* 1919 Schmidt, Stett. Ent. Zeit. **80**: 133  
 PSEUDOTYPE *Ricania sexmaculata* 1919 Schmidt, Stett. Ent. Zeit.  
**80**: 133  
 PSEUDOTYPE *V[utina] sexmaculata* 1923 Melichar, Gen. Insect. **182**: 153  
 PSEUDOTYPE *Flatoides pelops* 1938 Metcalf, Bull. Mus. Comp. Zool.  
 Harvard Coll. **82**: 386  
*Vutina* 1862 Stål, Handl. Svenska Vet. Akad. **3** (6): 70 [gen. n., key]  
 1866 Stål, Hemiptera Africana **4**: 220 [Key]  
 1869 Stål, Handl. Svenska Vet. Akad. **8** (1): 106 [Listed]  
 1889 Ashmead, Ent. Americana **5**: 4 [Key]  
 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 295 [Key] :296  
 [Described, key to species] :301 [Comparative note] :353  
 [Listed]  
 1902 Waterhouse, Index Zoologicus **1902**: 393 [Listed]  
 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 333 [Listed]

- 1912 Schmidt, Stett. Ent. Zeit. **73**: 85 [Catalogued]  
 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307 [Notes]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 134 [Listed]  
 1923 Melichar, Gen. Insect. **182**: 149 [Key] :153 [Described]  
       :154 [Comparative note]  
 1938 Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**: 386  
       [Key, described]  
 1940 Haupt, Zeits. Naturw. **94**: 94 [Morphology of wings]  
 1940 Neave, Nomenclator Zoologicus **4**: 649 [Listed]  
 1940 Schulze, Kükenthal, and Heider, Nomenclator Animalium  
       **5** (25): 3648 [Catalogued]  
 1947 Metcalf, Jour. Elisha Mitchell Sci. Soc. **62**: 164 [Geo-  
       graphic distribution]

**atrata** Fabricius

- 1803 [*Flata*] *atrata* Fabricius, Systema Rhyngotorum **1803**: 47 [n. sp.]<sup>1</sup>  
 1820 [*Flata*] *atrata* Billberg, Enumeratio Insectorum in Museo. **1820**:  
       72 [Listed]<sup>2</sup>  
 1850 *R[icania] atrata* Schaum, Allgemeine Encyclopädie Ersch und  
       Gruber **51**: 73 [Listed]<sup>3</sup> Equals *Flata atrata*  
 1851 *Flatoides humeralis* Walker, List of Homopterous Insects. **2**:  
       405 [n. sp.]<sup>4</sup>  
 1859 [*Flatoides*] *humeralis* Dohrn, Catalogus Hemipterorum **1859**: 65  
       [Listed]<sup>5</sup>  
 1862 [*Vutina humeralis*] Stål, Handl. Svenska Vet. Akad. **3** (6): 70  
       Equals *F[latoides] humeralis* Walk. [1851]  
 1869 *Vutina atrata* Stål, Handl. Svenska Vet. Akad. **8** (1): 106 [De-  
       scribed]<sup>1</sup> Equals *Flata atrata* Fabr. Equals *Flatoides humeralis*  
       Walk. (1851)  
 1898 *Vutina atrata* Melichar, Ann. Nat. Hofmus. Wien **13**: 296 [Key]  
       :297 [Described]<sup>4</sup>. <sup>6</sup>. <sup>7</sup> Equals *Flata atrata* Fabr. Equals *Flatoides*  
       *humeralis* Walk. :298 [Comparative note] :353 [Listed]<sup>1</sup>  
 1900 *Ricania feralis* Fowler, Biologia Centrali-Americana **1**: 65;  
       Pl. 8, Figs. 8, 8a [n. sp., illustrated]<sup>8</sup>  
 1909 *Vutina atrata* Distant, Ann. Mag. Nat. Hist. (8) **4**: 333 [Listed]<sup>9</sup>  
       Equals *Flata atrata* Fabr. Equals *Flatoides humeralis* Walk.  
       Equals *Ricania feralis* Fowl.  
 1910 *Vutina atrata* Distant, Ann. Mag. Nat. Hist. (8) **5**: 318 Equals  
       *Flatoides humeralis* Walk.  
 1913 *Ricania atrata* Reh, Handbuch der Pflanzenkrankheiten **3**: 645  
       [Economics]<sup>3</sup>  
 1916 [*Vutina atrata*] Jacobi, Deutsche Ent. Zeit. **1915**: 307 Equals  
       *Flata atrata* Fabr. Equals *F[lata] humeralis* Walk.

- 1919 *F[latoides] humeralis* Schmidt, Stett. Ent. Zeit. **80**: 133 [Listed]  
 1923 *V[utina] atrata* Melichar, Gen. Insect. **182**: 153 [Listed] Equals  
*Flata [atrata] Fabr.*. Equals *Flatoides humeralis* Walk. Equals  
*Ricania feralis* Fowl.  
 1923 *Flata atrata* Sherborn, Index Animalium. **3**: 542 [Listed]  
 1938 *Vutina atrata* Metcalf, Bull. Mus. Comp. Zool. Harvard Coll.  
**82**: 387 [Comparative note] Equals [*Vutina*] *feralis* Fowl. Equals  
*Flatoides humeralis* Walk.

LOCALITIES: <sup>1</sup> South America. <sup>2</sup> America. <sup>3</sup> Java. <sup>4</sup> Para. <sup>5</sup> Brazil. <sup>6</sup> Peru. <sup>7</sup> Surinam. <sup>8</sup> Panama. <sup>9</sup> Neotropical Region.

**atrata** var. **b** Stål

- 1869 *Vutina atrata* var. *b* Stål, Handl. Svenska Vet. Akad. **8** (1): 106  
 [n. var.]<sup>1</sup>

LOCALITIES: <sup>1</sup> South America.

*b* Stål (var.) [*atrata*]. See *Vutina atrata* var. *b* Stål.

*bimaculata* Schmidt (var.). See *Vutina sexmaculata* var. *bimaculata* Schmidt.

**bipunctata** Metcalf

- 1938 *Vutina bipunctata* Metcalf, Bull. Mus. Comp. Zool. Harvard  
 Coll. **82**: 387; Pl. XII [n. sp., illustrated]<sup>1</sup>

LOCALITIES: <sup>1</sup> Barro Colorado Island.

*feralis* Fowler. See *Vutina atrata* Fabricius.

*humeralis* Walker. See *Vutina atrata* Fabricius.

**pelops** Walker

- 1851 *Flatoides pelops* Walker, List of Homopterous Insects **2**: 404  
 [n. sp.]<sup>1</sup>  
 1859 *Flatoides pelops* Dohrn, Catalogus Hemipterorum **1859**: 65  
 [Listed]<sup>2</sup>  
 1862 [*Vutina pelops*] Stål, Handl. Svenska Vet. Akad. **3** (6): 70 Equals  
*Flatoides pelops* Walk.  
 1898 *Vutina pelops* Melichar, Ann. Nat. Hofmus. Wien **13**: 296 [Key]  
 :298; Pl. X, Fig. 22 [Described, illustrated]<sup>3</sup> Equals *Flatoides*  
*pelops* Walk. :353 [Listed]<sup>4</sup>  
 1916 [*Vutina pelops*] Jacobi, Deutsche Ent. Zeit. **1915**: 307 Equals  
*Flatoides pelops* Walk.  
 1919 *Flatoides pelops* Schmidt, Stett. Ent. Zeit. **80**: 133 [Listed]  
 1923 *V[utina] pelops* Melichar, Gen. Insect. **182**: 153 [Listed]<sup>3</sup> Equals  
*Flatoides [pelops]*  
 1938 [*Vutina pelops*] Metcalf, Bull. Mus. Comp. Zool. Harvard Coll.  
**82**: 387 Equals *Flatoides pelops* Walk.

LOCALITIES: <sup>1</sup> Para. <sup>2</sup> Brazil. <sup>3</sup> Surinam. <sup>4</sup> South America.

*quadrifasciata* Schmidt (var.). See *Vutina sexmaculata* var. *quadrifasciata* Schmidt.

**retusa** Melichar

- 1898 *Vutina retusa* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 397 (14) [n. sp.]<sup>1</sup>
- 1898 *Vutina retusa* Melichar, Ann. Nat. Hofmus. Wien **13**: 297 [n. sp., comparative note]<sup>1, 2</sup> :296 [Key] :353 [Listed]<sup>3</sup>
- 1905 *Vutina retusa* Schmidt, Stett. Ent. Zeit. **66**: 183 [Notes]<sup>2</sup>
- 1923 *V[utina] retusa* Melichar, Gen. Insect. **182**: 153 [Listed]<sup>1, 2</sup>
- 1940 *V[utina] retusa* Haupt, Zeits. Naturw. **94**: 94; Fig. 15 [Venation illustrated]<sup>2</sup>

LOCALITIES: <sup>1</sup> Amazonas. <sup>2</sup> Peru. <sup>3</sup> South America.

**sexmaculata** Signoret

- 1862 *Ricania sexmaculata* Signoret, Ann. Soc. Ent. France (4) **2**: 586; Pl. 15, Fig. 9 [n. sp., illustrated]<sup>1</sup>
- 1864 [*Vutina sexmaculata*] Stål, Ann. Soc. Ent. France (4) **4**: 64 Equals *R[icania] sexmaculata* Sign.
- 1898 [*Vutina] sexmaculata* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 397 (14) [Comparative note]
- 1898 *Vutina sexmaculata* Melichar, Ann. Nat. Hofmus. Wien **13**: 296 [Key] :297; Pl. XIV, Figs. 5, 5a [Described, illustrated, comparative note]<sup>1, 2</sup> Equals *Ricania sexmaculata* Sign. :353 [Listed]<sup>3</sup>
- 1912 *Vutina sexmaculata* Schmidt, Stett. Ent. Zeit. **73**: 85 [Described]
- 1923 [*Vutina] sexmaculata* Melichar, Gen. Insect. **182**: 153; Pl. 1, Fig. 7 [Listed, illustrated]<sup>1, 2</sup> Equals *Ricania [sexmaculata]*
- 1938 [*Vutina sexmaculata*] Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**: 387 Equals *Ricania sexmaculata* Sign.

LOCALITIES: <sup>1</sup> Peru. <sup>2</sup> Bolivia. <sup>3</sup> South America.

**sexmaculata** var. **bimaculata** Schmidt

- 1912 [*Vutina sexmaculata] bimaculata* Schmidt, Stett. Ent. Zeit. **73**: 85 [n. var.]<sup>1</sup>
- 1923 [*Vutina sexmaculata] bimaculata* Melichar, Gen. Insect. **182**: 153 [Listed]

LOCALITIES: <sup>1</sup> Bolivia.

**sexmaculata** var. **quadrinaculata** Schmidt

- 1912 [*Vutina sexmaculata] quadrinaculata* Schmidt, Stett. Ent. Zeit. **73**: 85 [n. var.]<sup>1</sup>
- 1923 [*Vutina sexmaculata] quadrinaculata* Melichar, Gen. Insect. **182**: 153 [Listed]

LOCALITIES: <sup>1</sup> Bolivia.

Genus **Mindura** Stål

[ORTHO]TYPE *Flata obscura* 1862 Stål, Handl. Svenska Vet. Akad. **3** (6): 69

- TYPE *Flata obscura* 1886 Atkinson, Jour. Asiatic Soc. Bengal **55**: 62  
 TYPE *Ricania obscura* 1889 Atkinson, Jour. Asiatic Soc. Bengal **57**: 341  
 TYPE *Flata obscura* 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 333  
 PSEUDOTYPE *Mindura alligata* 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 333  
 PSEUDOTYPE *M[indura] alligata* 1910 Distant, Rec. Indian Mus. **5**: 319  
 PSEUDOTYPE *M[indura] alligata* 1910 Distant, Philippine Jour. Sci. **5**: 66  
 PSEUDOTYPE *Nogodina alligata* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307  
 PSEUDOTYPE *Nogodina signatifrons* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307  
 PSEUDOTYPE *Nogodina alligata* 1919 Schmidt, Stett. Ent. Zeit. **80**: 133  
 PSEUDOTYPE *Nogodina signatifrons* 1919 Schmidt, Stett. Ent. Zeit. **80**: 133  
 PSEUDOTYPE *M[indura] alligata* 1923 Melichar, Gen. Insect. **182**: 154  
 PSEUDOTYPE *Mindura alligata* Schmidt 1925, Soc. Ent. **40**: 35  
 PSEUDOTYPE *Mindura alligata* 1926 Schmidt, Treubia **7**: 247  
 [PSEUDO]TYPE *Mindura alligata* 1928 Schmidt, Treubia **10**: 135
- Mindura 1862 Stål, Handl. Svenska Vet. Akad. **3** (6): 69 [gen. n., key]  
 1862 Stål, Öfv. Svenska Vet. Akad. Förh. **19**: 491 [Listed]  
 1866 Stål, Hemiptera Africana **4**: 220 To *Nogodina* Stål [error]  
 1870 Stål, Öfv. Svenska Vet. Akad. Förh. **27**: 770 [Listed]  
 1870 Walker, Jour. Linnean Soc. Zool. **10**: 163 To *Nogodina* Stål [error]  
 1882 Scudder, Bull. United States Nat. Mus. **19**: 198, 213 [Listed]  
 1886 Atkinson, Jour. Asiatic Soc. Bengal **55**: 61 [Described]  
 1889 Ashmead, Ent. Americana **5**: 4 [Key]  
 1889 Atkinson, Jour. Asiatic Soc. Bengal **57**: 341 [Listed]  
 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 295 [Key] :301 [Described, key to species] :304 [Comparative note] :353 [Listed]  
 1899 Melichar, Verh. Zool. Bot. Ges. Wien **49**: 292 (4) [Comparative note] :289 (1) [Listed]  
 1901 Breddin, Abh. Nat. Ges. Halle **24**: 182 [Geographic distribution]  
 1902 Melichar, Ann. Mus. Zool. St. Petersburg **7**: 98 (23) [Comparative note]  
 1902 Waterhouse, Index Zoologicus **1902**: 226 [Listed]  
 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 333 [Notes]

- 1910 Distant, Rec. Indian Mus. **5**: 319 [Catalogued]  
 1910 Distant, Philippine Jour. Sci. **5**: 66 [Listed]  
 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307 [Notes] :309  
 [Comparative note]  
 1918 Haupt, Stett. Ent. Zeit. **79**: 94 [Notes]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 134 [Comparative note]  
 1920 Bergroth, Arkiv Zool. **12**: 25 [Comparative note]  
 1923 Melichar, Gen. Insect. **182**: 154 [Described]  
 1925 Schmidt, Soc. Ent. **40**: 35 [Catalogued]  
 1926 Schmidt, Treubia **7**: 247 [Catalogued]  
 1928 Schmidt, Treubia **10**: 135 [Catalogued]  
 1932 Schulze, Kükenthal and Heider, Nomenclator Animalium **3** (16): 2109 [Listed]  
 1935 Wu, Catalogus Insectorum Sinensium **2**: 112 [Catalogued]  
 1940 Neave, Nomenclator Zoologicus **3**: 182 [Listed]  
 1944 Metcalf, A Bibliography of the Homoptera **2**: 146  
 [Bibliography]

**alligata** Walker

- 1870 *Nogodina alligata* Walker, Jour. Linnean Soc. Zool. **10**: 170  
 [n. sp.]<sup>1</sup>  
 1898 *Nagodina* [sic] *alligata* Melichar, Ann. Nat. Hofmus. Wien **13**:  
 302 To *Mindura subfasciata* Stål [error]  
 1909 *Mindura alligata* Distant, Ann. Mag. Nat. Hist. (8) **4**: 333  
 [Listed]<sup>1, 2</sup> Equals *Nogodina alligata* Walk. Equals *Mindura*  
*subfasciata* Stål [error]  
 1910 *Mindura alligata* Distant, Philippine Jour. Sci. **5**: 66 [Listed]<sup>2</sup>  
 Equals *Mindura subfasciata* Stål [error] Equals *Mogodina* [sic]  
*alligata* Walk.  
 1916 [*Mindura alligata*] Jacobi, Deutsche Ent. Zeit. **1915**: 307 Equals  
*Mindura subfasciata* Stål [error] Equals *Nogodina alligata* Walk.  
 1923 *M[indura] alligata* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1</sup>  
 Equals *Nogodina [alligata]* Walk. Equals [*Mindura*] *subfasciata*  
 Mel. (in part.)

LOCALITIES: <sup>1</sup> Ceram. <sup>2</sup> Philippine Islands.

**confusa** Distant

- 1910 *Mindura confusa* Distant, Rec. Indian Mus. **5**: 319; Pl. XXI,  
 Figs. 2, 2a [n. sp., illustrated]<sup>1</sup> :320 [Comparative note]  
 1916 *Mindura confusa* Jacobi, Deutsche Ent. Zeit. **1915**: 308 [Listed]<sup>2</sup>  
 1923 *M[indura] confusa* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1, 2</sup>  
 1925 *M[indura] confusa* Schmidt, Soc. Ent. **40**: 35, 36 [Comparative  
 note]

- 1926 *M[indura] confusa* Schmidt, Treubia **7**: 248 [Comparative note]  
 1939 *Mindura confusa* Lallemand, Ann. Mag. Nat. Hist. (11) **4**: 78  
 [Listed]<sup>3</sup>

LOCALITIES: <sup>1</sup> Borneo. <sup>2</sup> Sumatra. <sup>3</sup> Sarawak.

**fraterna** Schmidt

- 1925 *Mindura fraterna* Schmidt, Soc. Ent. **40**: 35 [n. sp.]<sup>1</sup>  
 1926 *M[indura] fraterna* Schmidt, Treubia **7**: 248 [Comparative note]  
 LOCALITIES: <sup>1</sup> Sumatra.

**fritzei** Haupt

- 1918 *Mindura fritzei* Haupt, Stett. Ent. Zeit. **79**: 93 [n. sp.]<sup>1, 2</sup>  
 LOCALITIES: <sup>1</sup> Ryukyu Islands. <sup>2</sup> Okinawa.

*fuscata* Melichar [nec Fabricius]. See *Mindura obscura* Fabricius.

*fuscata* Fabricius. See *Pochazia antica* Griffith and Pidgeon.

**guttifrons** Walker

- 1870 *Nogodina guttifrons* Walker, Jour. Linnean Soc. Zool. **10**: 164  
 [n. sp., comparative note]<sup>1, 2, 3, 4, 5</sup>  
 1894 *Nogodina guttifrons* Fritze, Zool. Jahrb. Syst. **7**: 919 [Listed]<sup>6</sup>  
 1898 *Mindura* (?) *guttifrons* Melichar, Ann. Nat. Hofmus. Wien **13**:  
 336 [Described]<sup>1, 2, 3, 4, 5</sup> Equals *Nogodina guttifrons* Walk. :303  
 [Comparative note]  
 1900 *N[ogodina] guttifron[s]* Breddin, Abh. Senckenbergischen Nat.  
 Ges. **25**: 198 [Comparative note]  
 1906 *Nodina* [sic] *guttifrons* Matsumura, Trans. Sapporo Nat. Hist.  
 Soc. **1**: 16 To *Myndura* [sic] *fuscata* [nec] Fabr. [error]  
 1906 *Nogodina guttifrons* Matsumura, Trans. Sapporo Nat. Hist. Soc.  
**1**: 18 To *Mindura fuscata* [nec] Fabr. [error]  
 1909 *Mindura guttifrons* Distant, Ann. Mag. Nat. Hist. (8) **4**: 333  
 [Listed]<sup>1</sup> Equals *Nogodina guttifrons* Walk.  
 1923 *M[indura] guttifrons* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1, 4, 7</sup>  
 Equals *Nogodina* [*guttifrons* Walk.]  
 LOCALITIES: <sup>1</sup> Sulu Island. <sup>2</sup> Batjan Island. <sup>3</sup> New Guinea. <sup>4</sup> Morty Island.  
<sup>5</sup> Ceram. <sup>6</sup> Ryukyu Islands.

*hemerobii* Walker. See *Varcia* (*Varcia*) *hemerobii* Walker.

**imbuta** Melichar

- 1898 *Mindura imbuta* Melichar, Verh. Zool. Bot. Ges. Wien **48**:  
 397 (14) [n. sp.]<sup>1</sup>  
 1898 *Mindura imbuta* Melichar, Ann. Nat. Hofmus. Wien **13**: 302  
 [n. sp.]<sup>1</sup> :301 [Key] :303 [Comparative note] :353 [Listed]<sup>1</sup>  
 1905 *Mindura imbuta* Schmidt, Stett. Ent. Zeit. **66**: 185 [Notes]<sup>2</sup>  
 1916 *M[indura] imbuta* Jacobi, Deutsche Ent. Zeit. **1915**: 308  
 [Listed]<sup>2, 3</sup> :307 [Comparative note]  
 1923 *M[indura] imbuta* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1, 2, 3</sup>



1926 *Mindura imbuta* Schmidt, Treubia **7**: 248 [Listed]<sup>4</sup>

1928 *Mindura imbuta* Schmidt, Treubia **10**: 135 [Listed]<sup>2</sup>

LOCALITIES: <sup>1</sup> New Guinea. <sup>2</sup> Key Island. <sup>3</sup> Amboyna. <sup>4</sup> Buru Island.

*interrupta* Walker. See *Mindura walkeri* Atkinson.

#### **invaria** Walker

1870 *Nogodina invaria* Walker, Jour. Linnean Soc. Zool. **10**: 166  
[n. sp.]<sup>1</sup>

1898 *Mindura* (?) *invaria* Melichar, Ann. Nat. Hofmus. Wien **13**:  
338 [Described]<sup>1</sup> Equals *Nogodina invaria* Walk.

1909 *Mindura invaria* Distant, Ann. Mag. Nat. Hist. (8) **4**: 334  
[Listed]<sup>1</sup> Equals *Nogodina invaria* Walk.

1923 *M[indura] invaria* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1</sup>  
Equals *Nogodina [invaria]* Walk.]

LOCALITIES: <sup>1</sup> Sulu Island.

*kotoshonis* Matsumura (var.). See *Mindura subfasciata* var. *kotoshonis* Matsumura.

#### **maculipennis** Stål

1870 *M[indura] maculipennis* Stål, Öfv. Svenska Vet. Akad. Förh.  
**27**: 770 [n. sp.]<sup>1</sup>

1898 *Mindura maculipennis* Melichar, Ann. Nat. Hofmus. Wien **13**:  
302 To *Mindura subfasciata* Stål [error]

1898 *Mindura subfasciata maculipennis* Melichar, Ann. Nat. Hofmus.  
Wien **13**: 303 [Described]

1923 *Mindura maculipennis* Melichar, Gen. Insect. **182**: 155 To  
*M[indura] subfasciata* Stål [error]

LOCALITIES: <sup>1</sup> Philippine Islands.

#### **nubecula** Melichar

1898 *Mindura nubecula* Melichar, Verh. Zool. Bot. Ges. Wien **48**:  
397 (14) [n. sp.]<sup>1, 2, 3</sup>

1898 *Mindura nubecula* Melichar, Ann. Nat. Hofmus. Wien **13**: 303  
[n. sp.]<sup>2, 3, 4, 5</sup> :301 [Key] :353 [Listed]<sup>4</sup>

1901 *M[indura] nubecula* Breddin, Abh. Nat. Ges. Halle **24**: 33,  
143, 147 [Listed]<sup>4, 7, 10</sup>

1905 *Mindura nubecula* Schmidt, Stett. Ent. Zeit. **66**: 185 [Notes]<sup>6</sup>  
:193 [Listed]<sup>6</sup>

1923 *M[indura] nubecula* Melichar, Gen. Insect. **182**: 155  
[Listed]<sup>2, 3, 4, 5, 6, 8</sup>

1928 *Mindura nubecula* Schmidt, Treubia **10**: 135 [Listed]<sup>9</sup>

LOCALITIES: <sup>1</sup> Northern Celebes. <sup>2</sup> Amboina. <sup>3</sup> Mindanao. <sup>4</sup> Celebes. <sup>5</sup> Toli-  
Toli Island. <sup>6</sup> Sumatra. <sup>7</sup> Molucca Islands. <sup>8</sup> Borneo. <sup>9</sup> Key Island. <sup>10</sup> Phil-  
ippine Islands.

**obscura** Fabricius

- 1803 [*Flata*] *obscura* Fabricius, Systema Rhyngotorum **1803**: 49 [n. sp.]<sup>1</sup>
- 1830 *F[lata] obscura* Germar, Thon's Entomologisches Archiv. **2** (2): 49 [Described]<sup>1</sup>
- 1850 *Ricania obscura* Schaum, Allgemein Encyklopädie Ersch und Gruber **51**: 73 [Listed]<sup>1</sup> Equals *Flata o[bscura]* Fabr.
- 1851 *Pochazia obscura* Walker, List of Homopterous Insects **2**: 426 [Listed]<sup>2</sup> Equals *Ricania obscura* Guér.-Mén. [error] Equals *Poeciloptera antica* Westw. [error] Equals *Flata obscura* Fabr. (?)
- 1857 *Pochazia obscura* Walker, Jour. Proc. Linn. Soc. **1**: 91 [Listed]<sup>3, 4</sup> Equals *Flata [obscura]* Fabr.]
- 1857 *Flata obscura* Walker, Jour. Proc. Linn. Soc. **1**: 92 [Listed]<sup>4, 5</sup> :161 [Listed]<sup>6</sup>
- 1859 *R[icania] obscura* Stål, Fregatten Eugenies Resa **4**: 281 [Comparative note]
- 1859 *Flata obscura* Walker, Natuurk. Tijdschr. Nederlandsch Indië **19**: 384 [Listed]<sup>7</sup>
- 1862 [*Mindura obscura*] Stål, Handl. Svenska Vet. Akad. **3** (6): 69 Equals *Flata obscura* Fabr.
- 1865 *P[ochazia] obscura* Stål, Öfv. Svenska Vet. Akad. Förh. **22**: 161 [Comparative note]
- 1869 *Ricania (Pochazia) obscura* Stål, Handl. Svenska Vet. Akad. **8** (1): 104 [Described]<sup>1</sup> Equals *Flata obscura* Fabr.
- 1870 [*Mindura obscura*] Stål, Öfv. Svenska Vet. Akad. Förh. **27**: 770 [Comparative note] Equals *Flata obscura* Fabr.
- 1886 *Ricania obscura* Atkinson, Jour. Asiatic Soc. Bengal **55**: 52 [Described]<sup>1, 5, 6, 8</sup> Equals *Pochazia obscura* Walk. (?) Equals *Flata obscura* Fabr.
- 1886 [*Mindura obscura*] Atkinson, Jour. Asiatic Soc. Bengal **55**: 62 Equals *Flata obscura* Fabr.
- 1889 *Mindura [obscura]* Atkinson, Jour. Asiatic Soc. Bengal **57**: 341 [Listed]<sup>9</sup> Equals *Ricania obscura* Fabr.
- 1891 *R[icania] obscura* Kirby, Jour. Linnean Soc. Zool. **24**: 153 [Comparative note]
- 1898 *M[indura] fuscata* [nec Fabricius] Melichar, Verh. Zool. Bot. Ges. Wien **48**: 397 (14) [Comparative note]
- 1898 *Pochazia obscura* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 385 (2) [New varieties, comparative note]
- 1898 *Mindura fuscata* [nec Fabricius] Melichar, Ann. Nat. Hofmus. Wien **13**: 301; Pl. XIV, Figs. 13, 13a [Key, described, illustrated,

- notes]<sup>10, 11</sup> Equals *Pochazia obscura* Stål :302 [Comparative note] :353 [Listed]<sup>10</sup>
- 1898 *Flata fuscata* [nec Fabricius] Melichar, Ann. Nat. Hofmus. Wien **13**: 302 [Comparative note]
- 1898 *Pochazia obscura* Melichar, Ann. Nat. Hofmus. Wien **13**: 212 Equals *Flata obscura* Fabr. :211, 212, 213, 214 [Comparative note]
- 1900 *P[ochazia] obscura* Matsumura, Ent. Nachr. **26**: 211 (7) [Listed]<sup>8, 12, 13</sup> Equals *Flata obscura* Fabr. Equals *Ricania obscura* Guér.-Mén. [error] Equals *Poeciloptera antica* Westw. [error] Equals *Pochazia fumata* Amy. and Serv. [error] Equals *Ricania fuscata* Atkins. [error] Equals *Ricania albomaculata* Uhl. [error]
- 1901 *Pochazia obscura* Breddin, Abh. Nat. Ges. Halle **24**: 33, 140 [Listed]<sup>14</sup>
- 1905 *Pochazia obscura* Breddin, Mitt. Mus. Hamburg **22**: 226 [Listed]<sup>6, 8, 10, 14, 17, 18, 19</sup>
- 1905 *Pochazia obscura* Schmidt, Stett. Ent. Zeit. **66**: 171 [Notes, catalogued]<sup>10, 19, 21, 22</sup>
- 1906 *Mindura fuscata* (nec Fabr.) Distant, Fauna of British India **3**: 373 [Notes]
- 1906 *Myndura* [sic] *fuscata* [nec Fabricius] Matsumura, Trans. Sapporo Nat. Hist. Soc. **1**: 16, 36 [Listed]<sup>20</sup> Equals *Nodina* [sic] *guttifrons* Walk. (?) [error]
- 1906 *Mindura fuscata* [nec Fabricius] Matsumura, Trans. Sapporo Nat. Hist. Soc. **1**: 18 [Listed]<sup>20</sup> Equals *Nogodina guttifrons* Walk. [error] Equals *Pochazia obscura* Stål
- 1909 *Pochazia [obscura]* Distant, Ann. Mag. Nat. Hist. (8) **4**: 333 [Taxonomy] Equals *Flata obscura* Fabr.
- 1909 *Mindura sundana* Kirkaldy, Canadian Ent. **41**: 32 Nom. nov. pro [*Mindura fuscata* [nec] Fabr.
- 1909 *Mindura obscura* Kirkaldy, Canadian Ent. **41**: 392 Equals [*Mindura*] *sundana* Kirk. Equals [*Mindura*] *fuscata* Mel.
- 1913 *Mindura obscura* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **12**: 19 [Listed]<sup>1, 10, 15</sup> Equals [*Mindura*] *sundana* Kirk.
- 1914 *Pochazia obscura* Melichar, Notes Leyden Mus. **36**: 107 [Listed]<sup>10</sup>
- 1916 *Flata obscura* Jacobi, Deutsche Ent. Zeit. **1915**: 308 To [*Mindura signatifrons* Walk.] [error]
- 1918 *M[indura] fuscata* [nec Fabricius] Haupt, Stett. Ent. Zeit. **79**: 93 [Comparative note]
- 1923 *M[indura] sundana* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>10, 11</sup> Equals [*Mindura*] *obscura* Fabr. Equals [*Mindura*] *fuscata* Mel. (nec Fabr.)

- 1923 *Mindura obscurus* Muir, Proc. Hawaiian Ent. Soc. **5**: 239; Pl. V, Fig. 22 [Morphology of male genitalia, illustrated]  
 1926 *M[indura] fuscata* [nec Fabricius] Schmidt, Treubia **7**: 248 [Comparative note]  
 1929 *Flata obscura* Sherborn, Index Animalium **18**: 448 [Listed]  
 1933 *Minaura* [sic] *fuscata* [nec Fabricius] Kato, Three Colour Illustrated Insects of Japan **4**: Pl. 8, Fig. 8 [Illustrated]<sup>16</sup>

LOCALITIES: <sup>1</sup> Amboina. <sup>2</sup> East Indies. <sup>3</sup> Malay States. <sup>4</sup> Hindustan. <sup>5</sup> Singapore Island. <sup>6</sup> Borneo. <sup>7</sup> Sarawak. <sup>8</sup> India. <sup>9</sup> Locality Unknown. <sup>10</sup> Java. <sup>11</sup> Madras. <sup>12</sup> Honshu. <sup>13</sup> China. <sup>14</sup> Celebes. <sup>15</sup> South India. <sup>16</sup> Japan. <sup>17</sup> Nicobar Islands. <sup>18</sup> Malacca. <sup>19</sup> Sumatra. <sup>20</sup> Okinawa. <sup>21</sup> North Borneo. <sup>22</sup> Batjan.

*osmyloides* Walker. See *Sassula osmyloides* Walker.

*pallidipennis* Guérin-Méneville. See *Paradetya pallidipennis* Guérin-Méneville.

#### **serena** Melichar

- 1899 *Mindura serena* Melichar, Verh. Zool. Bot. Ges. Wien **49**: 292 (4) [n. sp.]<sup>1</sup>  
 1923 *M[indura] serena* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1</sup>  
 1935 *M[indura] serena* Wu, Catalogus Insectorum Sinensium **2**: 112 [Catalogued]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> Mangoli Island. <sup>2</sup> China.

#### **signatifrons** Walker

- 1870 *Nogodina signatifrons* Walker, Jour. Linnean Soc. Zool. **10**: 164 [n. sp.]<sup>1</sup>  
 1870 *M[indura] signatifron[s]* Stål, Öfv. Svenska Vet. Akad. Förh. **27**: 770 [Comparative note]  
 1898 *Mindura* (?) *signatifrons* Melichar, Ann. Nat. Hofmus. Wien **13**: 342 [Described]<sup>1</sup> Equals *Nogodina signatifrons* Walk. :303 [Comparative note]  
 1909 *Mindura signatifrons* Distant, Ann. Mag. Nat. Hist. (8) **4**: 333 [Listed]<sup>1</sup> Equals *Nogodina signatifrons* Walk.  
 1916 [*Mindura signatifrons*] Jacobi, Deutsche Ent. Zeit. **1915**: 308 Equals *Nogodina signatifrons* Walk. Equals *Flata obscura* Stål (nec Fabr.) [error]  
 1923 *M[indura] signatifrons* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1</sup> Equals *Nogodina* [*signatifrons* Walk.]

LOCALITIES: <sup>1</sup> New Guinea.

#### **simiana** Distant

- 1910 *Mindura simiana* Distant, Rec. Indian Mus. **5**: 320; Pl. XXI, Figs. 3, 3a [n. sp., illustrated]<sup>1</sup>  
 1923 *M[indura] simiana* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1</sup>  
 1925 *M[indura] simiana* Schmidt, Soc. Ent. **40**: 35 [Comparative note]

LOCALITIES: <sup>1</sup> Borneo.

**sinuatifrons** Schmidt

1926 *Mindura sinuatifrons* Schmidt, *Treubia* **7**: 248 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> Buru Island.

**subfasciata** Stål

1870 *M[indura] subfasciata* Stål, *Öfv. Svenska Vet. Akad. Förh.* **27**: 770 [n. sp.]<sup>1</sup>

1898 *M[indura] subfasciata* Melichar, *Verh. Zool. Bot. Ges. Wien* **48**: 397 (14) [Comparative note]

1898 *Mindura subfasciata* Melichar, *Ann. Nat. Hofmus. Wien* **13**: 301 [Key] :302; Pl. XII, Fig. 9 [Described, illustrated]<sup>1, 2, 3, 4, 5, 6</sup> Equals *Mindura maculipennis* Stål [error] Equals *Nagodina* [sic] *alligata* Walk. [error] :303, 347 [Comparative note] :353 [Listed]<sup>1, 7</sup>

1900 *Nagodina umbra* Breddin, *Abh. Senckenbergischen Nat. Ges.* **25**: 197 [n. sp.]<sup>7</sup>

1901 *Mindura subfasciata* Breddin, *Abh. Nat. Ges. Halle* **24**: 33, 143, 147 [Listed]<sup>1, 7, 12</sup> Equals *Nagodina umbra* Bredd.

1909 *Mindura subfasciata* Distant, *Ann. Mag. Nat. Hist. (8)* **4**: 333 To *Mindura alligata* Walk. [error]

1910 *Mindura subfasciata* Distant, *Philippine Jour. Sci.* **5**: 66 To *Mindura alligata* Walk. [error]

1916 *Mindura subfasciata* Jacobi, *Deutsche Ent. Zeit.* **1915**: 307 To [*Mindura alligata* Walk.] [error]

1923 *M[indura] subfasciata* Melichar, *Gen. Insect.* **182**: 155; Pl. 1, Fig. 8 [Listed, illustrated]<sup>1, 5, 6, 8</sup> Equals *Mindura maculipennis* Stål [error]

1926 *Mindura subfasciata* Haupt, *Philippine Jour. Sci.* **29**: 439 [Listed]<sup>8, 9</sup>

1938 *Mindura subfasciata* Matsumura, *Ins. Matsumurana* **12**: 147 [Listed]<sup>1, 7, 10, 11</sup>

LOCALITIES: <sup>1</sup> Philippine Islands. <sup>2</sup> Luzon <sup>3</sup> Northern Celebes. <sup>4</sup> Toli-Toli Island. <sup>5</sup> Amboina. <sup>6</sup> Ceram. <sup>7</sup> Celebes. <sup>8</sup> Luzon. <sup>9</sup> Mindanao. <sup>10</sup> Okinawa. <sup>11</sup> Formosa. <sup>12</sup> Molucca Islands.

**subfasciata** var. **kotoshonis** Matsumura

1938 *Mindura subfasciata kotoshonis* Matsumura, *Ins. Matsumurana* **12**: 150 [n. var.]<sup>1</sup> :148 [Listed]<sup>1</sup>

LOCALITIES: <sup>1</sup> Formosa.

*subfasciata* var. *maculipennis* Stål. See *Mindura maculipennis* Stål.

*subguttata* Walker. See *Sassula subguttata* Walker.

*sundana* Kirkaldy. See *Mindura obscura* Fabricius.

**walkeri** Atkinson

- 1857 *Pochazia interrupta* Walker, Jour. Proc. Linn. Soc. **1**: 91 [n. sp.]<sup>1</sup>  
 1859 [*Pochazia*] *interrupta* Dohrn, Catalogus Hemipterorum **1859**: 67  
 [Listed]<sup>2</sup>  
 1886 *Ricania walkeri* Atkinson, Jour. Asiatic Soc. Bengal **55**: 59  
 [nom. nov.] pro *Pochazia interrupta* Walker [1857] nec [1851]  
 [Described, catalogued]<sup>1</sup>  
 1898 *Mindura* (?) *walkeri* Melichar, Ann. Nat. Hofmus. Wien **13**: 347  
 [Described]<sup>1</sup> Equals *Ricania walkeri* Atk. Equals *Pochazia*  
*interrupta* Walk. :303 [Comparative note]  
 1898 [*Mindura*] *interrupta* Melichar, Ann. Nat. Hofmus. Wien **13**: 303  
 [Comparative note]  
 1909 *Mindura interrupta* Distant, Ann. Mag. Nat. Hist. (8) **4**: 334  
 [Listed]<sup>1</sup> Equals *Ricania walkeri* Atk. Equals *Pochazia interrupta*  
 Walk.  
 1910 *M[indura] interrupta* Distant, Rec. Indian Mus. **5**: 320 [Com-  
 parative note]<sup>1</sup>  
 1916 *Mindura walkeri* Jacobi, Deutsche Ent. Zeit. **1915**: 308 [Listed]<sup>1</sup>  
 Equals *Ricania walkeri* Atk. Equals *Pochazia interrupta* Walk.  
 Equals *Mindura interrupta* Walk.  
 1923 *M[indura] interrupta* Melichar, Gen. Insect. **182**: 155 [Listed]<sup>1</sup>  
 Equals *Pochazia [interrupta]* Walk.] Equals *Ricania walkeri* Atk.

LOCALITIES: <sup>1</sup> Singapore Island. <sup>2</sup> Madras.

Genus **Semestra** Jacobi

[ORTHO]TYPE *Ricania bugabensis* 1916 Jacobi, Deutsche Ent. Zeit.  
**1915**: 309

TYPE *S[emestra] bugabensis* 1923 Melichar, Gen. Insect. **182**: 154

TYPE *Semestra bugabensis* 1932 Schmidt, Stett. Ent. Zeit. **93**: 50

- Semestra* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 309 [gen. n.]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 133 [Comparative note]  
 1920 Bergroth, Arkiv Zool. **12**: 23 [Notes]  
 1923 Melichar, Gen. Insect. **182**: 149 [Key] :154 [Described]  
 1932 Schmidt, Stett. Ent. Zeit. **93**: 50 [Catalogued]  
 1936 Schulze, Kükenthal and Heider, Nomenclator Ani-  
 malium **5** (22): 3161 [Listed]  
 1938 Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**:  
 386 [Key]  
 1940 Neave, Nomenclator Zoologicus **4**: 170 [Listed]  
 1949 Fennah, Ann. Mag. Nat. Hist. (12) **2**: 119 [Compara-  
 tive note]

**bugabensis** Fowler

1900 *Ricania bugabensis* Fowler, Biologia Centrali-Americana **1**: 65; Pl. 8, Figs. 7, 7a [n. sp., illustrated]<sup>1</sup>

1916 *Semestra bugabensis* Jacobi, Deutsche Ent. Zeit. **1915**: 309 [Notes]<sup>1</sup> Equals *Ricania bugabensis* Fowl.

1923 *S[emestra] bugabensis* Melichar, Gen. Insect. **182**: 154 [Listed, comparative note]<sup>1</sup> Equals *Ricania [bugabensis]* Fowl.]

LOCALITIES: <sup>1</sup> Panama.

**costaricensis** Jacobi

1916 *Semestra costaricensis* Jacobi, Deutsche Ent. Zeit. **1915**: 309; Fig. 1 [n. sp., illustrated]<sup>1</sup>

1923 *S[emestra] costaricensis* Melichar, Gen. Insect. **182**: 154 [Listed]<sup>1</sup>

1932 *S[emestra] costaricensis* Schmidt, Stett. Ent. Zeit. **93**: 50 [Comparative note]

LOCALITIES: <sup>1</sup> Costa Rica.

**foveata** Melichar

1923 *Semestra foveata* Melichar, Gen. Insect. **182**: 154 [n. sp.]<sup>1, 2, 3</sup>

LOCALITIES: <sup>1</sup> Amazonas. <sup>2</sup> Peru. <sup>3</sup> Loreto.

**notabilis** Schmidt

1932 *Semestra notabilis* Schmidt, Stett. Ent. Zeit. **93**: 50 [n. sp.]<sup>1</sup> :51 [Comparative note]

LOCALITIES: <sup>1</sup> Colombia.

**virgata** Schmidt

1932 *Semestra virgata* Schmidt, Stett. Ent. Zeit. **93**: 51 [n. sp.]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> South America. <sup>2</sup> Peru.

Genus **Bladina** Stål

HAPLOTYPE *Bladina fuscovenosa* [n. sp.] 1859 Stål, Berliner Ent. Zeit. **3**: 324

LOGOTYPE *B[ladina] fuscovenosa* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307

TYPE *B[ladina] fuscovenosa* 1923 Melichar, Gen. Insect. **182**: 155

HAPLOTYPE *Bladina fuscovenosa* 1938 Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**: 389

TYPE *Bladina fuscovenosa* 1945 Fennah, Proc. United States Nat. Mus. **95**: 483

TYPE *B[ladina] fuscovenosa* 1952 Fennah, Ann. Mag. Nat. Hist. (12) **5**: 910

*Bladina* 1859 Stål, Berliner Ent. Zeit. **3**: 324 [gen. n.]

1862 Stål, Handl. Svenska Vet. Akad. **3** (6): 13 [Listed] :70 [Key]

- 1866 Stål, Hemiptera Africana **4**: 221 [Key]  
 1873 Marschall, Nomenclator Zoologicus **1873**: 355 [Listed]  
 1889 Ashmead, Ent. Americana **5**: 4 [Key]  
 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 295 [Key] :298  
 [Described, key to species] :325, 326 [Comparative notes]  
 :353 [Listed]  
 1900 Fowler, Biologia Centrali-Americana **1**: 69 [Described]  
 :65 [Key]  
 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307 [Notes] :300  
 [Listed]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 132 [Listed] :134 [Com-  
 parative note]  
 1920 Bergroth, Arkiv Zool. **12**: 25 [Comparative note]  
 1923 Melichar, Gen. Insect. **182**: 149 [Key] :155 [Described]  
 1924 Muir, Proc. Hawaiian Ent. Soc. **5**: 466 [Comparative  
 note]  
 1925 Handlirsch, Schröder's Handbuch der Entomologie **3**  
 (17-18): 1111 [Listed]  
 1926 Schulze, Kükenthal and Heider, Nomenclator Animalium  
**1** (3): 408 [Listed]  
 1938 Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**: 386  
 [Key] :389 [Described]  
 1939 Neave, Nomenclator Zoologicus **1**: 435 [Listed]  
 1944 Fennah, Proc. Ent. Soc. Washington **46**: 185 [Mor-  
 phology of tegmina] :187, Pl. 15, Figs. 10, 13 [Venation  
 illustrated]  
 1945 Fennah, Proc. United States Nat. Mus. **95**: 483 [De-  
 scribed, catalogued]  
 1947 Metcalf, Jour. Elisha Mitchell Sci. Soc. **62**: 164 [Geo-  
 graphic distribution]  
 1952 Fennah, Ann. Mag. Nat. Hist. (12) **5**: 910-928 [De-  
 scribed, review of species, catalogued, zoogeography]

**fowleri** Fennah

- 1900 *Bladina magnifrons* [nec Walker] Fowler, Biologia Centrali-  
 Americana **1**: 69; Pl. 8, Figs. 14, 14a [Notes, illustrated]<sup>1, 2, 3, 4, 5</sup>  
 1952 *Bladina fowleri* Fennah, Ann. Mag. Nat. Hist. (12) **5**: 912 [Key]  
 :914, 925 [Comparative note] :923; Figs. 10A-C [Nom. nov.]  
 pro *Bladina magnifrons* Fowler [1900] [nec *Poeciloptera magni-  
 frons* Walker [1858]] [Described, illustrated, catalogued]<sup>3, 4</sup>

LOCALITIES: <sup>1</sup> Para. <sup>2</sup> Rio de Janeiro. <sup>3</sup> Tabasco. <sup>4</sup> Guatemala. <sup>5</sup> Venezuela.



**fraterna** Stål

- 1862 *B[ladina] fraterna* Stål, Handl. Svenska Vet. Akad. **3** (6): 13 [n. sp.]<sup>1</sup>
- 1898 *Bladina fraterna* Melichar, Ann. Nat. Hofmus. Wien **13**: 299 [Key] :300 [Described]<sup>1</sup> :353 [Listed]<sup>2</sup>
- 1905 *Bladina fraterna* Schmidt, Stett. Ent. Zeit. **66**: 183 [Notes]<sup>3</sup>
- 1919 *B[ladina] fraterna* Schmidt, Stett. Ent. Zeit. **80**: 134 [Listed]
- 1923 *B[ladina] fraterna* Melichar, Gen. Insect. **182**: 156 [Listed]<sup>1, 3</sup>
- 1940 *Bladina fraterna* Buchner, Nova Acta Leopoldina **8**: 284 (30); Fig. 22 [Symbionts, illustrated]
- 1940 *Bladina fraterna* Müller, Zoologica, Stuttgart **36** (1-2): 63-72; Pl. XX, Figs. 115-116; Pl. XXI, Figs. 117-118; Pl. XXII, Fig. 121 [Symbionts, illustrated]
- 1949 *Bladina fraterna* Müller, Biol. Centralbl. **68**: 358 [Symbionts]
- 1952 *Bladina fraterna* Fennah, Ann. Mag. Nat. Hist. (12) **5**: 910 [Listed] :912. [Key] :914 [Comparative note] :915; Fig. 3A [Described, illustrated, catalogued]

LOCALITIES: <sup>1</sup> Rio de Janeiro. <sup>2</sup> South America. <sup>3</sup> Santa Catarina.

*fuscana* Fennah [nec Stål]. See *Bladina rudis* Walker.

**fuscana** Stål

- 1862 *B[ladina] fuscana* Stål, Handl. Svenska Vet. Akad. **3** (6): 13 [n. sp.]<sup>1</sup>
- 1898 *Bladina fuscana* Melichar, Ann. Nat. Hofmus. Wien **13**: 299 [Key, comparative note] :300; Pl. XIV, Fig. 14, 14a-b [Described, illustrated, comparative note]<sup>2</sup> :353 [Listed]<sup>3</sup>
- 1900 *Bladina fuscana* Fowler, Biologia Centrali-Americana **1**: 69 To *Bladina magnifrons* Walk. [error]
- 1905 *Bladina fuscana* Schmidt, Stett. Ent. Zeit. **66**: 185 To *Bladina magnifrons* Walk. [error]
- 1923 *B[ladina] fuscana* Melichar, Gen. Insect. **182**: 156 [Listed]<sup>2</sup>
- 1945 *Bladina fuscana* Fennah, Proc. United States Nat. Mus. **95**: 484; Pl. 14, Figs. 400-405 [Described, illustrated, catalogued]<sup>4</sup>
- 1945 *Bladina fuscana* Fennah, Proc. Ent. Soc. Washington **47**: 122; Pl. 15, Fig. 33 [Morphology of pretarsus, illustrated]
- 1952 *Bladina fuscana* Fennah, Ann. Mag. Nat. Hist. (12) **5**: 910 [Listed] :912 [Key] :914, 915 [Comparative note] :916; Figs. 4A-F, H [Described, illustrated, catalogued]

LOCALITIES: <sup>1</sup> Rio de Janeiro. <sup>2</sup> Brazil. <sup>3</sup> South America. <sup>4</sup> Trinidad.

*fuscovenosa* Fennah [nec Stål]. See *Bladina quadratifrons* Fennah.

**fuscovenosa** Stål

- 1859 *B[ladina] fuscovenosa* Stål, Berliner Ent. Zeit. **3**: 324 [n. sp.]<sup>1</sup>  
 1898 *Bladina fuscovenosa* Melichar, Ann. Nat. Hofmus. Wien **13**:  
 299 [Key, described]<sup>1, 2</sup> :353 [Listed]<sup>3</sup>  
 1905 *Bladina fuscovenosa* Schmidt, Stett. Ent. Zeit. **66**: 183 [De-  
 scribed]<sup>1</sup> :185 [Comparative note]  
 1919 *Bladina fuscovenosa* Schmidt, Stett. Ent. Zeit. **80**: 134 [Listed]  
 1923 *B[ladina] fuscovenosa* Melichar, Gen. Insect. **182**: 156 [Listed]<sup>1, 2</sup>  
 1938 *Bladina magnifrons* [nec Walker] Metcalf, Bull. Mus. Comp.  
 Zool. Harvard Coll. **82**: 389; Pls. XI, XXII [Described, illus-  
 trated]<sup>6, 7</sup>  
 1952 *Bladina fuscovenosa* Fennah, Ann. Mag. Nat. Hist. (12) **5**: 910  
 [Listed] :911 [Key] :912; Figs. 1A–D, 3B [Described, illus-  
 trated, catalogued, food plants]<sup>4, 5</sup> Equals *Bladina magnifrons*  
 Metc. [nec Walk.] :928 [Comparative note]  
 LOCALITIES: <sup>1</sup> Colombia. <sup>2</sup> Cayenne. <sup>3</sup> South America. <sup>4</sup> Venezuela. <sup>5</sup> Panama.  
<sup>6</sup> Barro Colorado. <sup>7</sup> Canal Zone.

**lacydes** Fennah

- 1952 *Bladina lacydes* Fennah, Ann. Mag. Nat. Hist. (12) **5**: 912 [Key]  
 :922; Figs. 9A–D [n. sp., illustrated]<sup>1, 2</sup>  
 LOCALITIES: <sup>1</sup> Para. <sup>2</sup> Brazil.

*magnifrons* Fowler [nec Walker]. See *Bladina fowleri* Fennah.

*magnifrons* Metcalf [nec Walker]. See *Bladina fuscovenosa* Stål.

**magnifrons** Walker

- 1858 *Poeciloptera magnifrons* Walker, Insecta Saundersiana **1858**: 56  
 [n. sp.]<sup>1</sup>  
 1900 *Bladina magnifrons* Fowler, Biologia Centrali-Americana **1**: 69  
 Equals *Bladina fusca* Stål [error] Equals *Flatoides rudis*  
 Walk. (?) [error]  
 1902 *Poeciloptera magnifrons* Melichar, Ann. Nat. Hofmus. Wien.  
**17**: 84 To *Ormenis laevis* Mel. (?) [error]  
 1905 *Bladina magnifrons* Schmidt, Stett. Ent. Zeit. **66**: 185 [Notes]<sup>3</sup>  
 Equals *Bladina fusca* Stål [error]  
 1916 *Bladina magnifrons* Jacobi, Deutsche Ent. Zeit. **1915**: 307  
 [Listed]<sup>2, 4</sup>  
 1919 *Bl[adina] magnifrons* Schmidt, Stett. Ent. Zeit. **80**: 134 [Listed]  
 1923 *B[ladina] magnifrons* Melichar, Gen. Insect. **182**: 156 [Listed]<sup>3, 4</sup>  
 1938 *Bladina magnifrons* Metcalf, Bull. Mus. Comp. Zool. Harvard  
 Coll. **82**: 389 Equals *Poeciloptera magnifrons* Walk.  
 1952 *Bladina magnifrons* Fennah, Ann. Mag. Nat. Hist. (12) **5**: 910,  
 914 Equals *Poeciloptera magnifrons* Walk. :912 [Key] :914; Figs.

2A-D, 4G, I [Described, illustrated, catalogued] :917, 923,  
924 [Comparative note]

LOCALITIES: <sup>1</sup> Para. <sup>2</sup> Brazil. <sup>3</sup> Colombia. <sup>4</sup> Mexico.

**malaisei** Fennah

1952 *Bladina malaisei* Fennah, Ann. Mag. Nat. Hist. (12) 5: 912  
[Key] :919; Figs. 7A-E. [n. sp., illustrated]<sup>1, 2</sup> :914, 921, 923  
[Comparative note]

LOCALITIES: <sup>1</sup> Loreto. <sup>2</sup> Peru.

**mimica** Fennah

1945 *Bladina rudis* [nec Walker] Fennah, Proc. United States Nat.  
Mus. 95: 485; Pl. 14, Figs. 406-413 [Described, illustrated,  
catalogued]<sup>1</sup>

1952 *Bladina mimica* Fennah, Ann. Mag. Nat. Hist. (12) 5: 912 [Key]  
:924; Figs. 11A-D [Nom. nov.] pro *Bladina rudis* Fennah [1945]  
[nec *Flatoides rudis* Walker] [1851] [Described, illustrated,  
catalogued]<sup>2</sup>

LOCALITIES: <sup>1</sup> Trinidad. <sup>2</sup> Venezuela.

**molorchus** Fennah

1952 *Bladina molorchus* Fennah, Ann. Mag. Nat. Hist. (12) 5: 912  
[Key] :914 [Comparative note] :920; Figs. 8A-D [n. sp., illus-  
trated]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> Cundinamarca. <sup>2</sup> Colombia.

**osborni** Melichar

1898 *Bladina osborni* Melichar, Verh. Zool. Bot. Ges. Wien 48: 397  
(14) [n. sp.]<sup>1</sup>

1898 *Bladina osborni* Melichar, Ann. Nat. Hofmus. Wien 13: 299  
[n. sp., key]<sup>1</sup> :353 [Listed]<sup>2</sup>

1923 *B[ladina] osborni* Melichar, Gen. Insect. 182: 156 [Listed]<sup>1</sup>

1952 *Bladina osborni* Fennah, Ann. Mag. Nat. Hist. (12) 5: 910  
[Listed] :912 [Key] :918; Figs. 6A-E [Described, illustrated,  
catalogued]<sup>1, 3</sup> :920, 926 [Comparative note]

LOCALITIES: <sup>1</sup> Bahia. <sup>2</sup> South America. <sup>3</sup> Brazil.

**pallidinervis** Fennah

1952 *Bladina pallidinervis* Fennah, Ann. Mag. Nat. Hist. (12) 5: 911  
[Key] :925; Figs. 12A-E [n. sp., illustrated]<sup>1</sup>

LOCALITIES: <sup>1</sup> Venezuela.

**quadratifrons** Fennah

1945 *Bladina fuscovenosa* [nec Stål] Fennah, Proc. United States Nat.  
Mus. 95: 484; Pl. 14, Figs. 397-399 [Described, illustrated,  
catalogued]<sup>1</sup>

1952 *Bladina quadratifrons* Fennah, Ann. Mag. Nat. Hist. (12) 5:  
927; Figs. 13A-E [nom. nov.] pro *Bladina fuscovenosa* Fennah

[1945] [nec *Bladina fuscovenosa* Stål] [1859] [Described, illustrated, catalogued]<sup>1</sup> :911 [Key]

LOCALITIES: <sup>1</sup> Venezuela.

*ricanioides* Spinola. See *Hesperophantia ricanioides* Spinola. Family FLATIDAE.

*ricanoides*. Typographical error for *Bladina ricanioides* Spinola. See *Hesperophantia ricanioides* Spinola. Family FLATIDAE.

*rudis* Fennah [nec Walker]. See *Bladina mimica* Fennah.

#### **rudis** Walker

1788 [*Flatoides rudis*] Stoll, Representation des Cigales **1788**: 81; Pl. XXI, Fig. 113 [Described, illustrated]<sup>1</sup>

1792 [*Flatoides rudis*] Stoll, Abbildungen und Beschreibungen der Cikaden **1792**: 64; Pl. XXI, Fig. 113 [Described, illustrated]<sup>1</sup>

1850 *R[icania] rudis* Schaum, Allgemeine Encyclopädie Ersch und Gruber **51**: 73 [Listed]<sup>2</sup> [nom. nud.]

1851 *Flatoides rudis* Walker, List of Homopterous Insects **2**: 421 [n. sp.]<sup>3</sup> Equals *Ricania rudis* Schaum (?) Equals *Cicada rudis* Stoll (?)

1859 *Flatoides* (?) *rudis* Dohrn, Catalogus Hemipterorum **1859**: 65 [Listed]<sup>4</sup>

1898 *Bladina rudis* Melichar, Ann. Nat. Hofmus. Wien **13**: 299 [Key]<sup>5</sup> :300 [Described]<sup>5</sup> Equals *Flatoides rudis* Walk. Equals *Cicada [rudis]* Stoll :353 [Listed]<sup>5</sup>

1900 *Flatoides rudis* Fowler, Biologia Centrali-Americana **1**: 69 To *Bladina magnifrons* Walk. [error]

1923 *B[ladina] rudis* Melichar, Gen. Insect. **182**: 156 [Listed]<sup>5</sup> Equals *Flatoides [rudis]* Walk. Equals *Cicada [rudis]* Stoll

1945 *Bladina rudis* Fennah, Proc. United States Nat. Mus. **95**: 485 Equals *Flatoides rudis* Walk.

1952 *Bladina rudis* Fennah, Ann. Mag. Nat. Hist. (12) **5**: 910, 917 Equals *Flatoides rudis* Walk. :912 [Key] :917; Figs. 5A-G [Described, illustrated, catalogued]<sup>3</sup> Equals *B[ladina] fuscana* Fenn. (nec Stål) (?) :914, 922, 923, 925 [Comparative note]

LOCALITIES: <sup>1</sup> Surinam. <sup>2</sup> Para. <sup>3</sup> Venezuela. <sup>4</sup> Colombia. <sup>5</sup> South America.

### Genus **Privesomorphus** Schmidt

[ORTHO]TYPE *Privesomorphus sinuatifrons* [n. sp.] 1912 Schmidt, Stett. Ent. Zeit. **73**: 86

TYPE *P[rivesomorphus] sinuatifrons* 1923 Melichar, Gen. Insect. **182**: 156

Privesomorphus 1912 Schmidt, Stett. Ent. Zeit. **73**: 86 [gen. n.]  
1923 Melichar, Gen. Insect. **182**: 149 [Key] :156  
[Described, comparative note]

1935 Schulze, Kükenthal and Heider, Nomenclator  
Animalium 4 (20): 2827 [Listed]

1938 China, Zool. Ser. Field Mus. Nat. Hist. 20: 436  
[Comparative note]

*Privesomorphus* [sic] 1940 Neave, Nomenclator Zoologicus 3: 898 [Listed]

**maculipennis** Schmidt

1912 *Privesomorphus maculipennis* Schmidt, Stett. Ent. Zeit. 73: 88  
[n. sp.]<sup>3</sup>

1923 *P[rivesomorphus] maculipennis* Melichar, Gen. Insect. 182: 157  
[Listed]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> Tanganyika. <sup>2</sup> Oriental Africa. <sup>3</sup> German East Africa.

**sinuatifrons** Schmidt

1912 *Privesomorphus sinuatifrons* Schmidt, Stett. Ent. Zeit. 73: 87  
[n. sp.]<sup>4</sup>

1923 *P[rivesomorphus] sinuatifrons* Melichar, Gen. Insect. 182: 157  
[Listed]<sup>1, 2, 3</sup>

LOCALITIES: <sup>1</sup> Tanganyika. <sup>2</sup> Oriental Africa. <sup>3</sup> Zanzibar. <sup>4</sup> German East Africa.

Genus **Colpocara** Bergroth

[ORTHO]TYPE *Pochazioides* [sic] *conspersus* 1920 Bergroth, Arkiv Zool.  
12: 26

TYPE *C[olpocara] conspersa* 1923 Melichar, Gen. Insect. 182: 156

*Colpocara* 1920 Bergroth, Arkiv Zool. 12: 26 [gen. n.]

1923 Melichar, Gen. Insect. 182: 150 [Key] :156 [Described]

1927 Schulze, Kükenthal and Heider, Nomenclator Ani-  
malium 2 (7): 763 [Listed]

1939 Neave, Nomenclator Zoologicus 1: 804 [Listed]

1944 Metcalf, A Bibliography of the Homoptera 2: 146  
[Bibliography]

**conspersa** Melichar

1905 *Pochazioides conspersus* Melichar, Wien. Ent. Zeit. 24: 287  
[n. sp.]<sup>1</sup>

1920 [*Colpocara conspersa*] Bergroth, Arkiv Zool. 12: 25 [Notes]<sup>2</sup>  
Equals *Pochazioides* [sic] *conspersus* Mel.

1923 *C[olpocara] conspersa* Melichar, Gen. Insect. 182: 156 [Listed]<sup>3</sup>  
Equals *Pochazioides* [*conspersa* Mel.]

LOCALITIES: <sup>1</sup> Tanganyika. <sup>2</sup> British East Africa. <sup>3</sup> Oriental Africa.

Genus **Morsina** Melichar

HAPLOTYPE *Morsina persica* [n. sp.] 1902 Melichar Ann. Mus. Zool.  
St. Petersburg 7: 97 (22)

TYPE *M[orsina] persica* 1912 Oshanin, Katalog paläarktischen Hemipteren **1912**: 124

TYPE *M[orsina] persica* 1923 Melichar, Gen. Insect. **182**: 157

- Morsina 1902 Melichar, Ann. Mus. Zool. St. Petersburg **7**: 97 (22)  
[gen. n.]
- 1907 Oshanin, Ann. Mus. Zool. St. Petersburg **12**: 289 [Catalogue of Palearctic species]
- 1912 Oshanin, Katalog paläarktischen Hemipteren **1912**: 124 [Listed]
- 1912 Waterhouse, Index Zoologicus No. II **1912**: 183 [Listed]
- 1923 Melichar, Gen. Insect. **182**: 149 [Key] :157 [Described]
- 1932 Schulze, Kükenthal and Heider, Nomenclator Animalium **3** (16): 2147 [Listed]
- 1940 Neave, Nomenclator Zoologicus **3**: 221 [Listed]

*persica* Melichar

- 1902 *Morsina persica* Melichar, Ann. Mus. Zool. St. Petersburg **7**: 98 (23); Pl. V, Figs. 6, 6a [n. sp., illustrated]<sup>1</sup>
- 1907 [*Morsina] persica* Oshanin, Ann. Mus. Zool. St. Petersburg **12**: 289 [Listed]<sup>1</sup>
- 1912 [*Morsina] persica* Oshanin, Katalog paläarktischen Hemipteren **1912**: 124 [Listed]<sup>1</sup>
- 1923 *M[orsina] persica* Melichar, Gen. Insect. **182**: 158 [Listed]<sup>1, 2</sup>
- LOCALITIES: <sup>1</sup> Iran. <sup>2</sup> Iraq.

Genus **Philbyella** China

[ORTHO]TYPE *Philbyella arabica* [n. sp.] 1938 China, Zool. Ser. Field Mus. Nat. Hist. **20**: 434

- Philbyella 1938 China, Zool. Ser. Field Mus. Nat. Hist. **20**: 434 [gen. n.]
- 1944 Metcalf, A Bibliography of the Homoptera **2**: 146 [Bibliography]
- 1950 Neave, Nomenclator Zoologicus **5**: 208 [Catalogued]

*arabica* China

- 1938 *Philbyella arabica* China, Zool. Ser. Field Mus. Nat. Hist. **20**: 437; Figs. 58a-d [n. sp., illustrated]<sup>1</sup>
- LOCALITIES: <sup>1</sup> Arabia.

Genus **Goniopsara** Metcalf

ORTHO TYPE *Goniopsara mystica* 1952 Metcalf, Jour. Washington Acad. Sci. **42**: 226

[*Goniopsis* Melichar]

[HAPLOTYPE *Goniopsis mystica* (n. sp.) 1899 Melichar, Verh. Zool. Bot. Ges. Wien **49**: 292 (4)]

[TYPE *G[oniopsis] mystica* 1923 Melichar, Gen. Insect. **182**: 157]

- Goniopsis* 1899 Melichar, Verh. Zool. Bot. Ges. Wien **49**: 292 (4)  
[gen. n.]  
1902 Waterhouse, Index Zoologicus **1902**: 152 [Listed]  
1923 Melichar, Gen. Insect. **182**: 149 [Key] :157 [Described]  
1929 Schulze, Kükenthal and Heider, Nomenclator Animalium **3** (11): 1400 [Listed]  
1938 China, Zool. Ser. Field Mus. Nat. Hist. **20**: 436 [Comparative note]  
1939 Neave, Nomenclator Zoologicus **2**: 501 [Listed]
- Goniopsara* 1952 Metcalf, Jour. Washington Acad. Sci. **42**: 226 [nom. nov.] pro *Goniopsis* Melichar [1899] nec *Goniopsis* de Haan [1835] [Catalogued]

**mystica** Melichar

- 1899 *Goniopsis mystica* Melichar, Verh. Zool. Bot. Ges. Wien **49**: 292 (4) [n. sp.]<sup>1</sup>  
1923 *G[oniopsis] mystica* Melichar, Gen. Insect. **182**: 157 [Listed]<sup>1</sup>  
1927 *Goniopsis mystica* Baker, Philippine Jour. Sci. **32**: 402; Pl. 1, Fig. 11 [Listed, illustrated]<sup>1, 2</sup>  
1952 [*Goniopsara mystica*] Metcalf, Jour. Washington Acad. Sci. **42**: 226 Equals *Goniopsis mystica* Mel.

LOCALITIES: <sup>1</sup> Singapore Island. <sup>2</sup> Pagi Islands.

Genus **Paradetya** Schmidt

[ORTHO]TYPE *Paradetya pallidipennis* 1919 Schmidt, Stett. Ent. Zeit. **80**: 139

TYPE *P[aradetya] pallidipennis* 1923 Melichar, Gen. Insect. **182**: 158

- Paradetya* 1919 Schmidt, Stett. Ent. Zeit. **80**: 139 [gen. n.] :138 [Key]  
1923 Melichar, Gen. Insect. **182**: 150 [Key] :158 [Described]  
1933 Schulze, Kükenthal and Heider, Nomenclator Animalium **4** (18): 2491 [Listed]  
1940 Neave, Nomenclator Zoologicus **3**: 564 [Listed]

**pallidipennis** Guérin-Méneville

1838 *Cixius pallidipennis* Guérin-Méneville, Voyage sur la Coquille **2** (2): 189 [n. sp.]<sup>1</sup>

1850 *R[icania] pallidipennis* Schaum, Allgemeine Encyklopädie Ersch und Gruber **51**: 73 [Listed]<sup>2</sup> Equals *Cixius p[allidipennis]* Guér.-Mén.

- 1851 *Ricania pallidipennis* Walker, List of Homopterous Insects **2**: 424 [Listed]<sup>1</sup> Equals *Cixius pallidipennis* Guér.-Mén.
- 1859 [*Ricania*] *pallidipennis* Dohrn, Catalogus Hemipterorum **1859**: 67 [Listed]<sup>2</sup>
- 1898 *Nogodina pallidipennis* Melichar, Ann. Nat. Hofmus. Wien **13**: 304 [Key] :305; Pl. XIV, Figs. 4, 4a, b [Described, illustrated]<sup>1, 2, 3, 4</sup> Equals *Cixius pallidipennis* Guér.-Mén. Equals *Flata litigiosa* Boisd. (nom. nud.) :353 [Listed]<sup>2</sup>
- 1901 *Nogodina pallidipennis* Breddin, Abh. Nat. Ges. Halle **24**: 33 [Listed]<sup>2, 5, 7, 8</sup> Equals *N[ogodina] subguttata* [error]
- 1906 [*Nogodina pallidipennis*] Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **1** (9): 452 [Listed]<sup>1, 2, 3, 4</sup> Equals *Cixius pallidipennis* Guér.-Mén.
- 1913 *Nogodina pallidipennis* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **12**: 19 [Listed]<sup>1, 3, 4</sup>
- 1916 *Mindura pallidipennis* Jacobi, Deutsche Ent. Zeit. **1915**: 308 [Notes]<sup>1, 5</sup> Equals *Cixius pallidipennis* Guér.-Mén. Equals *Nogodina pallidipennis* Guér.-Mén.
- 1919 *Paradetya pallidipennis* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes] :140 [Described]<sup>3, 4, 6</sup> Equals *Cixius pallidipennis* Guér.-Mén.
- 1923 *P[aradetya] pallidipennis* Melichar, Gen. Insect. **182**: 158 [Listed]<sup>1, 2, 3, 4</sup> Equals *Cixius* [*pallidipennis* Guér.-Mén.]
- 1929 *Cixius pallidipennis* Sherborn, Index Animalium **19**: 4697 [Listed]
- 1938 *N[ogodina] pallipennis* [sic] Matsumura, Ins. Matsumurana **12**: 150 [Comparative note]<sup>3</sup>
- LOCALITIES: <sup>1</sup> New South Wales. <sup>2</sup> Australia. <sup>3</sup> Amboina. <sup>4</sup> Vanikoro Island. <sup>5</sup> Celebes. <sup>6</sup> Queensland. <sup>7</sup> Molucca Islands. <sup>8</sup> Papua.

### Genus *Probletomus* Gerstaecker

- HAPLOTYPE *Probletomus maculipennis* [n. sp.] 1895 Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 29
- TYPE *Probletomus maculipennis* 1919 Schmidt, Stett. Ent. Zeit. **80**: 142
- TYPE *P[robletomus] maculipennis* 1923 Melichar, Gen. Insect. **182**: 158
- Probletomus* 1895 Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 29 [gen. n.]
- 1902 Waterhouse, Index Zoologicus **1902**: 303 [Listed]
- 1914 Melichar, Monographie der Tropiciduchinen **1914**: 2 [Taxonomy]
- 1915 Melichar, Verh. Naturf. Ver. Brünn **53**: 83 [Taxonomy]



- 1919 Schmidt, Stett. Ent. Zeit. **80**: 138 [Key] :141 [Described]  
 1923 Melichar, Gen. Insect. **182**: 150 [Key] :158 [Described]  
 1935 Schulze, Kükenthal and Heider, Nomenclator Animalium **4** (20):2829 [Listed]  
 1940 Neave, Nomenclator Zoologicus **3**: 900 [Listed]  
 1953 Lallemand and Synave, Verh. Naturf. Ges. Basel **64**: 252 [Catalogued]

**fruhstorferi** Schmidt

- 1905 *Nogodina fruhstorferi* Schmidt, Stett. Ent. Zeit. **66**: 186 [n. sp.]<sup>1</sup>  
 1919 *Probletomus fruhstorferi* Schmidt, Stett. Ent. Zeit. **80**: 144 [Described]<sup>1</sup>  
 1923 *P[robletomus] fruhstorferi* Melichar, Gen. Insect. **182**: 159 [Listed]<sup>1</sup> Equals *Nogodina* [*fruhstorferi* Schmidt]

LOCALITIES: <sup>1</sup> Java.**maculipennis** Gerstaecker

- 1895 *Probletomus maculipennis* Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 30 [n. sp.]<sup>1</sup>  
 1898 *Nogodina cognata* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 398 (14) [n. sp.]<sup>1</sup>  
 1898 *Nogodina cognata* Melichar, Ann. Nat. Hofmus. Wien **13**: 307; Pl. XIV, Figs. 7, 7a [n. sp., illustrated]<sup>1</sup> :304 [Key] :353 [Listed]<sup>1</sup>  
 1905 *Nogodina cognata* Schmidt, Stett. Ent. Zeit. **66**: 185 [Notes]<sup>1</sup>  
 1914 *Probletomus maculipennis* Melichar, Monographie der Tropiduchinen **1914**: 3 [Listed]<sup>1</sup> Equals *Nogodina cognata* Mel.  
 1915 *Probletomus maculipennis* Melichar, Verh. Naturf. Ver. Brünn **53**: 84 [Listed]<sup>1</sup> Equals *Nogodina cognata* Mel.  
 1919 *Probletomus maculipennis* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes] :142 [Described]<sup>1</sup> Equals *Nogodina cognata* Mel.  
 1923 *P[robletomus] maculipennis* Melichar, Gen. Insect. **182**: 159 [Listed]<sup>1</sup> Equals *Nogodina cognata* Mel.  
 1935 *Probletomus maculipennis* Lallemand, Rev. Suisse Zool. **42**: 670 [Listed]<sup>1</sup>

LOCALITIES: <sup>1</sup> Java.**plenus** Walker

- 1870 *Nogodina plena* Walker, Jour. Linnean Soc. Zool. **10**: 168 [n. sp.]<sup>1</sup>  
 1898 *Nogodina plena* Melichar, Ann. Nat. Hofmus. Wien **13**: 304 [Key] :308 [Described]<sup>1, 2</sup> :347 [Comparative note] :353 [Listed]<sup>1, 2</sup>  
 1900 *N[ogodina] plena* Kirby, A Monograph of Christmas Island **1900**: 136 [Comparative note]

- 1905 *Nogodina plena* Schmidt, Stett. Ent. Zeit. **66**: 186 [Described]<sup>1, 3</sup>  
:186, 187 [Comparative notes]
- 1909 *Varcia plena* Distant, Ann. Mag. Nat. Hist. (8) **4**: 336 [Listed,  
comparative notes]<sup>1</sup> Equals *Nogodina plena* Walk.
- 1919 *N[ogodina] plena* Schmidt, Stett. Ent. Zeit. **80**: 144 [Compara-  
tive note]
- 1919 *Probletomus plena* Schmidt, Stett. Ent. Zeit. **80**: 145 [De-  
scribed]<sup>1, 3</sup>
- 1923 *P[robletomus] plena* Melichar, Gen. Insect. **182**: 159 [Listed]<sup>1, 2, 3</sup>  
Equals *Nogodina [plena]* Walk.]
- 1935 *Probletomus plenus* Lallemand, Rev. Suisse Zool. **42**: 670 [Notes]<sup>4</sup>
- 1953 *Probletomus plena* Lallemand and Synave, Verh. Naturf. Ges.  
Basel **64**: 252 [Catalogued]<sup>3, 4</sup> Equals *Nogodina plena* Walk.
- LOCALITIES: <sup>1</sup> Key Islands. <sup>2</sup> Lombok Island. <sup>3</sup> Sumba Island. <sup>4</sup> Flores.

### Genus *Detya* Distant

[ORTHO]TYPE *Detya fusconebulosa* [n. sp.] 1906 Distant, Fauna of  
British India **3**: 387

TYPE *D[etya] fusconebulosa* 1919 Schmidt, Stett. Ent. Zeit. **80**: 146

TYPE *D[etya] fusconebulosa* 1923 Melichar, Gen. Insect. **182**: 159

- Detya* 1906 Distant, Fauna of British India **3**: 387 [gen. n., key]
- 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 334 To *Sassula* Stål  
[error]
- 1916 Distant, Fauna of British India **6**: 115 To *Sassula* Stål  
[error]
- 1919 Schmidt, Stett. Ent. Zeit. **80**: 138 [Key] :146 [Described]
- 1920 Bergroth, Arkiv Zool. **12**: 25 [Notes]
- 1920 Cockerell, Proc. United States Nat. Mus. **57**: 242 [Com-  
parative note]
- 1923 Melichar, Gen. Insect. **182**: 150 [Key] :159 [Described]
- 1928 Schulze, Kükenthal and Heider, Nomenclator Animalium  
**2** (9): 961 [Listed]
- 1939 Neave, Nomenclator Zoologicus **2**: 52 [Listed]

#### *batuensis* Baker

- 1927 *Detya batuensis* Baker, Philippine Jour. Sci. **32**: 401; Pl. 1,  
Fig. 12; Text figs. 5a-g [n. sp., illustrated]<sup>1, 2</sup> :394 [Listed]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> Batu Islands. <sup>2</sup> Pulau Tello.

#### *fusconebulosa* Distant

- 1906 *Detya fusconebulosa* Distant, Fauna of British India **3**: 388;  
Fig. 199 [n. sp., illustrated]<sup>1, 2, 3</sup>
- 1909 *Detya fusconebulosa* Distant, Ann. Mag. Nat. Hist. (8) **4**: 334  
To *Sassula sorurcula* Stål [error]

- 1916 *Detya fusconebulosa* Distant, Fauna of British India **6**: 115 To *Sassula sorucula* [sic] Stål [error]  
 1919 *Detya fusconebulosa* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes] :147 [Described]<sup>1, 2, 3, 4</sup>  
 1920 *Detya fusconebulosa* Bergroth, Arkiv Zool. **12**: 24 [Notes]  
 1920 *Detya fusconebulosa* Cockerell, Proc. United States Nat. Mus. **57**: 242 [Comparative note]  
 1923 *D[etya] fusconebulosa* Melichar, Gen. Insect. **182**: 159 [Listed]<sup>1, 2, 3, 4, 5, 6</sup>  
 1927 *Detya fusconebulosa* Baker, Philippine Jour. Sci. **32**: 401; Pl. 1, Fig. 9 [Listed, illustrated]<sup>7, 8, 9</sup> :401, 402 [Comparative notes]  
 LOCALITIES: <sup>1</sup> Burma. <sup>2</sup> Tenasserim. <sup>3</sup> Borneo. <sup>4</sup> Sumatra. <sup>5</sup> Myitta. <sup>6</sup> Cambodia. <sup>7</sup> Siberut. <sup>8</sup> Southeastern Asia. <sup>9</sup> Malaysia.

**sublineata** Walker

- 1870 *Nogodina sublineata* Walker, Jour. Linnean Soc. Zool. **10**: 167 [n. sp.]<sup>1, 2</sup>  
 1898 *Nogodina sublineata* Melichar, Ann. Nat. Hofmus. Wien **13**: 304 [Key] :307; Pl. XIII, Figs. 21, 21a [Described, illustrated]<sup>1, 3, 6</sup> :308 [Comparative note] :353 [Listed]<sup>4</sup>  
 1901 *Nogodina sublineata* Breddin, Abh. Nat. Ges. Halle **24**: 33 [Listed]<sup>2</sup>  
 1905 *Nogodina sublineata* Schmidt, Stett. Ent. Zeit. **66**: 185 [Notes]<sup>5</sup> :193 [Listed]<sup>5</sup>  
 1909 *Nogodina sublineata* Distant, Ann. Mag. Nat. Hist. (8) **4**: 334 To *Sassula osmyloides* Walk. [error]  
 1919 *Nogodina sublineata* Schmidt, Stett. Ent. Zeit. **80**: 143 [Comparative note]  
 1920 *Detya* [*sublineata*] Bergroth, Arkiv Zool. **12**: 25 Equals *Nogodina sublineata* Walk.  
 1927 *D[etya] sublineata* Baker, Philippine Jour. Sci. **32**: 401 [Comparative notes]  
 LOCALITIES: <sup>1</sup> Sula Island. <sup>2</sup> Celebes. <sup>3</sup> Labuan Island. <sup>4</sup> East Indies. <sup>5</sup> Sumatra. <sup>6</sup> Indian Archipelago.

Genus **Decoomana** Lallemand

HAPLOTYPE *Decoomana hoana* [n. sp.] 1942 Lallemand, Notes Ent. Chinoise **9**: 74

*Decoomana* 1942 Lallemand, Notes Ent. Chinoise **9**: 74 [gen. n.]  
 1950 Neave, Nomenclator Zoologicus **5**: 70 [Catalogued]

**hoana** Lallemand

1942 *Decoomana hoana* Lallemand, Notes Ent. Chinoise **9**: 75 [n. sp.]<sup>1</sup> :70 [Listed]

LOCALITIES: <sup>1</sup> Tonkin.

Genus **Pisacha** Distant

[ORTHO]TYPE *Pisacha naga* [n. sp.] 1906 Distant, Fauna of British India **3**: 391

TYPE *P[isacha] naga* 1923 Melichar, Gen. Insect. **182**: 160

- Pisacha** 1906 Distant, Fauna of British India **3**: 391 [gen. n.] :387 [Key]  
 1912 Waterhouse, Index Zoologicus No. II **1912**: 232 [Listed]  
 1923 Melichar, Gen. Insect. **182**: 150 [Key] :160 [Described]  
 1934 Schulze, Kükenthal and Heider, Nomenclator Animalium  
 4 (19): 2695 [Listed]  
 1940 Neave, Nomenclator Zoologicus **3**: 769 [Listed]

**naga** Distant

1906 *Pisacha naga* Distant, Fauna of British India **3**: 392; Fig. 201  
 [n. sp., illustrated]<sup>1</sup>

1923 *P[isacha] naga* Melichar, Gen. Insect. **182**: 160 [Listed]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> Assam. <sup>2</sup> Burma.

Genus **Miriza** Stål

[ORTHO]TYPE *Ricania bohemani* 1862 Stål, Handl. Svenska Vet. Akad.  
**3** (6): 69

TYPE *Ricania bohemani* 1886 Atkinson, Jour. Asiatic Soc. Bengal  
**55**: 62

TYPE *Ricania bohemani* 1919 Schmidt, Stett. Ent. Zeit. **80**: 147

TYPE *M[iriza] bohemani* 1923 Melichar, Gen. Insect. **182**: 160

- Miriza** 1862 Stål, Handl. Svenska Vet. Akad. **3** (6): 69 [gen. n., key]  
 1865 Stål, Öfv. Svenska Vet. Akad. Förh. **22**: 164 [Listed]  
 1866 Stål, Hemiptera Africana **4**: 220 To *Nogodina* Stål [error]  
 1870 Stål, Öfv. Svenska Vet. Akad. Förh. **27**: 769 [Listed]  
 1870 Walker, Jour. Linnean Soc. Zool. **10**: 163 To *Nogodina*  
 Stål [error]  
 1886 Atkinson, Jour. Asiatic Soc. Bengal **55**: 61 [Notes] :62  
 [Described]  
 1889 Ashmead, Ent. Americana **5**: 4 [Key]  
 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 304 To *Nogodina*  
 Stål [error]  
 1900 Fowler, Biologia Centrali-Americana **1**: 66 [Comparative  
 note]  
 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307, 310, 311 [Notes]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 134 [Nomenclature] :147  
 [Described] :138 [Key]  
 1920 Bergroth, Arkiv Zool. **12**: 25 [Comparative note]  
 1923 Melichar, Gen. Insect. **182**: 150 [Key] :160 [Described]  
 :168 [Comparative note]

- 1932 Schulze, Kükenthal and Heider, Nomenclator Animalium  
**3** (16): 2113 [Listed]  
 1940 Neave, Nomenclator Zoologicus **3**: 187 [Listed]

**bohemani** Stål

- 1859 *Ricania bohemani* Stål, Fregatten Eugenie Resa **4**: 280 [n. sp.]<sup>1</sup>  
 1862 [*Miriza bohemani*] Stål, Handl. Svenska Vet. Akad. **3** (6): 69  
 Equals *Ricania bohemani* Stål  
 1865 *M[iriza] bohemani* Stål, Öfv. Svenska Vet. Akad. Förh. **22**: 165  
 [Comparative note]  
 1886 [*Miriza bohemani*] Atkinson, Jour. Asiatic Soc. Bengal **55**: 62  
 Equals *Ricania bohemani* Stål  
 1898 *Nogodina bohemani* Melichar, Ann. Nat. Hofmus. Wien **13**: 304  
 [Key, comparative note] :305; Pl. XIV, Figs. 9, 9a [Described,  
 illustrated]<sup>1, 2</sup> Equals *Ricania bohemani* Stål :307 [Comparative  
 note] :353 [Listed]<sup>1</sup>  
 1916 *Miriza bohemani* Jacobi, Deutsche Ent. Zeit. **1915**: 310 [Listed]  
 1919 *Miriza bohemani* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes] :148  
 [Described]<sup>1</sup>  
 1923 *M[iriza] bohemani* Melichar, Gen. Insect. **182**: 160 [Listed]<sup>1, 2</sup>  
 Equals *Ricania [bohemani] Stål*] Equals *Nogodina [bohemani] Stål*  
 1948 *Nogodina bohemani* Dammerman, Verh. Kon. Nederlandsche  
 Akad. Wet. Nat. **44**: 123 [Food plants]<sup>3</sup>

LOCALITIES: <sup>1</sup> Keeling Islands. <sup>2</sup> Ross Island. <sup>3</sup> Krakatau Island.

*hilaris* Stål. See *Varcia (Aphanophrys) hilaris* Stål.

*nigrovittata* Stål. See *Varcia (Varcia) nigrovittata* Stål.

*osmyloides* Stål. See *Sassula osmyloides* Walker.

*sorucula*. Typographical error for *Miriza sorucula* Stål. See *Sassula sorucula* Stål.  
*sorucula* Stål. See *Sassula sorucula* Stål.

Genus **Varciella** Melichar

[ORTHO]TYPE *V[arciella] fusca* [n. sp.] 1923 Melichar, Gen. Insect.  
**182**: 160

TYPE *Varciella fusca* 1931 Schmidt, Wien. Ent. Zeit. **48**: 75

- Varciella* 1923 Melichar, Gen. Insect. **182**: 160 [gen. n.] :151 [Key]  
 1931 Schmidt, Wien. Ent. Zeit. **48**: 75 [A new species from  
 New Guinea]  
 1940 Neave, Nomenclator Zoologicus **4**: 629 [Listed]  
 1942 Lallemand, Notes Ent. Chinoise **9**: 75 [Comparative  
 note]

**apicalis** Schmidt

1931 *Varciella apicalis* Schmidt, Wien. Ent. Zeit. **48**: 75 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> New Guinea.

**fusca** Melichar

- 1923 *Varciella fusca* Melichar, Gen. Insect. **182**: 161 [n. sp.]<sup>1</sup>  
 1931 *Varciella fusca* Schmidt, Wien. Ent. Zeit. **48**: 75 [Comparative note]

LOCALITIES: <sup>1</sup> New Guinea.

**Genus Convarcia** Schmidt

[ORTHO]TYPE *Convarcia apicata* 1919 Schmidt, Stett. Ent. Zeit. **80**: 148

TYPE *C[onvarcia] apicata* 1923 Melichar, Gen. Insect. **182**: 161

*Convarcia* 1919 Schmidt, Stett. Ent. Zeit. **80**: 148 [gen. n.] :136 [Notes] :138 [Key]

1923 Melichar, Gen. Insect. **182**: 151 [Key] :160 [Comparative note] :161 [Described] Equals *Varcia* Mel. (in part.)

1927 Schulze, Kükenthal and Heider, Nomenclator Animalium **2** (7): 783 [Listed]

1939 Neave, Nomenclator Zoologicus **1**: 825 [Listed]

1942 Lallemand, Notes Ent. Chinoise **9**: 75 [Comparative note]

**apicata** Melichar

1898 *Varcia apicata* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 399 (15) [n. sp.]<sup>1</sup>

1898 *Varcia apicata* Melichar, Ann. Nat. Hofmus. Wien **13**: 318; Pl. XII, Fig. 6 [n. sp., illustrated]<sup>1, 2</sup> :315 [Key, comparative note] :354 [Listed]<sup>1</sup>

1916 [*Varcia*] *apicata* Jacobi, Deutsche Ent. Zeit. **1915**: 312 [Listed]

1919 *Convarcia apicata* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes] :148 [Described]<sup>1</sup>

1923 *C[onvarcia] apicata* Melichar, Gen. Insect. **182**: 161 [Listed, comparative note]<sup>1, 2, 3</sup> Equals *Varcia* [*apicata* Mel.]

1931 [*Convarcia*] *apicata* Lallemand, Mém. Mus. R. Hist. Nat. Belgique **4** (1): 73 [Comparative note]

LOCALITIES: <sup>1</sup> New Guinea. <sup>2</sup> Kaiser-Wilhelms Land. <sup>3</sup> Roon.

**leopoldi** Lallemand

1931 *Convarcia leopoldi* Lallemand, Mém. Mus. R. Hist. Nat. Belgique **4** (1): 73 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> New Guinea.

**polygonalis** Melichar

1923 *Convarcia polygonalis* Melichar, Gen. Insect. **182**: 161 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> New Guinea.

Genus *Sassula* Stål

- LOGOTYPE *Sassula osmyloides* 1909 Distant, Ann. Mag. Nat. Hist. (8) 4: 334
- TYPE *S[assula] osmyloides* 1916 Distant, Fauna of British India 6: 115
- TYPE *Sassula osmyloides* 1919 Schmidt, Stett. Ent. Zeit. 80: 151
- TYPE *S[assula] osmyloides* 1923 Melichar, Gen. Insect. 182: 162
- [*Miriza*] (*Sassula*) 1870 Stål, Öfv. Svenska Vet. Akad. Förh. 27: 769 [subg. n.]
- 1882 Scudder, Bull. United States Nat. Mus. 19: 284 [Listed]
- Miriza* (*Sassula*) 1886 Atkinson, Jour. Asiatic Soc. Bengal 55: 61 [Listed]
- Sassula* 1898 Melichar, Verh. Zool. Bot. Ges. Wien 48: 399 (16) [Comparative note]
- 1898 Melichar, Ann. Nat. Hofmus. Wien 13: 295 [Key] :310 [Described, key to species] :315, 320 [Comparative note] :353 [Listed]
- 1900 Fowler, Biologia Centrali-Americana 1: 65 [Key] :66 [Notes]
- 1903 Melichar, Homopteren-Fauna von Ceylon 1903: 85, 224 [Listed]
- 1906 Distant, Fauna of British India 3: 389 [Comparative note]
- 1909 Distant, Ann. Mag. Nat. Hist. (8) 4: 334 [Listed] Equals *Detya* Dist. [error] :335 [Comparative note]
- 1916 Distant, Fauna of British India 6: 115 [Listed] Equals *Detya* [error]
- 1916 Jacobi, Deutsche Ent. Zeit. 1915: 313 [Comparative note]
- 1919 Schmidt, Stett. Ent. Zeit. 80: 134 [Listed] :139 [Key] :151 [Described]
- 1920 Bergroth, Arkiv Zool. 12: 25 [Notes]
- 1923 Melichar, Gen. Insect. 182: 151 [Key] :162 [Described] :163, 166 [Comparative note]
- Miriza* (*Sassula*) 1936 Schulze, Kükenthal and Heider, Nomenclator Animalium 5 (22): 3105 [Listed]
- Sassula* 1940 Neave, Nomenclator Zoologicus 4: 115 [Listed]

—Walker (var.) [*subguttata*]. See *Sassula subguttata* var. —Walker.  
*apicalis* Schmidt. See *Orthothyreus apicalis* Schmidt.

**concolor** Walker

- 1870 *Nogodina concolor* Walker, Jour. Linnean Soc. Zool. **10**: 166 [n. sp.]<sup>1</sup>  
 1898 *Nogodina concolor* Melichar, Ann. Nat. Hofmus. Wien **13**: 309 [Described]<sup>1</sup> :353 [Listed]<sup>1</sup>  
 1909 *Sassula concolor* Distant, Ann. Mag. Nat. Hist. (8) **4**: 334 [Listed]<sup>1</sup> Equals *Nogodina concolor* Walk.  
 1923 *S[assula] concolor* Melichar, Gen. Insect. **182**: 163 [Listed]<sup>1</sup> Equals *Nogodina* [*concolor* Walk.]

LOCALITIES: <sup>1</sup> Morty Island.

*costalis* Fowler. See *Biolleyana costalis* Fowler.

**dyakana** Kirkaldy

- 1913 *Sassula dyakana* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **12**: 18 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> Borneo.

*fenestrata* Gerstaecker. See *Biolleyana fenestrata* Gerstaecker.

*greeni* Kirby. See *Varcia* (*Varcia*) *greeni* Kirby.

*hemerobii* Walker. See *Varcia* (*Varcia*) *hemerobii* Walker.

*kirbyi* Melichar. See *Varcia* (*Varcia*) *kirbyi* Melichar.

**osmyloides** Walker

- 1857 *Ricania osmyloides* Walker, Jour. Proc. Linn. Soc. **1**: 157 [n. sp.]<sup>1, 2</sup>  
 1858 *Ricania osmyloides* Walker, List of Homopterous Insects. Supplement **1858**: 104 [Listed]<sup>1</sup>  
 1859 [*Ricania*] *osmyloidis* Dohrn, Catalogus Hemipterorum **1859**: 67 [Listed]<sup>1</sup>  
 1859 *Ricania osmyloides* Walker, Natuurk. Tijdschr. Nederlandsch Indië **19**: 379 [n. sp.]<sup>1, 2</sup>  
 1862 *Mindura* [*osmyloides*] Stål, Öfv. Svenska Vet. Akad. Förh. **19**: 491 Equals *Ricania osmyloides* Walk.  
 1865 *M[iriza]* *osmyloides* Stål, Öfv. Svenska Vet. Akad. Förh. **22**: 164 [n. sp., comparative note]<sup>1</sup>  
 1870 [*Miriza* (*Sassula*) *osmyloides*] Stål, Öfv. Svenska Vet. Akad. Förh. **27**: 769 Equals *Miriza osmyloides* Walk.  
 1870 *N[ogodina]* *osmyloides* Walker, Jour. Linnean Soc. Zool. **10**: 168 [Comparative note] Equals *Ricania* [*osmyloides* Walk.]  
 1898 *Sassula osmyloides* Melichar, Ann. Nat. Hofmus. Wien **13**: :311 [Key] :312; Pl. XII, Fig. 8; Pl. XIV, Fig. 21 [Described, illustrated]<sup>1, 2</sup> Equals *Ricania osmyloides* Walk. Equals *Miriza osmyloides* Stål. :353 [Listed]<sup>1</sup>  
 1900 *Sassula osmyloides* Fowler, Biologia Centrali-Americana **1**: 66 [Notes] Equals *Miriza osmyloides* Walk.



- 1909 *Sassula osmyloides* Distant, Ann. Mag. Nat. Hist. (8) 4: 334 [Listed]<sup>3</sup> Equals *Nogodina sublineata* Walk. [error] Equals *Ricania osmyloides* Walk.
- 1913 [*Sassula*] *osmyloides* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. 12: 18, 19 [Comparative notes]
- 1916 *S*[*assula*] *osmyloides* Distant, Fauna of British India 6: 115 [Listed]<sup>3</sup>
- 1916 *Sassula osmyloides* Jacobi, Deutsche Ent. Zeit. 1915: 312 [Listed]<sup>1, 4, 5</sup>
- 1919 *Sassula osmyloides* Schmidt, Stett. Ent. Zeit. 80: 136 [Notes] :151 [Described] Equals *Ricania osmyloides* Walk. Equals *Miriza osmyloides* Walk.
- 1919 *M*[*iriza*] *osmyloid*[*es*] Schmidt, Stett. Ent. Zeit. 80: 152 [Comparative note]
- 1923 *S*[*assula*] *osmyloides* Melichar, Gen. Insect. 182: 162 [Listed]<sup>1, 2, 6</sup> Equals *Ricania* [*osmyloides* Walk.] Equals *Miriza* [*osmyloides* Walk.]
- 1925 *Sassula osmyloides* Singh-Pruthi, Trans. Ent. Soc. London 1925: 215 [Listed]
- 1939 *Sassula osmyloides* Lallemand, Ann. Mag. Nat. Hist. (11) 4: 78 [Listed]<sup>2</sup>

LOCALITIES: <sup>1</sup> Borneo. <sup>2</sup> Sarawak. <sup>3</sup> Malayan Archipelago. <sup>4</sup> Malay States. <sup>5</sup> Sula Island. <sup>6</sup> Bali.

*pictifrons* Stål. See *Biolleyana pictifrons* Stål.

*similata* Melichar. See *Varcia (Varcia) similata* Melichar.

*sorurcula*. Typographical error for *Sassula sorurcula* Stål.

*sorucula*. Typographical error for *Sassula sorurcula* Stål.

#### **sorurcula** Stål

- 1865 *M*[*iriza*] *sorurcula* Stål, Öfv. Svenska Vet. Akad. Förh. 22: 164 [n. sp.]<sup>1</sup>
- 1870 [*Miriza* (*Sassula*) *sorurcula*] Stål, Öfv. Svenska Vet. Akad. Förh. 27: 769 Equals [*Miriza*] *sorurcula* Stål
- 1886 *M*[*iriza*] (*Sassula*) *sorurcula* Atkinson, Jour. Asiatic Soc. Bengal 55: 61 [Listed]
- 1886 *Miriza sorurcula* Atkinson, Jour. Asiatic Soc. Bengal 55: 62 [Described]<sup>1</sup>
- 1898 *Sassula sorurcula* Melichar, Ann. Nat. Hofmus. Wien 13: 311 [Key] :312, 313 [Comparative note] :312; Pl. XII, Fig. 5; Pl. XIV, Fig. 19 [Described, illustrated]<sup>1, 2</sup> Equals *Miriza sorurcula* Stål :353 [Listed]<sup>1</sup>
- 1900 *Sassula sorurcula* Fowler, Biologia Centrali-Americana 1: 66 [Notes] Equals *Miriza sorurcula* Stål

- 1909 *Sassula sorurcula* Distant, Ann. Mag. Nat. Hist. (8) 4: 334 [Listed]<sup>1, 3, 4, 5</sup> Equals *Detya fusconebulosa* Dist. [error] Equals *Miriza sorurcula* Stål
- 1913 [*Sassula*] *sorurcula* [sic] Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. 12: 18, 19 [Comparative notes]
- 1916 *Sassula sorucula* [sic] Distant, Fauna of British India 6: 115 [Listed]<sup>1</sup> Equals *Detya fusconebulosa* Dist. [error] Equals *Miriza sorucula* [sic] Stål
- 1916 *Sassula sorurcula* Jacobi, Deutsche Ent. Zeit. 1915: 312 [Listed]<sup>3</sup>
- 1919 *Sassula sorurcula* Schmidt, Stett. Ent. Zeit. 80: 146 [Comparative note] :151 [Listed] :152 [Described]<sup>1</sup>
- 1920 *Sassula sorurcula* [sic] Bergroth, Arkiv Zool. 12: 24 [Notes]
- 1923 *S[assula] sorurcula* Melichar, Gen. Insect. 182: 163 [Listed]<sup>1, 3, 4, 5</sup> Equals *Miriza [sorurcula]* Stål
- 1939 *Sassula sorurcula* Lallemand, Ann. Mag. Nat. Hist. (11) 4: 78 [Listed]<sup>6</sup>

LOCALITIES: <sup>1</sup> Cambodia. <sup>2</sup> Siam. <sup>3</sup> Burma. <sup>4</sup> Tenasserim. <sup>5</sup> Borneo. <sup>6</sup> Sarawak. *strictifascia* Walker. See *Varcia (Varcia) strictifascia* Walker.

#### subguttata Walker

- 1858 *Ricania subguttata* Walker, List of Homopterous Insects. Supplement 1858: 105 [n. sp.]<sup>1</sup>
- 1862 *Mindura [subguttata]* Stål, Öfv. Svenska Vet. Akad. Förh. 19: 491 Equals *R[icania] subguttata* Walk.
- 1870 *Nogodina subguttata* Walker, Jour. Linnean Soc. Zool. 10: 165 Equals *Ricania [subguttata]* Walk.]
- 1898 *Nodogina subguttata* Melichar, Ann. Nat. Hofmus. Wien 13: 309 [Described]<sup>1</sup> Equals *Ricania subguttata* Walk. Equals *Ricania subguttata* var. —Walk. :353 [Listed]<sup>1</sup>
- 1900 *Nogodina subguttata* Breddin, Abh. Senckenbergischen Nat. Ges. 25: 197 [Described]<sup>1</sup>
- 1901 *N[ogodina] subguttata* Breddin, Abh. Nat. Ges. Halle 24: 33 To *Nogodina pallidipennis* Guér.-Mén. [error]
- 1909 *Sassula subguttata* Distant, Ann. Mag. Nat. Hist. (8) 4: 334 [Listed]<sup>1</sup> Equals *Nogodina subguttata* Mel. Equals *Ricania subguttata* Walk. Equals *Ricania subguttata* var. —Walk.
- 1916 *Mindura subguttata* Jacobi, Deutsche Ent. Zeit. 1915: 308 [Listed]<sup>2</sup> Equals *Ricania subguttata* Walk. Equals *Nogodina subguttata* Walk.
- 1923 *S[assula] subguttata* Melichar, Gen. Insect. 182: 163 [Listed]<sup>1</sup> Equals *Ricania [subguttata]* Walk.] Equals *Nogodina [subguttata]* Walk.]

LOCALITIES: <sup>1</sup> Celebes. <sup>2</sup> Buton Island.

**subguttata** var.—Walker

- 1870 *Nogodina subguttata* var. — Walker, Jour. Linnean Soc. Zool. **10**: 165 [n. var.]<sup>1</sup>  
 1898 *Nogodina subguttata* var. — Melichar, Ann. Nat. Hofmus. Wein **13**: 310 [Described]<sup>1</sup>  
 1909 *Ricania subguttata* var. — Distant, Ann. Mag. Nat. Hist. (8) **4**: 334 To *Sassula subguttata* Walk.

LOCALITIES: <sup>1</sup> Celebes.

**subviridis** Kirby

- 1900 *Nogodina subviridis* Kirby, A Monograph of Christmas Island **1900**: 135; Pl. XV, Figs. 10, 11 [n. sp., illustrated]<sup>1</sup> :130, 310  
 \* [Listed]<sup>1</sup>  
 1909 *Sassula subviridis* Distant, Ann. Mag. Nat. Hist. (8) **4**: 335  
 [Listed]<sup>1</sup> Equals *Nogodina subviridis* Kirby  
 1923 *S[assula] subviridis* Melichar, Gen. Insect. **182**: 163 [Listed]<sup>1</sup>  
 Equals *Nogodina [subviridis]* Kirby  
 1936 *Sassula subviridis* Izzard, Ann. Mag. Nat. Hist. (10) **17**: 593  
 [Listed]<sup>1</sup> Equals *Nogodina subviridis* Kirby

LOCALITIES: <sup>1</sup> Christmas Island (Indian Ocean).

Genus **Varcia** Stål

- HAPLOTYPE *Miriza (Varcia) nigrovittata* [n. sp.] 1870 Stål, Öfv. Svenska Vet. Akad. Förh. **27**: 769  
 TYPE *Varcia nigrovittata* 1906 Distant, Fauna of British India **3**: 389  
 [PSEUDO]TYPE [*Varcia hilaris* 1906 Kirkaldy, Entomologist **39**: 248  
 TYPE *V[arcia] nigrovittata* 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 336  
 TYPE *Varcia nigrovittata* 1919 Schmidt, Stett. Ent. Zeit. **80**: 152  
 TYPE *V[arcia] nigrovittata* 1923 Melichar, Gen. Insect. **182**: 163

[*Varcilla* Kirkaldy]

[ORTHOTYPE [*Varcilla*] *nigrovittata* 1906 Kirkaldy, Entomologist **39**: 248]

- Miriza* (*Varcia*) 1870 Stål, Öfv. Svenska Vet. Akad. Förh. **27**: 769  
 [subg. n.]  
*Varcia* 1882 Scudder, Bull. United States Nat. Mus. **19**: 333  
 [Listed]  
*Miriza* (*Varcia*) 1886 Atkinson, Jour. Asiatic Soc. Bengal **55**: 61  
 [Catalogued]  
*Varcia* 1898 Melichar, Verh. Zool. Bot. Ges. Wien **48**: 399  
 (16) [Comparative note]

- 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 296  
[Key] :315 [Described, key to species] :353  
[Listed]
- 1900 Fowler, Biologia Centrali-Americana **1**: 67  
[Comparative note]
- 1900 Kirby, A Monograph of Christmas Island **1900**:  
130 [Listed]
- 1906 Distant, Fauna of British India **3**: 387 [Key]  
:389 [Described, catalogued]
- 1906 Kirkaldy, Entomologist **39**: 248 [Listed] Equals  
*Aphanophrys* Mel.
- Varcilla* 1906 Kirkaldy, Entomologist **39**: 248 [Nom. nov.]  
pro *Varcia* Melichar [1898] [nec *Varcia* Stål]  
[1870]
- Varcia* 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 336 [Cata-  
logued]
- 1914 Distant, Trans. Zool. Soc. London **20**: 352  
[Catalogued, zoogeography]
- 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 312 [Listed]  
:313 [Described, comparative note]
- 1919 Schmidt, Stett. Ent. Zeit. **80**: 134 [Taxonomy]  
:139 [Key] :152, 163 [Described, catalogued]
- 1920 Cockerell, Proc. United States Nat. Mus. **57**:  
242 [Comparative note]
- 1923 Melichar, Gen. Insect. **182**: 151 [Key] :163  
[Described, catalogued, catalogue of species]  
Equals *Sassula* Mel. (in part.) :166 [Comparative  
note]
- 1925 Handlirsch, Schröder's Handbuch der Ento-  
mologie **3** (17-18): 1111 [Listed]
- 1940 Neave, Nomenclator Zoologicus **4**: 629 [Cata-  
logued]
- Varcilla* 1940 Neave, Nomenclator Zoologicus **4**: 629 [Cata-  
logued]
- 1940 Schulze, Kükenthal, and Heider, Nomenclator  
Animalium **5** (25): 3628 [Catalogued]
- Miriza* (*Varcia*) 1940 Schulze, Kükenthal, and Heider, Nomenclator  
Animalium **5** (25): 3628 [Catalogued]

*aequata* Melichar. See *Neovarcia aequata* Melichar.

*affinis* Kirby. See *Varcia* (*Varcia*) *affinis* Kirby.

*annulata* Melichar. See *Varcia* (*Aphanophrys*) *annulata* Melichar.

*apicata* Melichar. See *Convarcia apicata* Melichar.

- debilis* Melichar. See *Varcia* (*Varcia*) *debilis* Melichar.  
*decisa* Walker. See *Varcia* (*Aphanophrys*) *decisa* Walker.  
*flavicostralis* Kirby. See *Varcia* (*Varcia*) *flavicostralis* Kirby.  
*flavicostralis* var. *affinis* Kirby. See *Varcia* (*Varcia*) *affinis* Kirby.  
*greeni* Kirby. See *Varcia* (*Varcia*) *greeni* Kirby.  
*hemerobii* Walker. See *Varcia* (*Varcia*) *hemerobii* Walker.  
*hilaris* Stål. See *Varcia* (*Aphanophrys*) *hilaris* Stål.  
*hyalina* Kirby. See *Salona oceanica* Kirkaldy.  
*incerta* Melichar. See *Varcia* (*Aphanophrys*) *incerta* Melichar.  
*kandyiana* Distant. See *Varcia* (*Varcia*) *kandyiana* Distant.  
*kästneri* Schmidt. See *Varcia* (*Aphanophrys*) *kästneri* Schmidt.  
*kirbyi* Melichar. See *Varcia* (*Varcia*) *kirbyi* Melichar.  
*lurida* Melichar. See *Neovarcia lurida* Melichar.  
*nigrovittata* Stål. See *Varcia* (*Varcia*) *nigrovittata* Stål.  
*plena* Walker. See *Probletomus plenus* Walker.  
*prominens* Walker. See *Varcia* (*Varcia*) *prominens* Walker.  
*pyramidalis* Melichar. See *Varcia* (*Varcia*) *pyramidalis* Melichar.  
*similata* Melichar. See *Varcia* (*Varcia*) *similata* Melichar.  
*solita* Melichar. See *Varcia* (*Aphanophrys*) *solita* Melichar.  
*sordida* Distant. See *Varcia* (*Aphanophrys*) *sordida* Distant.  
*spilota* Melichar. See *Varcia* (*Aphanophrys*) *spilota* Melichar.  
*strictifascia* Walker. See *Varcia* (*Varcia*) *strictifascia* Walker.  
*trigutta* Walker. See *Varciopsis trigutta* Walker.  
*venosa* Walker. See *Varcia* (*Aphanophrys*) *venosa* Walker.  
*vitripennis* Lethierry. See *Varciopsis vitripennis* Lethierry.

[Subgenus **Varcia** Stål]*Varcia* subgenus of *Varcia*ORTHOTYPE *Varcia* (*Varcia*) *nigrovittata* Stål

- [*Varcia*] (*Varcia*) 1900 Breddin, Abh. Senchenbergischen Nat. Ges.  
**25**: 197, 198 [Comparative note]  
 1923 Melichar, Gen. Insect. **182**: 163 [Described,  
 catalogue of species]

**affinis** Kirby

- 1889 *Ricania affinis* Kirby, Proc. Zool. Soc. London **1888**: 554 [n.  
 sp.]<sup>1</sup>  
 1898 *Nogodina affinis* Melichar, Ann. Nat. Hofmus. Wien **13**: 309  
 [Described, catalogued]<sup>1</sup> Equals *Ricania affinis* Kirby :353  
 [Listed]<sup>1</sup>  
 1900 [*Nogodina*] *affinis* Kirby, A Monograph of Christmas Island  
**1900**: 130 [Listed] :134; Pl. XV, Fig. 8 [Described, illustrated,  
 catalogued]<sup>1</sup> Equals *Ricania affinis* Kirby :136 [Comparative  
 note] :310 [Listed]<sup>1, 2</sup>  
 1909 [*Varcia flavicostralis*] *affinis* Distant, Ann. Mag. Nat. Hist. (8)  
**4**: 336 [Notes, catalogued]<sup>1</sup> Equals *Ricania affinis* Kirby Equals  
*Nogodina affinis* Mel.

- 1923 [*Varcia*] (*V[arcia]*) *affinis* Melichar, Gen. Insect. **182**: 163 [Catalogued]<sup>1</sup> Equals *Ricania [affinis* Kirby] Equals *Nogodina [affinis* Kirby]
- 1936 *Varcia affinis* Izzard, Ann. Mag. Nat. Hist. (10) **17**: 592 [Catalogued]<sup>1</sup> Equals *Ricania affinis* Kirby Equals *Nogodina affinis* Mel.

LOCALITIES: <sup>1</sup> Christmas Island. <sup>2</sup> Australia.

#### **debilis** Melichar

- 1898 *Varcia debilis* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 398 (15) [n. sp.]<sup>1</sup>
- 1898 *Varcia debilis* Melichar, Ann. Nat. Hofmus. Wien **13**: 317; Pl. XIV, Figs. 12, 12a [n. sp., illustrated]<sup>1</sup> :315 [n. sp., key] :354 [Listed]<sup>1</sup>
- 1916 *V[arcia] debilis* Jacobi, Deutsche Ent. Zeit. **1915**: 312 [Listed]
- 1923 [*Varcia*] (*V[arcia]*) *debilis* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1</sup>

LOCALITIES: <sup>1</sup> Locality Unknown.

#### **flavicostalis** Kirby

- 1889 *Ricania flavicostalis* Kirby, Proc. Zool. Soc. London **1888**: 554 [n. sp.]<sup>1</sup>
- 1898 *R[icania] flavicostalis* Melichar, Ann. Nat. Hofmus. Wien **13**: 309 [Comparative note]
- 1898 *Varcia flavicostalis* Melichar, Ann. Nat. Hofmus. Wien **13**: 319 [Described, catalogued]<sup>1</sup> Equals *Ricania flavicostalis* Kirby :354 [Listed]<sup>1</sup>
- 1900 *Varcia flavicostalis* Kirby, A Monograph of Christmas Island **1900**: 133; Pl. XV, Figs. 7, 7a [Described, illustrated, catalogued]<sup>1</sup> Equals *Ricania flavicostalis* Kirby :130, 310 [Listed]<sup>1</sup>
- 1909 *Varcia flavicostalis* Distant, Ann. Mag. Nat. Hist. (8) **4**: 336 [Catalogued]<sup>1</sup> Equals *Ricania flavicostalis* Kirby
- 1916 *V[arcia] flavicostalis* Jacobi, Deutsche Ent. Zeit. **1915**: 312 [Catalogued]<sup>1</sup>
- 1923 *V[arcia] (Varcia)] flavicostalis* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1</sup> Equals *Ricania [flavicostalis* Kirby]
- 1936 *Varcia flavicostalis* Izzard, Ann. Mag. Nat. Hist. (10) **17**: 592 [Catalogued]<sup>1</sup> Equals *Ricania flavicostalis* Kirby

LOCALITIES: <sup>1</sup> Christmas Island (Indian Ocean).

#### **greeni** Kirby

- 1891 *Nogodina greeni* Kirby, Jour. Linnean Soc. Zool. **24**: 158; Pl. 5, Fig. 15 [n. sp., illustrated]<sup>1</sup>
- 1898 *Varcia greeni* Melichar, Ann. Nat. Hofmus. Wien **13**: 320 [Described, catalogued]<sup>1</sup> Equals *Nogodina greeni* Kirby :354 [Listed]<sup>1</sup>

- 1903 *Sassula greeni* Melichar, Homopteren-Fauna von Ceylon **1903**: 85 [Described, comparative note, catalogued]<sup>1</sup> Equals *Nogodina greeni* Kirby Equals *Varcia greeni* Mel. :224 [Listed].<sup>1</sup>
- 1906 *Varcia greeni* Distant, Fauna of British India **3**: 390 [Described, catalogued]<sup>1</sup> Equals *Sassula [greeni* Mel.] Equals *Nogodina [greeni* Kirby]
- 1916 [*Varcia*] *greeni* Jacobi, Deutsche Ent. Zeit. **1915**: 312 [Listed]
- 1919 *Varcia greeni* Schmidt, Stett. Ent. Zeit. **80**: 155 [Described, catalogued]<sup>1</sup>
- 1923 *V[arcia (Varcia)] greeni* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1</sup> Equals *Nogodini* [sic] [*greeni* Mel.] Equals *Sassula [greeni* Kirby]

LOCALITIES: <sup>1</sup> Ceylon.

#### **hemerobii** Walker

- 1851 *Ricania hemerobii* Walker, List of Homopterous Insects **2**: 425 [n. sp.]<sup>1</sup>
- 1857 *Ricania hemerobii* Walker, Jour. Proc. Linn. Soc. **1**: 89 [Catalogued]<sup>1, 2</sup>
- 1859 [*Ricania*] *hemerobii* Dohrn, Catalogus Hemipterorum **1859**: 67 [Listed]<sup>1</sup>
- 1862 *Mindura [hemerobii]* Stål, Öfv. Svenska Vet. Akad. Förh. **19**: 491 Equals *R[icania] hemerobii* Walk.
- 1863 *Ricania hemerobii* de Motschulsky, Bull. Soc. Nat. Moscou **36**: 108 [Listed]<sup>1</sup>
- 1886 *Mindura hemerobii* Atkinson, Jour. Asiatic Soc. Bengal **55**: 62 [Described, catalogued]<sup>1, 2</sup> Equals *Ricania hemerobii* Walk.
- 1891 *Mindura hemerobii* Kirby, Jour. Linn. Soc. Zool. **24**: 158. [Comparative note, catalogued]<sup>1</sup> Equals *Ricania hemerobii* Walk.
- 1898 *Mindura hemerobii* Melichar, Ann. Nat. Hofmus. Wien **13**: 303 [Described, catalogued]<sup>1</sup> Equals *Ricania hemerobii* Walk. 353 [Listed]<sup>1</sup>
- 1900 *Sassula [hemerobii]* Kirkaldy, Entomologist **33**: 10 Equals *Mindura hemerobii* Walk.
- 1903 *Sassula hemerobii* Melichar, Homopteren-Fauna von Ceylon **1903**: 85 [Described, comparative note, catalogued]<sup>1</sup> Equals *Ricania hemerobia* Walk. Equals *Mindura hemerobia* Stål :224 [Listed]<sup>1</sup> :247 [Notes]
- 1906 *Varcia hemerobii* Distant, Fauna of British India **3**: 389; Fig. 200 [Described, illustrated, catalogued]<sup>1, 2, 3, 4, 5, 6</sup> Equals *Ricania [hemerobii* Walk.] Equals *Mindura [hemerobii* Walk.] Equals *Sassula [hemerobii* Walk.]
- 1909 *V[arcia] hemerobii* Distant, Ann. Mag. Nat. Hist. (8) **4**: 336 [Comparative note]

- 1918 *M[indura] hemerobii* Haupt, Stett. Ent. Zeit. **79**: 94 [Notes]<sup>1</sup>  
 1919 [*Varcia hemerobii*] Schmidt, Stett. Ent. Zeit. **80**: 133 [Notes]<sup>1</sup>  
 Equals *Mindura hemerobii* Walk. :154 [Described, catalogued]<sup>1</sup>  
 1919 *Mindura hemerobii* Schmidt, Stett. Ent. Zeit. **80**: 156 [Comparative note]  
 1923 *V[arcia (Varcia)] hemerobii* Melichar, Gen. Insect. **182**: 163  
 [Catalogued]<sup>1, 3, 4, 5, 6, 7</sup> Equals *Ricania [hemerobii* Walk.] Equals  
*Mindura [hemerobii* Stål]

LOCALITIES: <sup>1</sup> Ceylon. <sup>2</sup> Malay States. <sup>3</sup> Madras. <sup>4</sup> Tenasserim. <sup>5</sup> Borneo. <sup>6</sup> Talaut.  
<sup>7</sup> Malay Archipelago.

#### **kandyiana** Distant

- 1906 *Varcia kandyiana* Distant, Fauna of British India **3**: 390 [n. sp.]<sup>1</sup>  
 1919 *Varcia kandyiana* Schmidt, Stett. Ent. Zeit. **80**: 156 [Described, catalogued]<sup>1</sup>  
 1923 *V[arcia (Varcia)] kandyiana* Melichar, Gen. Insect. **182**: 164  
 [Catalogued]<sup>1</sup>

LOCALITIES: <sup>1</sup> Ceylon.

#### **kirbyi** Melichar

- 1898 *Sassula kirbyi* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 398  
 (14) [n. sp.]<sup>1</sup>  
 1898 *Sassula kirbyi* Melichar, Ann. Nat. Hofmus. Wien **13**: 314;  
 Pl. XIV, Fig. 18 [n. sp., illustrated]<sup>1</sup> :311 [n. sp., key] :353  
 [Listed]<sup>1</sup>  
 1903 *S[assula] kirbyi* Melichar, Homopteren-Fauna von Ceylon  
**1903**: 86 [Comparative note, catalogued]  
 1906 *S[assula] kirbyi* Distant, Fauna of British India **3**: 391 [Comparative note]<sup>1</sup>  
 1919 *S[assula] kirbyi* Schmidt, Stett. Ent. Zeit. **80**: 156 [Comparative note, catalogued]  
 1923 *V[arcia (Varcia)] kirbyi* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1</sup> Equals *Sassula [kirbyi* Mel.]

LOCALITIES: <sup>1</sup> Cochin China.

#### **nigrovittata** Stål

- 1870 *M[iriza] (Varcia) nigrovittata* Stål, Öfv. Svenska Vet. Akad. Förh. **27**: 769 [n. sp.]<sup>1</sup>  
 1898 [*Varcia*] *nigrovittata* Melichar, Ann. Nat. Hofmus. Wien **13**: 315 [Key]<sup>1, 2</sup> :317; Pl. XII, Fig. 1; Pl. XIV, Fig. 20 [Described, illustrated, catalogued]<sup>1, 2</sup> Equals *Miriza nigrovittata* Stål :318 [Comparative note] :354 [Listed]<sup>1</sup>  
 1906 *V[arcia] nigrovittata* Distant, Fauna of British India **3**: 389 [Listed]<sup>1</sup>



- 1916 [*Varcia*] *nigrovittata* Jacobi, Deutsche Ent. Zeit. **1915**: 312 [Listed]  
 1919 *Varcia nigrovittata* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes] :152 [Described, catalogued] :154 [Comparative note]  
 1923 *V[arcia (Varcia)] nigrovittata* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1, 2</sup> Equals *Miriza [nigrovittata Stål]*  
 1939 *Varcia nigrovittata* Lallemand, Ann. Mag. Nat. Hist. (11) **4**: 78 [Listed]<sup>3</sup>

LOCALITIES: <sup>1</sup> Philippines. <sup>2</sup> Borneo. <sup>3</sup> Sarawak.

**prominens** Walker

- 1858 *Ricania prominens* Walker, Insecta Saundersiana **1858**: 48 [n. sp.]<sup>1</sup>  
 1886 *Ricania prominens* Atkinson, Jour. Asiatic Soc. Bengal **55**: 57 [Described, catalogued]<sup>1</sup>  
 1898 *Nogodina (?) prominens* Melichar, Ann. Nat. Hofmus. Wien **13**: 341 [Described, catalogued]<sup>1</sup> Equals *Ricania prominens* Walk.  
 1906 *Ricania (?) prominens* Distant, Fauna of British India **3**: 395 [Described, catalogued]<sup>1</sup>  
 1923 *V[arcia (Varcia)] (?) prominens* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1</sup> Equals *Ricania [prominens Walk.]*

LOCALITIES: <sup>1</sup> Assam.

**pyramidalis** Melichar

- 1898 *Varcia pyramidalis* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 398 (15) [n. sp.]<sup>1</sup>  
 1898 [*Varcia*] *pyramidalis* Melichar, Ann. Nat. Hofmus. Wien **13**: 315 [n. sp., key]<sup>1</sup> :318; Pl. XII, Figs. 20, 20a [n. sp., illustrated]<sup>1, 2</sup> :354 [Listed]<sup>1</sup>  
 1905 *Varcia pyramidalis* Schmidt, Stett. Ent. Zeit. **66**: 191 [Described, catalogued]<sup>3, 4</sup> :193 [Listed]<sup>3</sup>  
 1916 [*Varcia*] *pyramidalis* Jacobi, Deutsche Ent. Zeit. **1915**: 312 [Listed]  
 1919 *Varcia pyramidalis* Schmidt, Stett. Ent. Zeit. **80**: 153 [Described, catalogued]<sup>1, 2, 3</sup>  
 1923 *V[arcia (Varcia)] pyramidalis* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> Borneo. <sup>2</sup> Perak. <sup>3</sup> Sumatra. <sup>4</sup> Tonkin.

**similata** Melichar

- 1903 *Sassula similata* Melichar, Homopteren-Fauna von Ceylon **1903**: 86 [n. sp.]<sup>1</sup> :224 [Listed]<sup>1</sup>  
 1906 *Varcia similata* Distant, Fauna of British India **3**: 391 [Described, catalogued]<sup>1</sup> Equals *Sassula [similata Mel.]*  
 1919 *Varcia similata* Schmidt, Stett. Ent. Zeit. **80**: 156 [Described, catalogued]<sup>1</sup>

1923 *V[arcia (Varcia)] similata* Melichar, Gen. Insect. **182**: 164  
[Catalogued]<sup>1</sup> Equals *Sassula [similata Mel.]*

LOCALITIES: <sup>1</sup> Ceylon.

**strictifascia** Walker

1870 *Nogodina strictifascia* Walker, Jour. Linnean Soc. Zool. **10**:  
165 [n. sp.]<sup>1</sup>

1898 [*Sassula*] *strictifascia* Melichar, Ann. Nat. Hofmus. Wien **13**:  
311 [Key]<sup>1</sup> :314; Pl. XII, Fig. 22 [Described, illustrated, cata-  
logued]<sup>1</sup> Equals *Nogodina strictifascia* Walk. :353 [Listed]<sup>1</sup>

1923 *V[arcia (Varcia)] strictifascia* Melichar, Gen. Insect. **182**: 164  
[Catalogued]<sup>1</sup> Equals *Sassula [strictifascia Walk.]* Equals *Nogo-  
dina [strictifascia Walk.]*

LOCALITIES: <sup>1</sup> New Guinea.

[Subgenus **Aphanophrys** Melichar]

*Aphanophrys* subgenus of *Varcia*

LOGOTYPE *Aphanophrys solita* 1930 Schmidt, Wien. Ent. Zeit. **47**:  
119

- |  |  |
|--|--|
| <i>Aphanophrys</i>                       | 1898 Melichar, Verh. Zool. Bot. Ges. Wien<br><b>48</b> : 399 (16) [gen. n.]  |
|  | 1898 Melichar, Ann. Nat. Hofmus. Wien<br><b>13</b> : 296 [gen. n., key] :320 [gen. n., key<br>to species] :354 [List of species] |
|  | 1906 Kirkaldy, Entomologist <b>39</b> : 248 To<br><i>Varcia</i> Stål   |
| [ <i>Varcia</i> ] ( <i>Aphanophrys</i> ) | 1923 Melichar, Gen. Insect. <b>182</b> : 164 [De-<br>scribed, catalogue of species]  |
| <i>Aphanophrys</i>                       | 1926 Schulze, Kükenthal, and Heider, Nomen-<br>clator Animalium <b>1</b> (2): 225 [Catalogued]                                   |
|  | 1930 Schmidt, Wien. Ent. Zeit. <b>47</b> : 119<br>[Catalogued]   |
|  | 1939 Neave, Nomenclator Zoologicus <b>1</b> : 244<br>[Catalogued]  |

**annulata** Melichar

1898 *Aphanophrys annulata* Melichar, Verh. Zool. Bot. Ges. Wien  
**48**: 399 (16) [n. sp.]<sup>1</sup>

1898 *Aphanophrys annulata* Melichar, Ann. Nat. Hofmus. Wien **13**:  
324 [n. sp.]<sup>1</sup> :321 [n. sp., key] :354 [Listed]<sup>1</sup>

1923 [*Varcia*] (*A[phanophrys]*) *annulata* Melichar, Gen. Insect. **182**:  
164 [Catalogued]<sup>1</sup>

LOCALITIES: <sup>1</sup> New Guinea.

**decisa** Walker

- 1870 *Nogodina decisa* Walker, Jour. Linnean Soc. Zool. **10**: 168  
[n. sp.]<sup>1, 2, 3</sup>
- 1898 *Aphanophrys decisa* Melichar, Ann. Nat. Hofmus. Wien **13**:  
322 [Described, catalogued]<sup>3</sup> Equals *Nogodina decisa* Walk. :321  
[Key]<sup>3</sup> :323 [Comparative note] :354 [Listed]<sup>3</sup>
- 1923 [*Varcia*] (*A[phanophrys]*) *decisa* Melichar, Gen. Insect. **182**:  
164 [Catalogued]<sup>3</sup> Equals *Nogodina [decisa* Walk.]

LOCALITIES: <sup>1</sup> Mysol. <sup>2</sup> Aru Islands. <sup>3</sup> New Guinea.

**hilaris** Stål

- 1865 *M[iriza] hilaris* Stål, Öfv. Svenska Vet. Akad. Förh. **22**: 164  
[n. sp.]<sup>1</sup>
- 1870 *M[iriza] (Varcia) hilari[s]* Stål, Öfv. Svenska Vet. Akad. Förh.  
**27**: 770 [Comparative note]
- 1898 [*Aphanophrys*] *hilaris* Melichar, Ann. Nat. Hofmus. Wien **13**:  
321 [Key]<sup>1</sup> :323; Pl. XIV, Figs. 3, 3a [Described, illustrated,  
catalogued]<sup>1</sup> Equals *Miriza hilaris* Stål :354 [Listed]<sup>1</sup>
- 1919 *M[iriza] (Varcia) hilari[s]* Schmidt, Stett. Ent. Zeit. **80**: 153  
[Comparative note]
- 1923 [*Varcia*] (*A[phanophrys]*) *hilaris* Melichar, Gen. Insect. **182**:  
164 [Catalogued]<sup>1</sup> Equals *Miriza [hilaris* Stål]
- 1930 *Aph[anophrys] hilaris* Schmidt, Wien. Ent. Zeit. **47**: 120 [Com-  
parative note]<sup>1</sup>

LOCALITIES: <sup>1</sup> Mysol.

**incerta** Melichar

- 1898 [*Aphanophrys*] *incerta* Melichar, Ann. Nat. Hofmus. Wien **13**:  
321 [n. sp., key]<sup>1</sup> :323 [n. sp.]<sup>2</sup> :354 [Listed]<sup>1</sup>
- 1923 [*Varcia*] (*A[phanophrys]*) *incerta* Melichar, Gen. Insect. **182**:  
164 [Catalogued]<sup>1</sup>

LOCALITIES: <sup>1</sup> New Guinea. <sup>2</sup> Dutch New Guinea.

**kästneri** Schmidt

- 1930 *Aphanophrys kästneri* Schmidt, Wien. Ent. Zeit. **47**: 119 [n.  
sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> New Guinea.

**solita** Melichar

- 1898 *Aphanophrys solita* Melichar, Verh. Zool. Bot. Ges. Wien **48**:  
399 (16) [n. sp.]<sup>1</sup> [Comparative note]
- 1898 *Aphanophrys solita* Melichar, Ann. Nat. Hofmus. Wien **13**:  
321; Pl. XII, Figs. 23, 23a-c [n. sp., key, illustrated]<sup>1</sup> :322  
[Comparative note] :354 [Listed]<sup>1</sup>
- 1923 [*Varcia*] (*A[phanophrys]*) *solita* Melichar, Gen. Insect. **182**: 164  
[Catalogued]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> Solomon Islands. <sup>2</sup> Roon Island.

**sordida** Distant

- 1909 *Varcia sordida* Distant, Ann. Mag. Nat. Hist. (8) **4**: 336 [n. sp.]<sup>1, 2, 3</sup>
- 1912 *Varcia sordida* Distant, Trans. Ent. Soc. London **1911**: 601 [Catalogued]<sup>2</sup>
- 1914 *Varcia sordida* Distant, Trans. Zool. Soc. London **20**: 352 [Catalogued]<sup>1, 2</sup>
- 1923 [*Varcia*] (*A[phanophrys]*) *sordida* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1, 3, 4</sup> Equals *Varcia [sordida]* Dist.]

LOCALITIES: <sup>1</sup> Aru Islands. <sup>2</sup> Dutch New Guinea. <sup>3</sup> Duke of York Island. <sup>4</sup> Dorey Island.

**spilota** Melichar

- 1898 *Aphanophrys spilota* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 399 (16) [n. sp.]<sup>1</sup>
- 1898 *Aphanophrys spilota* Melichar, Ann. Nat. Hofmus. Wien **13**: 323; Pl. XIII, Fig. 12 [n. sp., illustrated]<sup>1</sup> :321 [n. sp., key]<sup>1</sup> :354 [Listed]<sup>1</sup>
- 1905 *Aphanophrys spilota* Schmidt, Stett. Ent. Zeit. **66**: 192 [Notes, catalogued]<sup>1</sup> :194 [Listed]
- 1923 [*Varcia*] (*A[phanophrys]*) *spilota* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1</sup>

LOCALITIES: <sup>1</sup> Aru Islands.

**venosa** Walker

- 1870 *Nogodina venosa* Walker, Jour. Linnean Soc. Zool. **10**: 169 [n. sp.]<sup>1</sup> [Comparative note]
- 1898 *Nogodina (?) venosa* Melichar, Ann. Nat. Hofmus. Wien **13**: 346 [Described]<sup>1</sup>
- 1909 *Varcia venosa* Distant, Ann. Mag. Nat. Hist. (8) **4**: 336 [Notes, catalogued]<sup>1</sup> Equals *Nogodina venosa* Walk.
- 1919 *N[ogodina] venosa* Schmidt, Stett. Ent. Zeit. **80**: 146 [Comparative note]
- 1923 [*Varcia*] (*A[phanophrys]*) *venosa* Melichar, Gen. Insect. **182**: 164 [Catalogued]<sup>1</sup> Equals *Nogodina [venosa]* Walk.]
- 1941 *Varcia venosa* Jacobi, Zool. Jahrb. Syst. Ökol. **74**: 287 [Catalogued]<sup>1, 2</sup> Equals *Nogodina venosa* Walk.

LOCALITIES: <sup>1</sup> Flores. <sup>2</sup> Sumbawa.

Genus **Paravarcia** Schmidt

[ORTHO]TYPE *Paravarcia deceptrix* [n. sp.] 1919 Schmidt, Stett. Ent. Zeit. **80**: 149

TYPE *P[aravarcia] deceptrix* 1923 Melichar, Gen. Insect. **182**: 162

TYPE *P[aravarcia] deceptrix* 1935 Zia, Sinensia **6**: 535

- Paravarcia 1919 Schmidt, Stett. Ent. Zeit. **80**: 149 [gen. n.] :138 [Key]  
 1923 Melichar, Gen. Insect. **182**: 151 [Key] :162 [Described]  
 1933 Schulze, Kükenthal and Heider, Nomenclator Animalium **4** (18): 2526 [Listed]  
 1935 Zia, Sinensia **6**: 535 [Described, key, catalogued]  
 1940 Neave, Nomenclator Zoologicus **3**: 605 [Listed]  
 1944 Metcalf, A Bibliography of the Homoptera **2**: 146 [Bibliography]

**deceptrix** Schmidt

- 1919 *Paravarcia deceptrix* Schmidt, Stett. Ent. Zeit. **80**: 150 [n. sp.]  
 :136 [Notes]  
 1923 *P[aravarcia] deceptrix* Melichar, Gen. Insect. **182**: 162 [Listed]  
 1935 *Paravarcia deceptrix* Zia, Sinensia **6**: 536 [Catalogued]  
 LOCALITIES: <sup>1</sup> Tonkin.

**javanica** Karny

- 1926 *Paravarcia javanica* Karny, Treubia **8**: 378 [n. sp.]  
 LOCALITIES: <sup>1</sup> Java.

Genus **Diazanus** Hesse

[ORTHO]type *Diazanus coriipennis* [n. sp.] 1925 Hesse, Ann. South African Mus. **23**: 162

- Diazanus 1925 Hesse, Ann. South African Mus. **23**: 162 [gen. n.]  
 1939 Neave, Nomenclator Zoologicus **2**: 66 [Listed]

**coriipennis** Hesse

- 1925 *D[iazanus] coriipennis* Hesse, Ann. South African Mus. **23**:  
 163; Pl. VIII, Figs. 2, 2a-b [n. sp., illustrated]<sup>1, 2</sup>  
 LOCALITIES: <sup>1</sup> Damaraland. <sup>2</sup> Ovamboland.

Genus **Nogodina** Stål

- HAPLOTYPE *Ricania reticulata* 1859 Stål, Berliner Ent. Zeit. **3**: 326  
 TYPE *Flata reticulata* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 310  
 TYPE *Nogodina reticulata* 1919 Schmidt, Stett. Ent. Zeit. **80**: 157  
 TYPE *N[ogodina] reticulata* 1923 Melichar, Gen. Insect. **182**: 164  
 LOGOTYPE *Flata reticulata* 1938 Metcalf, Bull. Mus. Comp. Zool.  
 Harvard Coll. **82**: 386  
 TYPE *Flata reticulata* 1945 Fennah, Proc. United States Nat. Mus.  
**95**: 482  
 HAPLOTYPE *Flata reticulata* 1945 Metcalf, Zoologica **30**: 136  
 Nogodina 1859 Stål, Berliner Ent. Zeit. **3**: 326 [gen. n.]  
 1862 Stål, Handl. Svenska Vet. Akad. **3** (6): 70 [Key]

- 1864 Stål, Stett. Ent. Zeit. **25**: 54 [Comparative note]
- 1866 Stål, Hemiptera Africana **4**: 220 [Key] Equals *Mindura* Stål [error] Equals *Miriza* Stål [error]
- 1869 Stål, Handl. Svenska Vet. Akad. **8** (1): 106 [Listed]
- 1870 Walker, Jour. Linnean Soc. Zool. **10**: 163 [New species from Malay Archipelago] Equals *Miriza* Stål [error] Equals *Mindura* Stål [error]
- 1873 Marschall, Nomenclator Zoologicus **1873**: 373 [Listed]
- 1882 Scudder, Bull. United States Nat. Mus. **19**: 211 [Listed]
- 1884 Uhler, Standard Natural History **2**: 236 [Described]
- 1886 Atkinson, Jour. Asiatic Soc. Bengal **55**: 61 [Notes]
- 1888 Uhler, Riverside Natural History **2**: 236 [Described]
- Nagodina* [sic] 1889 Ashmead, Ent. Americana **5**: 4 [Key]
- Nogodina* 1894 Fritze, Zool. Jahrb. Syst. **7**: 919 [Listed]
- 1898 Melichar, Verh. Zool. Bot. Ges. Wien **48**: 399 (16) [Comparative note]
- 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 295 [Key] :304 [Described, key to species] Equals *Miriza* Stål [error] Equals *Ricania* Amy. and Serv. [in part.] :273, 310, 320 [Comparative note] :353 [Listed]
- 1900 Fowler, Biologia Centrali-Americana **1**: 64 [Key] :66 [Notes, comparative note] :68 [Comparative note]
- 1900 Kirby, A Monograph of Christmas Island **1900**: 130 [Listed]
- 1901 Breddin, Abh. Nat. Ges. Halle **24**: 182 [Geographic distribution]
- 1906 Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **1** (9): 451 [Listed]
- 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 307, 313 [Comparative note] :310 [Notes] :300 [Listed]
- 1919 Schmidt, Stett. Ent. Zeit. **80**: 132 [Listed] :134 [Taxonomy] :139 [Key] :157 [Described]
- 1920 Bergroth, Arkiv Zool. **12**: 25 [Comparative note]
- 1923 Melichar, Gen. Insect. **182**: 152 [Key] :163 [Comparative note] :164 [Described] Equals *Ricania* Amy. and Serv. [in part.]
- 1925 Handlirsch, Schröder's Handbuch der Entomologie **3** (17-18): 1111 [Listed]

- 1932 Brues and Melander, Bull. Mus. Comp. Zool. Harvard Coll. **73**: 120 [Listed]  
 1933 Schulze, Kükenthal and Heider, Nomenclator Animalium **4** (17): 2266 [Listed]  
 1938 Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**: 386 [Described, key]  
 1940 Neave, Nomenclator Zoologicus **3**: 343 [Listed]  
 1945 Fennah, Proc. United States Nat. Mus. **95**: 482 [Described, catalogued]  
 1945 Metcalf, Zoologica **30**: 136 [Described]

—Walker (var.) [*subguttata*]. See *Sassula subguttata* var.—Walker.

*affinis* Kirby. See *Varcia (Varcia) affinis* Kirby.

*alligata* Walker. See *Mindura alligata* Walker.

*bohemani* Stål. See *Miriza bohemani* Stål.

*cognata* Melichar. See *Probletomus maculipennis* Gerstaecker.

*concolor* Walker. See *Sassula concolor* Walker.

*decisa* Walker. See *Varcia (Aphanophrys) decisa* Walker.

*fenestrata* Gerstaecker. See *Biolleyana fenestrata* Gerstaecker.

*fruhstorferi* Schmidt. See *Probletomus fruhstorferi* Schmidt.

*greeni* Kirby. See *Varcia (Varcia) greeni* Kirby.

*guttifrons* Walker. See *Mindura guttifrons* Walker.

*hyalina* Kirby. See *Salona oceanica* Kirkaldy.

*invaria* Walker. See *Mindura invaria* Walker.

#### **kotoshonis** Matsumura

- 1938 *Nagodina* [sic] *kotoshonis* Matsumura, Ins. Matsumurana **12**: 150 [n. sp.]<sup>1</sup> :148 [Listed]<sup>1</sup>

LOCALITIES: <sup>1</sup> Formosa.

*oceanica* Kirkaldy. See *Salona oceanica* Kirkaldy.

*osmyloides* Walker. See *Sassula osmyloides* Walker.

*pallidipennis* Guérin-Méneville. See *Paradetya pallidipennis* Guérin-Méneville.

*pallipennis*. Typographical error for *Nagodina pallidipennis* Guérin-Méneville. See

*Paradetya pallidipennis* Guérin-Méneville.

*pellucida* Gerstaecker. See *Varciopsis trigutta* Walker.

*pictifrons* Stål. See *Biolleyana pictifrons* Stål.

*plena* Walker. See *Probletomus plenus* Walker.

*prominens* Walker. See *Varcia (Varcia) prominens* Walker.

#### **reticulata** Fabricius

- 1781 [*Flata reticulata*] Stoll, Abbildungen und Beschreibungen der Cikaden **1781**: 24; Pl. IV, Fig. 19 [Described, illustrated]<sup>1</sup>

- 1788 [*Flata reticulata*] Stoll, Représentation des Cigales **1788**: 29; Pl. IV, Fig. 19 [Described, illustrated]<sup>1</sup>

- 1792 [*Flata reticulata*] Stoll, Abbildungen und Beschreibungen der Cikaden **1792**: 24; Pl. IV, Fig. 19 [Described, illustrated]<sup>1</sup>

- 1803 [*Flata reticulata*] Fabricius, Systema Rhyngotorum **1803**: 47 [n. sp.]<sup>2</sup>

- 1807 *Flata reticulata* Latreille, Genera Crustaceorum et Insectorum **3**: 165 [Listed]
- 1815 *Flata reticulata* Leach, The Edinburgh Encyclopedia **9**: 124 [Listed]<sup>4</sup>
- 1816 *Flata reticulata* Leach, The Edinburgh Encyclopedia American Edition **8**: 713 [Listed]<sup>4</sup>
- 1819 *Fla[ta] reticulata* Samouelle, Entomologist's Useful Compendium **1819**: 230 [Listed]<sup>4</sup>
- 1824 [*Flata*] *reticulata* Guérin-Ménéville, Dictionnaire Classique d'Histoire Naturelle **6**: 533 [Listed]
- 1824 *Fla[ta] reticulata* Samouelle, Entomologist's Useful Compendium Second Ed. **1824**: 230 [Listed]<sup>4</sup>
- 1830 *F[flata] reticulata* Germar, Thon's Entomologisches Archiv **2** (2): 49 [Described]<sup>2</sup>
- 1830 [*Flata*] *reticulata* Leach, The Edinburgh Encyclopedia **9**: 124 [Listed]<sup>4</sup>
- 1832 [*Flata*] *reticulata* Leach, The Edinburgh Encyclopaedia American Ed. **8**: 713 [Listed]<sup>4</sup>
- 1835 *R[icania] reticulata* Burmeister, Handbuch der Entomologie **2** (1): 161 [Described, catalogued]<sup>5</sup> Equals *Flata retic[ulata]* Fabr.
- 1838 [*Flata*] *reticulata* Drapiez, Dictionnaire Classique des Sciences Naturelles **4**: 416 [Note]
- 1839 *Ricania klugii* Spinola, Ann. Soc. Ent. France **8**: 408 [n. sp.]<sup>6</sup> :394 [Key]
- 1839 *Ricania reticulata* Spinola, Ann. Soc. Ent. France **8**: 394 [Key] :403 [Described]<sup>6</sup> Equals *Flata reticulata* Fabr.
- 1840 *Ricania reticulata* Blanchard, Histoire Naturelle des Insectes **3**: 173; Pl. 13, Fig. 4 [Described, catalogued, illustrated]<sup>6</sup> Equals *Flata reticulata* Fabr.
- 1843 *Ricania reticulata* Amyot and Serville, Histoire Naturelle des Insectes. Hémiptères **1843**: 529 [Described]<sup>6</sup> Equals *Flata reticulata* Fabr.
- 1848 *Ricania reticulata* Erichson, Reisen in British-Guiana **3**: 615 [Listed]<sup>13</sup> Equals *Flata reticulata* Fabr.
- 1848 *Ricania reticulata* Lucas, Dictionnaire Universel d'Histoire Naturelle **11**: 134 [Listed]<sup>6</sup>
- 1850 *Ricania reticulata* Blanchard, Histoire Naturelle des Animaux Articulés **3**: 173; Pl. 13, Fig. 4 [Described, catalogued, illustrated]<sup>6</sup> Equals *Flata reticulata* Fabr.
- 1850 *R[icania] cellulosa* Schaum, Allgemein Encyklopädie Ersch und Gruber **51**: 73 Nom. nov. pro *Ricania reticulata* Spin.<sup>6</sup>
- 1850 *R[icania] reticulata* Schaum, Allgemein Encyklopädie Ersch und



- Gruber **51**: 73 [Listed]<sup>5</sup> Equals *Flata r[eticulata]* Fabr. Equals *Ricania klugii* Spin. :72 [Comparative note]
- 1851 *Ricania reticulata* Walker, List of Homopterous Insects **2**: 422 [Listed]<sup>7</sup> Equals *Flata reticulata* Fabr.
- 1851 *Ricania klugii* Walker, List of Homopterous Insects **2**: 423 [Listed]<sup>5</sup>
- 1853 [*Flata*] *reticulata* Drapiez, Dictionnaire classique des sciences naturelles **4**: 416 [Notes]
- 1859 [*Ricania*] *klugi* Dohrn, Catalogus Hemipterorum **1859**: 67 [Listed]<sup>6</sup>
- 1859 [*Ricania*] *reticulata* Dohrn, Catalogus Hemipterorum **1859**: 67 [Listed]<sup>7</sup>
- 1859 [*Nogodina reticulata*] Stål, Berliner Ent. Zeit. **3**: 326 Equals *Ricania reticulata* Fabr.
- 1862 *Ric[ania] reticulata* Signoret, Ann. Soc. Ent. France (4) **2**: 586 [Comparative note]
- 1864 *N[ogodina] reticulata* Stål, Stett. Ent. Zeit. **25**: 53 [Comparative note]
- 1869 *N[ogodina] reticulata* Stål, Handl. Svenska Vet. Akad. **8** (1): 106 [Listed]<sup>2</sup> Equals *Flata reticulata* Fabr. Equals *Ricania reticulata* Burm.
- 1884 *N[ogodina] reticulata* Uhler, Standard Natural History **2**: 236 [Described]<sup>6</sup>
- 1888 *N[ogodina] reticulata* Uhler, Riverside Natural History **2**: 236 [Described]<sup>6</sup>
- 1890 *R[icania] reticulata* Lethierry, Ann. Soc. Ent. France (6) **10**: 148 [Comparative note]
- 1895 *Nogo[dina] reticulata* Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 46 [Comparative note]
- 1898 *N[ogodina] reticulata* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 398 (14) [Comparative note]
- 1898 *Nogodina reticulata* Melichar, Ann. Nat. Hofmus. Wien **13**: 304 [Key] :306; Pl. XIV, Figs. 8, 8a [Described, illustrated]<sup>6, 7, 8, 9, 10, 11</sup> Equals *Flata reticulata* Fabr. Equals *Ricania reticulata* Burm. Equals *Ricania klugii* Spin. Equals *Cicada [reticulata]* Stoll Equals *Flata* (?) *vitratata* Fabr. [error] Equals *Flata* (?) *planiceps* Fabr. [error] :353 [Listed]<sup>2, 8</sup> :312 [Comparative note]
- 1900 *Nogodina reticulata* Fowler, Biologia Centrali-Americana **1**: 66 [Notes]<sup>2, 5, 7, 8, 9, 10, 11</sup> Equals *Flata reticulata* Fabr. Equals *Ricania klugii* Spin. Equals *Ricania reticulata* Burm.
- 1902 *Nogodina [reticulata]* Melichar, Ann. Nat. Hofmus. Wien **17**: 231 [Catalogued] Equals *Flata vitratata* Fabr. [error] Equals *Flata reticulata* Guér.-Mén. Equals *Flata planiceps* Fabr. [error]

- 1905 *Nogodina reticulata* Schmidt, Stett. Ent. Zeit. **66**: 185 [Notes]<sup>5</sup>  
 1919 *Nogodina reticulata* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes]  
 :157 [Described]<sup>2, 6, 7, 8, 9, 10, 11</sup> :159, 160 [Comparative note]  
 1920 *Nogodina reticulata* Bergroth, Arkiv Zool. **12**: 25 [Listed]<sup>12</sup>  
 1923 *N[ogodina] reticulata* Melichar, Gen. Insect. **182**: 165; Pl. 1,  
 Fig. 9 [Listed, illustrated]<sup>2, 6, 7, 8, 9, 10, 11</sup> Equals *Flata reticulata*  
 Fabr.] Equals *Ricania klugii* Spin. Equals *Ricania reticulata*  
 Blanch. Equals *Flata reticulata* Guér.-Mén. Equals *Flata plani-*  
*ceps* Fabr. [error] Equals *Flata vitrata* Fabr. [error] Equals *Cicada*  
*[planiceps* Stoll]  
 1927 *Ricania klugii* Sherborn, Index Animalium **13**: 3318 [Listed]  
 1930 *Flata reticulata* Sherborn, Index Animalium **22**: 5478 [Listed]  
 1938 *Nogodina reticulata* Metcalf, Bull. Mus. Comp. Zool. Harvard  
 Coll. **82**: 386; Pls. XI, XXII [Note, illustrated]<sup>3, 6, 8, 13</sup>  
 1945 *Nogodina reticulata* Fennah, Proc. Ent. Soc. Washington **47**:  
 122; Pl. 15, Fig. 32 [Morphology of pretarsus, illustrated]  
 1945 *Nogodina reticulata* Fennah, Proc. United States Nat. Mus.  
**95**: 483; Pl. 14, Figs. 414–418 [Described, illustrated, catalogued]<sup>1</sup>  
 Equals *Flata reticulata* Fabr.  
 1945 *Nogodina reticulata* Metcalf, Zoologica **30**: 137 [Listed]<sup>6, 8, 13</sup>

LOCALITIES: <sup>1</sup> Surinam. <sup>2</sup> South America. <sup>3</sup> Barro Colorado Island. <sup>4</sup> Europe [?].

<sup>5</sup> Para. <sup>6</sup> Brazil. <sup>7</sup> Honduras. <sup>8</sup> Central America. <sup>9</sup> Cayenne. <sup>10</sup> Colombia.

<sup>11</sup> Peru. <sup>12</sup> Neotropical Region. <sup>13</sup> British Guiana.

*signatifrons* Walker. See *Mindura signatifrons* Walker.

*strictifascia* Walker. See *Varcia (Varcia) strictifascia* Walker.

*subguttata* Walker. See *Sassula subguttata* Walker.

*subguttata* var. —Walker. See *Sassula subguttata* var. —Walker.

*sublineata* Walker. See *Detya sublineata* Walker.

*subviridis* Kirby. See *Sassula subviridis* Kirby.

*umbra* Breddin. See *Mindura subfasciata* Stål.

*venosa* Walker. See *Varcia (Aphanophrys) venosa* Walker.

## Genus *Biolleyana* Distant

[ORTHO]TYPE *Biolleyana pictifrons* 1909 Distant, Ann. Mag. Nat.  
 Hist. (8) **4**: 335

TYPE *B[iolleyana] pictifrons* 1919 Schmidt, Stett. Ent. Zeit. **80**: 159

TYPE *B[iolleyana] pictifrons* 1923 Melichar, Gen. Insect. **182**: 165

ORTHOtype *Nogodina pictifrons* 1938 Metcalf, Bull. Mus. Comp.  
 Zool. Harvard Coll. **82**: 388

TYPE *Nogodina pictifrons* 1945 Fennah, Proc. United States Nat.  
 Mus. **95**: 486

*Biolleyana* 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 335 [gen. n.]

1919 Schmidt, Stett. Ent. Zeit. **80**: 139 [Key] :135 [Notes]  
 :159 [Described]

- 1923 Melichar, Gen. Insect. **182**: 151 [Key] :165 [Described]  
 Equals *Sassula* Mel. (in part.)  
 1926 Schulze, Kükenthal and Heider, Nomenclator Animalium **1** (3): 404 [Listed]  
 1938 Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**: 386  
 [Key] :388 [Described]  
 1939 Neave, Nomenclator Zoologicus **1**: 430 [Listed]  
 1945 Fennah, Proc. United States Nat. Mus. **95**: 486 [Described, catalogued]

**costalis** Fowler

- 1900 *Sassula costalis* Fowler, Biologia Centrali-Americana **1**: 68; Pl. 8, Figs. 12, 12a [n. sp., illustrated]<sup>1</sup>  
 1905 *Sassula costalis* Schmidt, Stett. Ent. Zeit. **66**: 188 [Described]<sup>2</sup>  
 :190 [Comparative note]  
 1909 *Biolleyana costalis* Distant, Ann. Mag. Nat. Hist. (8) **4**: 335  
 [Listed]<sup>1</sup> Equals *Sassula costalis* Fowl.  
 1916 *Biolleyana costalis* Jacobi, Deutsche Ent. Zeit. **1915**: 312 [Notes]<sup>2</sup>  
<sup>3</sup> Equals *Sassula apicalis* Schmidt [error]  
 1919 *Biolleyana costalis* Schmidt, Stett. Ent. Zeit. **80**: 134 [Notes] :161  
 [Described]<sup>1, 2</sup>  
 1919 *S[assula] costalis* Schmidt, Stett. Ent. Zeit. **80**: 165 [Comparative  
 note]  
 1923 *B[iolleyana] costalis* Melichar, Gen. Insect. **182**: 166 [Listed]<sup>1, 2, 4</sup>  
 Equals *Sassula [costalis]* Fowl.]  
 1938 *Biolleyana costalis* Metcalf, Bull. Mus. Comp. Zool. Harvard  
 Coll. **82**: 388; Pls. II, XI, XXII [Described, illustrated]<sup>5</sup>  
 1945 *Biolleyana costalis* Fennah, Proc. United States Nat. Mus. **95**:  
 486; Pl. 14, Figs. 419-422; Pl. 15, Figs. 423-432 [Described, illus-  
 trated, catalogued]<sup>2</sup> Equals *Sassula costalis* Fowl.

LOCALITIES: <sup>1</sup> Nicaragua. <sup>2</sup> Ecuador. <sup>3</sup> Costa Rica. <sup>4</sup> Mexico. <sup>5</sup> Barro Colorado Island.

**fenestrata** Gerstaecker

- 1895 *Nogodina fenestrata* Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 46 [n. sp.]<sup>1</sup>  
 1898 *Sassula fenestrata* Melichar, Ann. Nat. Hofmus. Wien **13**: 311  
 [Key] :313; Pl. XII, Fig. 2; Pl. XIII, Fig. 22 [Described, illustrated]<sup>1, 2</sup> Equals *Nogodina fenestrata* Gerst. :353 [Listed]<sup>2</sup>  
 1905 *S[assula] fenestrata* Schmidt, Stett. Ent. Zeit. **66**: 190 [Comparative  
 note]  
 1909 *Biolleyana fenestrata* Distant, Ann. Mag. Nat. Hist. (8) **4**: 335  
 [Listed]<sup>1, 3</sup> Equals *Sassula pictifrons* Fowl. (in part.) Equals  
*Sassula fenestrata* Mel. Equals *Nogodina fenestrata* Gerst.

- 1916 *B[iolleyana] fenestrata* Jacobi, Deutsche Ent. Zeit. **1915**: 312  
[Comparative note]  
1919 *Biolleyana fenestrata* Schmidt, Stett. Ent. Zeit. **80**: 160 [Described]<sup>1</sup>  
:165 [Comparative note]  
1923 *B[iolleyana] fenestrata* Melichar, Gen. Insect. **182**: 166; Pl. 1,  
Fig. 10 [Listed, illustrated]<sup>1, 3</sup> Equals *Nogodina [fenestrata*  
Gerst.] Equals *Sassula [fenestrata* Mel.] Equals *[Biolleyana]*  
*pictifrons* Fowl. (in part.)

LOCALITIES: <sup>1</sup> Panama. <sup>2</sup> Central America. <sup>3</sup> Honduras.

### **pictifrons** Stål

- 1864 *Nogodina pictifrons* Stål, Stett. Ent. Zeit. **25**: 53 [n. sp.]<sup>1</sup>  
1895 [*Nogodina*] *pictifrons* Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 46 [Comparative note]  
1898 *Sassula pictifrons* Melichar, Ann. Nat. Hofmus. Wien **13**: 311;  
Pl. XII, Fig. 7; Pl. XIII, Fig. 20 [Key, described, illustrated]<sup>1, 2</sup>.  
<sup>3, 4, 5</sup> Equals *Nogodina pictifrons* Stål :353 [Listed]<sup>2</sup>  
1900 *Sassula pictifrons* Fowler, Biologia Centrali-Americana **1**: 67;  
Pl. 8, Figs. 9, 9a, 10, 11 [Notes, illustrated]<sup>1, 3, 4, 5, 6, 7</sup> Equals  
*Nogodina pictifrons* Stål Equals *Ricania reticulata* Walk. (nec  
Fabr.) :68 [Comparative note]  
1905 [*Sassula*] *pictifrons* Schmidt, Stett. Ent. Zeit. **66**: 190 [Comparative  
note]  
1909 *Biolleyana pictifrons* Distant, Ann. Mag. Nat. Hist. (8) **4**:  
335 [Listed]<sup>2</sup> Equals *Sassula pictifrons* Mel. Equals *Nogodina*  
*pictifrons* Stål  
1916 *B[iolleyana] pictifrons* Jacobi, Deutsche Ent. Zeit. **1915**: 312  
[Comparative note]  
1919 *Biolleyana pictifrons* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes]  
:159 [Described]<sup>1</sup> :160, 161, 165 [Comparative notes]  
1923 *Sassula pictifrons* Herrera, Guia la Colección **1923**: 116 [Listed]<sup>8</sup>  
1923 *B[iolleyana] pictifrons* Melichar, Gen. Insect. **182**: 165 [Listed]<sup>1, 2</sup>.  
<sup>4, 5</sup> Equals *Sassula [pictifrons* Mel.]

LOCALITIES: <sup>1</sup> Vera Cruz. <sup>2</sup> Central America. <sup>3</sup> Honduras. <sup>4</sup> Mexico. <sup>5</sup> Panama.  
<sup>6</sup> Guatemala. <sup>7</sup> Ruatan Island. <sup>8</sup> Tabasco.

*vitripennis* Lethierry. See *Varciopsis vitripennis* Lethierry.

### Genus **Neovarcia** Schmidt

- [ORTHO]TYPE *Neovarcia aequata* 1919 Schmidt, Stett. Ent. Zeit. **80**: 161  
TYPE N[*eovarcia*] *aequata* 1923 Melichar, Gen. Insect. **182**: 166  
*Neovarcia* 1919 Schmidt, Stett. Ent. Zeit. **80**: 161 [gen. n.] :139 [Key]  
1923 Melichar, Gen. Insect. **182**: 151 [Key] :166 [Described]  
Equals *Varcia* Mel. (in part.)

1932 Schulze, Kükenthal and Heider, Nomenclator Animalium **4** (16): 2237 [Listed]

1940 Neave, Nomenclator Zoologicus **3**: 313 [Listed]

**aequata** Melichar

1898 *Varcia aequata* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 398 (15) [n. sp.]<sup>1</sup>

1898 *Varcia aequata* Melichar, Ann. Nat. Hofmus. Wien **13**: 316; Pl. XIII, Fig. 4 [n. sp., illustrated]<sup>1</sup> :315 [Key] :353 [Listed]<sup>2</sup>

1916 *Varciopsis aequata* Jacobi, Deutsche Ent. Zeit. **1915**: 313 [Listed]<sup>3</sup> Equals [*Varcia aequata* Mel.]

1919 *Neovarcia aequata* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes] :161 [Described]<sup>1</sup>

1923 *N[eo]varcia aequata* Melichar, Gen. Insect. **182**: 166 [Listed]<sup>1</sup> Equals *Varcia aequata* Mel.]

LOCALITIES: <sup>1</sup> Brazil. <sup>2</sup> South America. <sup>3</sup> Locality Unknown.

**lurida** Melichar

1898 *Varcia lurida* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 398 (15) [n. sp.]<sup>1</sup>

1898 *Varcia lurida* Melichar, Ann. Nat. Hofmus. Wien **13**: 317 [n. sp.]<sup>1</sup> :315 [Key] :354 [Listed]<sup>2</sup>

1919 *Varcia lurida* Schmidt, Stett. Ent. Zeit. **80**: 135 [Taxonomy]

1923 *N[eo]varcia lurida* Melichar, Gen. Insect. **182**: 166 [Listed]<sup>1</sup> Equals *Varcia lurida* Mel.]

LOCALITIES: <sup>1</sup> Brazil. <sup>2</sup> South America.

Genus **Varciopsis** Jacobi

[ORTHO]TYPE *Ricania trigutta* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 312

TYPE *Ricania trigutta* 1919 Schmidt, Stett. Ent. Zeit. **80**: 162

TYPE *V[arciopsis] trigutta* 1923 Melichar, Gen. Insect. **182**: 166

TYPE *Ricania trigutta* 1945 Fennah, Proc. United States Nat. Mus. **95**: 487

*Varciopsis* 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 312 [gen. n.]

1919 Schmidt, Stett. Ent. Zeit. **80**: 135 [Notes] :139 [Key] :162 [Described]

1923 Melichar, Gen. Insect. **182**: 152 [Key] :166 [Described] Equals *Varcia* Mel. (in part.)

1940 Neave, Nomenclator Zoologicus **4**: 629 [Listed]

1940 Schulze, Kükenthal, and Heider, Nomenclator Animalium **5** (25): 3628 [Catalogued]

1945 Fennah, Proc. United States Nat. Mus. **95**: 487 [Described, catalogued]

*aequata* Melichar. See *Neovarcia aequata* Melichar.

*nigricornis* Jacobi. See *Orthothyreus apicalis* Schmidt.

**tenguelana** Fennah

1945 *Varciopsis tenguelana* Fennah, Proc. United States Nat. Mus. **95**: 488; Pl. 15, Figs. 433-440 [n. sp., illustrated]<sup>1</sup>

LOCALITIES: <sup>1</sup> Ecuador.

**trigutta** Walker

1858 *Ricania trigutta* Walker, List of Homopterous Insects. Supplement **1858**: 104 [n. sp.]<sup>1</sup>

1895 *Nogodina pellucida* Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 47 [n. sp.]<sup>2, 5</sup>

1898 *Varcia trigutta* Melichar, Ann. Nat. Hofmus. Wien **13**: 315 [Key, described]<sup>2, 3, 5</sup> Equals *Ricania trigutta* Walk. Equals *Nogodina pellucida* Gerst. :316 [Comparative note] :353 [Listed]<sup>4</sup>

1916 *Varciopsis trigutta* Jacobi, Deutsche Ent. Zeit. **1915**: 313 [Listed]<sup>2, 5</sup> Equals [*Ricania*] *trigutta* Walk. :314 [Comparative note]

1919 *Varciopsis trigutta* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes] :162 [Comparative note] :163 [Described]<sup>1</sup>

1923 *V[arciopsis] trigutta* Melichar, Gen. Insect. **182**: 167 [Listed]<sup>2, 3, 5, 6, 7</sup> Equals *Ricania [trigutta* Walk.] Equals *Varcia [trigutta* Mel.] Equals *Nogodina pellucida* Gerst.

1945 *V[arciopsis] trigutta* Fennah, Proc. United States Nat. Mus. **95**: 488 [Comparative note] Equals *Ricania trigutta* Walk.

LOCALITIES: <sup>1</sup> Amazonas. <sup>2</sup> San Martin. <sup>3</sup> Bolivia. <sup>4</sup> South America. <sup>5</sup> Peru. <sup>6</sup> Curico. <sup>7</sup> Chile.

**vitripennis** Lethierry

1890 *Ricania vitripennis* Lethierry, Ann. Soc. Ent. France (6) **10**: 147 [n. sp.]<sup>1</sup>

1898 *Varcia vitripennis* Melichar, Ann. Nat. Hofmus. Wien **13**: 320 [Described]<sup>1</sup> Equals *Ricania vitripennis* Leth. :354 [Listed]<sup>2</sup>

1916 *Varciopsis vitripennis* Jacobi, Deutsche Ent. Zeit. **1915**: 313 [Notes]<sup>1, 2</sup>

1923 *B[iolleyana] (?) vitripennis* Melichar, Gen. Insect. **182**: 166 [Listed]<sup>1, 3, 4</sup> Equals *Ricania [vitripennis* Leth.]

LOCALITIES: <sup>1</sup> Venezuela. <sup>2</sup> Central America. <sup>3</sup> South America. <sup>4</sup> Federal District (Venezuela).

**Genus Epacria** Gerstaecker

HAPLOTYPE *Epacria reticulata* [n. sp.] 1895 Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 16

TYPE *E[pacria] reticulata* 1923 Melichar, Gen. Insect. **182**: 167

- Epacria* 1895 Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 16 [gen. n.] :29 [Comparative note]  
 1902 Waterhouse, Index Zoologicus **1902**: 125 [Listed]  
 1914 Melichar, Monographie der Tropicuchinen **1914**: 3 [Described]  
 1915 Melichar, Verh. Naturf. Ver. Brünn **53**: 84 [Described]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 134 [Notes]  
 1923 Melichar, Gen. Insect. **182**: 152 [Key] :159 [Comparative note] :167 [Described]  
 1929 Schulze, Kükenthal and Heider, Nomenclator Animalium **2** (10): 1159 [Listed]  
 1939 Neave, Nomenclator Zoologicus **2**: 253 [Listed]

**reticulata** Gerstaecker

- 1895 *Epacria reticulata* Gerstaecker, Mitth. Naturw. Ver. Greifswald **27**: 17 [n. sp.]<sup>1</sup>  
 1914 *E[pacria] reticulata* Melichar, Monographie der Tropicuchinen **1914**:<sup>3</sup> [Notes]<sup>2</sup>  
 1915 *E[pacria] reticulata* Melichar, Verh. Naturf. Ver. Brünn **53**: 84 [Notes]<sup>2</sup>  
 1919 *Epacria reticulata* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes]  
 1923 *E[pacria] reticulata* Melichar, Gen. Insect. **182**: 167 [Listed]<sup>1</sup>

LOCALITIES: <sup>1</sup> Cameroons. <sup>2</sup> West Africa.

Genus **Soaemis** Jacobi

[ORTHO]TYPE *Soaemis encaustica* [n. sp.] 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 311

TYPE *S[oaemis] encaustica* 1923 Melichar, Gen. Insect. **182**: 168

- Soaemis* 1915 Schumacher, Suppl. Ent. **4**: 139 [Listed] [nom. nud.]  
 1915 Schumacher, Mitt. Zool. Mus. Berlin **8**: 131 [Listed] [nom. nud.]  
 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 311 [gen. n.]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 134, 136 [Taxonomy]  
 1923 Melichar, Gen. Insect. **182**: 150 [Key] :168 [Described]  
 1936 Schulze, Kükenthal and Heider, Nomenclator Animalium **5** (22): 3205 [Listed]  
 1940 Neave, Nomenclator Zoologicus **4**: 216 [Listed]

**encaustica** Jacobi

- 1915 *Soaemis encaustica* Schumacher, Mitt. Zool. Mus. Berlin **8**: 131 [Listed]<sup>1</sup> [nom. nud.]  
 1915 *Soaemis encaustica* Schumacher, Suppl. Ent. **4**: 139 [Listed]<sup>1</sup> [nom. nud.]

- 1916 *Soaemis encaustica* Jacobi, Deutsche Ent. Zeit. **1915**: 311; Fig. 2 [n. sp., illustrated]<sup>1</sup>  
 1919 [*Soaemis*] *encaustica* Schmidt, Stett. Ent. Zeit. **80**: 134 [Listed]  
 1923 *S[oaemis] encaustica* Melichar, Gen. Insect. **182**: 168 [Listed]<sup>1</sup>  
 LOCALITIES: <sup>1</sup> Formosa.

### Genus *Orthothyreus* Schmidt

- [ORTHO]TYPE *Orthothyreus apicalis* 1919 Schmidt, Stett. Ent. Zeit. **80**: 164  
 TYPE *O[rthyreus] apicalis* 1923 Melichar, Gen. Insect. **182**: 167  
*Orthothyreus* 1919 Schmidt, Stett. Ent. Zeit. **80**: 164 [gen. n.] :136 [Notes] :139 [Key]  
 1923 Melichar, Gen. Insect. **182**: 152 [Key] :167 [Described]  
 1933 Schulze, Kükenthal and Heider, Nomenclator Animalium **4** (17): 2400 [Listed]  
 1940 Neave, Nomenclator Zoologicus **3**: 475 [Listed]

#### *apicalis* Schmidt

- 1905 *Sassula apicalis* Schmidt, Stett. Ent. Zeit. **66**: 189 [n. sp.]<sup>1</sup>  
 1916 *Sassula apicalis* Jacobi, Deutsche Ent. Zeit. **1915**: 312 To *Biologyana costalis* Fowl. [error]  
 1916 *Varciopsis nigricoxis* Jacobi, Deutsche Ent. Zeit. **1915**: 314; Fig. 3 [n. sp., illustrated]<sup>1</sup>  
 1919 *Orthothyreus apicalis* Schmidt, Stett. Ent. Zeit. **80**: 134. Equals *Varciopsis nigricoxis* Jac. :136 [Notes] :165 [Described]<sup>1</sup> Equals *Varciopsis nigricoxis* Jac.  
 1923 *O[rthyreus] apicalis* Melichar, Gen. Insect. **182**: 167 [Listed]<sup>1</sup> Equals *Sassula [apicalis] Schmidt*] Equals [*Orthothyreus] nigricoxis* Jac.

LOCALITIES: <sup>1</sup> Ecuador.

*nigricoxis* Jacobi. See *Orthothyreus apicalis* Schmidt.

### Genus *Gaetulia* Stål

- HAPLOTYPE *Gaetulia pudibunda* [n. sp.] 1864 Stål, Stett. Ent. Zeit. **25**: 54  
 LOGOYPE *Gaetulia plenipennis* 1906 Distant, Fauna of British India **3**: 394  
 TYPE *Gaetulia plenipennis* 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 337  
 TYPE *Gaetulia plenipennis* 1912 Schmidt, Stett. Ent. Zeit. **73**: 89  
 TYPE *G[aelulia] plenipennis* 1916 Distant, Fauna of British India **6**: 115



- TYPE *Gaetulia plenipennis* 1919 Schmidt, Stett. Ent. Zeit. **80**: 168  
 TYPE *G[*aetulia*] plenipennis* 1923 Melichar, Gen. Insect. **182**: 169  
 TYPE *Gaetulia plenipennis* 1932 Schmidt, Stett. Ent. Zeit. **93**: 52  
 TYPE *Gaetulia plenipennis* 1938 Jacobi, Sitzber. Ges. Nat. Freunde  
 Berlin **1938**: 189

- Gaetulia* 1864 Stål, Stett. Ent. Zeit. **25**: 54 [gen. n.]  
 1866 Stål, Hemiptera Africana **4**: 221 [Key]  
 1873 Marshall, Nomenclator Zoologicus **1873**: 364 [Listed]  
 1882 Scudder, Bull. United States Nat. Mus. **19**: 127 [Listed]  
 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 296 [Key] :327  
 [Described, key to species] :329 [Comparative note]  
 :354 [Listed]  
 1900 Fowler, Biologia Centrali-Americana **1**: 65 [Key] :68  
 [Notes]  
 1906 Distant, Fauna of British India **3**: 394 [Described, cata-  
 logued] :387 [Key]  
 1906 Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent.  
**1** (9): 450 [Listed]  
 1907 Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent.  
**3**: 98 [Notes]  
 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 337 [Notes, com-  
 parative note]  
 1912 Schmidt, Stett. Ent. Zeit. **73**: 89 [A new species from  
 Costa Rica]  
 1916 Distant, Fauna of British India **6**: 115 [Notes]  
 1918 Fenton, Ohio Jour. Sci. **18**: 188 [Parasites]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 167-168; Fig. 1 [Described,  
 illustrated]  
 1923 Melichar, Gen. Insect. **182**: 152 [Key] :168 [Compara-  
 tive note] :169 [Described]  
 1924 Muir, Mem. Queensland Mus. **8**: 35 [Comparative note]  
 1929 Schulze, Kükenthal and Heider, Nomenclator Animalium  
**3** (11): 1331 [Listed]  
 1932 Schmidt, Stett. Ent. Zeit. **93**: 52 [Catalogued]  
 1938 Jacobi, Sitzber. Ges. Nat. Freunde Berlin **1938**: 189  
 [Comparative note]  
 1938 Metcalf, Bull. Mus. Comp. Zool. Harvard Coll. **82**: 386  
 [Key]  
 1939 Neave, Nomenclator Zoologicus **2**: 430 [Listed]

*chrysopoides* Walker. See *Nurunderia chrysopoides* Walker.

**costaricensis** Schmidt

1932 *Gaetulia costaricensis* Schmidt, Stett. Ent. Zeit. **93**: 53 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> Costa Rica.

**fulva** Melichar

1898 *Gaetulia fulva* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 400 (16) [n. sp.]<sup>1</sup>

1898 *Gaetulia fulva* Melichar, Ann. Nat. Hofmus. Wien **13**: 328; Pl. XIV, Figs. 10, 10a–b [n. sp., key, illustrated]<sup>1, 2</sup> :354 [Listed]<sup>1</sup>

1900 *Gaetulia fulva* Fowler, Biologia Centrali-Americana **1**: 69 [Described]<sup>2</sup>

1912 *G[actulia] fulva* Schmidt, Stett. Ent. Zeit. **73**: 91 [Comparative note]

1919 *Gaetulia fulva* Schmidt, Stett. Ent. Zeit. **80**: 169 [Described]<sup>2</sup> :171 [Comparative note]

1923 *G[actulia] fulva* Melichar, Gen. Insect. **182**: 169 [Listed]<sup>1, 2</sup>

1932 *G[actulia] fulva* Schmidt, Stett. Ent. Zeit. **93**: 53 [Comparative note]

LOCALITIES: <sup>1</sup> Central America. <sup>2</sup> Guatemala.

**hackeri** Muir

1924 *Gaetulia hackeri* Muir, Mem. Queensland Mus. **8**: 33 [n. sp.]<sup>1</sup>

1924 *Gaetulia hackeri* Hacker, Mem. Queensland Mus. **8**: 41 [Ecology]<sup>1, 2</sup>

LOCALITIES: <sup>1</sup> Queensland. <sup>2</sup> Russell Island.

**koebeli** Muir

1924 *Gaetulia koebeli* Muir, Mem. Queensland Mus. **8**: 34; Fig. 4b [n. sp., illustrated]<sup>1</sup>

LOCALITIES: <sup>1</sup> New South Wales.

*montana* Distant. See *Indogaetulia montana* Distant.

**nigrocarinata** Fowler

1900 [*Gaetulia plenipennis*] *nigrocarinata* Fowler, Biologia Centrali-Americana **1**: 68 [n. var.]<sup>1</sup>

1919 *Gaetulia nigrocarinata* Schmidt, Stett. Ent. Zeit. **80**: 169 [Described]<sup>1</sup> Equals *Gaetulia plenipennis nigrocarinata* Fowl.

1923 *G[actulia] nigrocarinata* Melichar, Gen. Insect. **182**: 169 [Listed]<sup>1, 2</sup> Equals *Gaetulia plenipennis nigrocarinata* Fowl.

1947 [*Gaetulia*] *nigrocarinata* Caldwell, Ohio Jour. Sci. **47**: 77 [Comparative note]

LOCALITIES: <sup>1</sup> Guatemala. <sup>2</sup> Central America.

*nigrovenosa* Melichar. See *Indogaetulia nigrovenosa* Melichar.

*nigrovenosa* Schmidt [nec Melichar]. See *Indogaetulia insularis* Schmidt.

**obtusa** Caldwell

1947 *Gaetulia obtusa* Caldwell, Ohio Jour. Sci. **47**: 77 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> San Luis Potosi.

**plenipennis** Walker

1858 *Ricania plenipennis* Walker, List of Homopterous Insects. Supplement **1858**: 104 [n. sp.]<sup>1</sup>

1864 *Gaetulia pudibunda* Stål, Stett. Ent. Zeit. **25**: 54 [n. sp.]<sup>2</sup>

1898 *Gaetulia plenipennis* Melichar, Ann. Nat. Hofmus. Wien **13**: 328 [Key, described, comparative note]<sup>1, 3</sup> Equals *Ricania plenipennis* Walk. Equals *Gaetulia pudibunda* Stål Equals *Ricania* (?) *diaphana* Fabr. [error] :354 [Listed]<sup>3</sup>

1900 *Gaetulia plenipennis* Fowler, Biologia Centrali-Americana **1**: 68; Pl. 8, Figs. 13, 13a [Notes, illustrated]<sup>4, 5, 6</sup> Equals *Gaetulia pudibunda* Stål Equals *Ricania plenipennis* Walk. :69 [Comparative note]

1902 *Gaetulia plenipennis* Melichar, Ann. Nat. Hofmus. Wien **17**: 231 [Catalogued]

1906 *G[aelulia] plenipennis* Distant, Fauna of British India **3**: 394 [Listed]<sup>3</sup>

1909 *G[aelulia] plenipennis* Distant, Ann. Mag. Nat. Hist. (8) **4**: 337 [Notes]<sup>7</sup> Equals *G[aelulia] pudibunda* Stål

1912 *G[aelulia] plenipennis* Schmidt, Stett. Ent. Zeit. **73**: 91 [Comparative note]

1916 *G[aelulia] plenipennis* Distant, Fauna of British India **6**: 115 [Notes]<sup>7</sup> Equals *G[aelulia] pudibunda* Stål

1919 *Gaetulia plenipennis* Schmidt, Stett. Ent. Zeit. **80**: 168 [Described]<sup>1</sup> Equals *Ricania plenipennis* Walk. Equals *Gaetulia pudibunda* Stål :169, 171 [Comparative notes]

1923 *G[aelulia] plenipennis* Melichar, Gen. Insect. **182**: 169 [Listed]<sup>1</sup> Equals *Ricania [plenipennis]* Walk.] Equals *Gaetulia pudibunda* Stål Equals *Ricania* (?) *diaphana* Fabr. [error]

1932 *G[aelulia] plenipennis* Schmidt, Stett. Ent. Zeit. **93**: 53 [Comparative note]

1936 *Gaetulia plenipennis* Ballou, Bull. Ins. Pest. Surv. **16**: 473 [Food plants]<sup>8</sup>

1938 *Gaetulia plenipennis* Jacobi, Sitzber. Ges. Nat. Freunde Berlin **1938**: 189 [Notes]<sup>1</sup>

1947 *[Gaetulia] plenipennis* Caldwell, Ohio Jour. Sci. **47**: 77 [Comparative note]

LOCALITIES: <sup>1</sup> Mexico. <sup>2</sup> Vera Cruz. <sup>3</sup> Central America. <sup>4</sup> Guerrero. <sup>5</sup> Guatemala. <sup>6</sup> Panama. <sup>7</sup> Neotropical Region. <sup>8</sup> Costa Rica.

*plenipennis* var. *nigrocarinata* Fowler. See *Gaetulia nigrocarinata* Fowler.

*pudibunda* Stål. See *Gaetulia plenipennis* Walker.

**vittifrons** Schmidt

- 1912 *Gaetulia vittifrons* Schmidt, Stett. Ent. Zeit. **73**: 89 [n. sp.]<sup>1</sup>  
 1919 *Gaetulia vittifrons* Schmidt, Stett. Ent. Zeit. **80**: 170 [Described]<sup>1</sup>  
 1923 *G[actulia] vittifrons* Melichar, Gen. Insect. **182**: 169 [Listed]<sup>1</sup>  
 1932 *G[actulia] vittifrons* Schmidt, Stett. Ent. Zeit. **93**: 53 [Comparative note]

LOCALITIES: <sup>1</sup> Costa Rica.

**vulgaris** Caldwell

- 1947 *Gaetulia vulgaris* Caldwell, Ohio Jour. Sci. **47**: 77 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> Tamaulipas.

Genus **Nurunderia** Distant

- [ORTHO]TYPE *N[urunderia] chrysopoides* 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 337  
 TYPE *N[urunderia] chrysopoides* 1919 Schmidt, Stett. Ent. Zeit. **80**: 174  
 TYPE *N[urunderia] chrysopoides* 1923 Melichar, Gen. Insect. **182**: 168
- Nurunderia* 1909 Distant, Ann. Mag. Nat. Hist. (8) **4**: 337 [gen. n.]  
 1912 Waterhouse, Index Zoologicus No. II **1912**: 195 [Listed]  
 1913 Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **12**: 19 [Catalogued]  
 1916 Distant, Fauna of British India **6**: 115 [Listed]  
 1919 Schmidt, Stett. Ent. Zeit. **80**: 174 [Described]
- Narunderia* [sic] 1923 Melichar, Gen. Insect. **182**: 153 [Key]
- Nurunderia* 1923 Melichar, Gen. Insect. **182**: 168 [Described]  
 1924 Muir, Mem. Queensland Mus. **8**: 34 [Note]  
 1933 Schulze, Kükenthal and Heider, Nomenclator Animalium **4** (17): 2285 [Listed]  
 1940 Neave, Nomenclator Zoologicus **3**: 362 [Listed]

**chrysopoides** Walker

- 1862 *Ricania chrysopoides* Walker, Jour. Ent. **1**: 312 [n. sp.]<sup>1</sup>  
 1898 *Gaetulia* (?) *chrysopoides* Melichar, Ann. Nat. Hofmus. Wien **13**: 333 [Described]<sup>1</sup> Equals *Ricania* (?) *chrysopoides* Walk.  
 1906 [*Gaetulia*] *chrysopoides* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **1** (9): 450 [Notes]<sup>1</sup> Equals *Ricania chrysopoides* Walk.: 317 [Listed]  
 1907 *G[actulia] chrysopoides* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **3**: 98 [Notes]  
 1909 *Nurunderia chrysopoides* Distant, Ann. Mag. Nat. Hist. (8) **4**:

- 337 [Notes]<sup>1</sup> Equals *Ricania chrysopoides* Walk. Equals *Gaetulia chrysopoides* Kirk.
- 1913 *Nurunderia chrysopoides* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **12**: 19 Equals *Gaetulia chrysopoides* Kirk.
- 1916 [*Nurunderia*] *chrysopoides* Distant, Fauna of British India **6**: 115 [Notes]<sup>2</sup> Equals *G[aelulia] chrysopoides* Walk. Equals *Ricania chrysopoides* Walk.
- 1919 *Nurunderia chrysopoides* Schmidt, Stett. Ent. Zeit. **80**: 174 [Described]<sup>1</sup> Equals *Gaetulia chrysopoides* Walk. Equals *Ricania chrysopoides* Walk.
- 1923 *Nurunderia chrysopoides* Melichar, Gen. Insect. **182**: 169 [Listed]<sup>1</sup> Equals *Ricania [chrysopoides]* Walk. Equals *Gaetulia [chrysopoides]* Kirk.]
- 1924 *Nurunderia chrysopoides* Muir, Mem. Queensland Mus. **8**: 34 [Note]
- 1924 *G[aelulia] chrysopoides* Muir, Mem. Queensland Mus. **8**: 33, 34; Fig. 4a [Comparative notes, illustrated]
- 1928 *Nurunderia chrysopoides* Jacobi, Arkiv Zool. **19** (28): 16 [Listed]<sup>2, 3</sup>

LOCALITIES: <sup>1</sup> New South Wales. <sup>2</sup> Australia. <sup>3</sup> Queensland.

### Genus *Criopaca* Schmidt

[ORTHO]TYPE *Criopaca bequaerti* [n. sp.] 1918 Schmidt, Stett. Ent. Zeit. **79**: 376

TYPE *C[riopaca] bequaerti* 1923 Melichar, Gen. Insect. **182**: 168

- Criopaca* 1918 Schmidt, Stett. Ent. Zeit. **79**: 376 [gen. n.]
- 1923 Melichar, Gen. Insect. **182**: 152 [Key] :168 [Described]
- 1928 Schulze, Kükenthal and Heider, Nomenclator Animalium **2** (8): 831 [Listed]
- 1939 Neave, Nomenclator Zoologicus **1**: 874 [Listed]
- 1944 Metcalf, A Bibliography of the Homoptera **2**: 146 [Bibliography]

#### **bequaerti** Schmidt

- 1918 *Criopaca bequaerti* Schmidt, Stett. Ent. Zeit. **79**: 377 [n. sp.]<sup>1</sup>
- 1919 *Criopaca bequaerti* Schmidt, Stett. Ent. Zeit. **80**: 136 [Notes]
- 1923 *C[riopaca] bequaerti* Melichar, Gen. Insect. **182**: 168 [Listed]<sup>2</sup>
- 1942 *Criopaca bequaerti* Lallemand, Bull. Soc. Ent. France **47**: 68 [Listed]<sup>3</sup>

LOCALITIES: <sup>1</sup> Belgian Congo. <sup>2</sup> Africa. <sup>3</sup> Ivory Coast.

Genus *Lasonia* Melichar

HAPLOTYPE *Lasonia kirkaldyi* [n. sp.] 1903 Melichar, Homopteren-Fauna von Ceylon **1903**: 87

TYPE *Lasonia kirkaldyi* 1906 Distant, Fauna of British India **3**: 395

*Lasonia* 1903 Melichar, Homopteren-Fauna von Ceylon **1903**: 87 [gen. n.] :224 [Listed]

1906 Distant, Fauna of British India **3**: 395 [Described, catalogued]

1912 Waterhouse, Index Zoologicus No. II **1912**: 150 [Listed]

1924 Muir, Mem. Queensland Mus. **8**: 35 [Comparative note]

1930 Schulze, Kükenthal and Heider, Nomenclator Animalium **3** (13): 1773 [Listed]

1939 Neave, Nomenclator Zoologicus **2**: 874 [Listed]

**kirkaldyi** Melichar

1903 *Lasonia kirkaldyi* Melichar, Homopteren-Fauna von Ceylon **1903**: 88; Pl. II, Figs. 9, 9a [n. sp., illustrated]<sup>1</sup> :224 [Listed]<sup>1</sup>

1906 *Lasonia kirkaldyi* Distant, Fauna of British India **3**: 396; Fig. 204 [Described, catalogued, illustrated]<sup>1</sup>

LOCALITIES: <sup>1</sup> Ceylon.

Genus *Riancia* Signoret

HAPLOTYPE *Riancia longirostrum* [n. sp.] 1860 Signoret, Ann. Soc. Ent. France (3) **8**: 196

TYPE *R[iancia] longirostrum* 1923 Melichar, Gen. Insect. **182**: 170

*Riancia* 1860 Signoret, Ann. Soc. Ent. France (3) **8**: 196 [gen. n.]

*Riancia* [sic] 1866 Stål, Hemiptera Africana **4**: 263 [Listed]

*Riancia* 1873 Marschall, Nomenclator Zoologicus **1873**: 379 [Listed]

1882 Scudder, Bull. United States Nat. Mus. **19**: 281 [Listed]

1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 347 [Described]

1899 Melichar, Verh. Zool. Bot. Ges. Wien **49**: 294 (6) [Notes]

1917 Jacobi, Voeltzkow's Reise in Ostafrika **3**: 520 [Listed]

1923 Melichar, Gen. Insect. **182**: 153 [Key] :170 [Described]

1936 Schulze, Kükenthal and Heider, Nomenclator Animalium **5** (22): 3063 [Listed]

- 1940 Neave, Nomenclator Zoologicus **4**: 73 [Listed]  
 1952 China and Fennah, Ann. Mag. Nat. Hist. (12) **5**:  
 196 [Comparative note]

**longirostrum** Signoret

- 1860 *Riancia longirostrum* Signoret, Ann. Soc. Ent. France (3) **8**:  
 197; Pl. 4, Figs. 5, 5a-b [n. sp., illustrated]<sup>1</sup>  
 1866 *Riancia* [sic] *longirostrum* Stål, Hemiptera Africana **4**: 263  
 [Listed]<sup>2</sup>  
 1898 *Riancia longirostrum* Melichar, Ann. Nat. Hofmus. Wien **13**:  
 348 [Described]<sup>1</sup>  
 1899 *R[iancia] longirostrum* Melichar, Verh. Zool. Bot. Ges. Wien  
**49**: 294 (6) [Comparative note]  
 1917 *Riancia longirostrum* Jacobi, Voeltzkow's Reise in Ostafrika **3**:  
 535 [Listed]<sup>1</sup>  
 1923 *R[iancia] longirostrum* Melichar, Gen. Insect. **182**: 171 [Listed]<sup>1</sup>  
 LOCALITIES: <sup>1</sup> Madagascar. <sup>2</sup> Africa.

**panorpaeformis** Melichar

- 1899 *Riancia panorpaeformis* Melichar, Verh. Zool. Bot. Ges. Wien  
**49**: 293 (5) [n. sp.]<sup>1</sup>  
 1917 *Riancia panorpaeformis* Jacobi, Voeltzkow's Reise in Ostafrika  
**3**: 535 [Listed]<sup>1</sup>  
 1923 *R[iancia] panorpaeformis* Melichar, Gen. Insect. **182**: 171 [Listed]<sup>1</sup>  
 LOCALITIES: <sup>1</sup> Madagascar.

Genus **Indogaetulia** Schmidt

[ORTHO]TYPE *Indogaetulia nigrovenosa* 1919 Schmidt, Stett. Ent. Zeit.  
**80**: 171

TYPE *I[ndogaetulia] nigrovenosa* 1923 Melichar, Gen. Insect. **182**: 169

*Indogaetulia* 1919 Schmidt, Stett. Ent. Zeit. **80**: 171; Fig. 2 [gen. n.,  
 illustrated] :167 [Described]

1923 Melichar, Gen. Insect. **182**: 152 [Key] :169 [De-  
 scribed] Equals *Gaetulia* Mel. (in part.)

1939 Neave, Nomenclator Zoologicus **2**: 773 [Listed]

**insularis** Schmidt

1905 *Gaetulia nigrovenosa* [nec Melichar] Schmidt, Stett. Ent. Zeit.  
**66**: 192 [Described]<sup>1</sup> :193 [Listed]<sup>1</sup>

1919 *Indogaetulia insularis* Schmidt, Stett. Ent. Zeit. **80**: 173 [Nom.  
 nov.] pro *Gaetulia nigrovenosa* Schmidt [1905] [nec *Gaetulia*  
*nigrovenosa* Melichar] [1898] [Described]<sup>1</sup>

1923 *I[ndogaetulia] insularis* Melichar, Gen. Insect. **182**: 170 [Listed]<sup>1</sup>

- 1935 *Indogaetulia insularis* Lallemand, Rev. Suisse Zool. **42**: 671  
[Listed]<sup>2</sup>

LOCALITIES: <sup>1</sup> Sumatra. <sup>2</sup> Java.

**montana** Distant

- 1912 *Gaetulia montana* Distant, Ann. Mag. Nat. Hist. (8) **9**: 651 [n. sp.]<sup>1</sup>
- 1916 *Gaetulia montana* Distant, Fauna of British India **6**: 115; Fig. 85 [Described, illustrated]<sup>1</sup>
- 1916 *Gaetulia montana* Jacobi, Deutsche Ent. Zeit. **1915**: 314 To *Gaetulia nigrovenosa* Mel. [error]
- 1919 *Indogaetulia montana* Schmidt, Stett. Ent. Zeit. **80**: 173 [Described]<sup>1, 2</sup> Equals *Gaetulia montana* Dist.
- 1923 [*Indogaetulia*] *montana* Melichar, Gen. Insect. **182**: 170 [Listed]<sup>1, 2</sup> Equals *Gaetulia* [*montana* Dist.]

LOCALITIES: <sup>1</sup> Bengal. <sup>2</sup> Himalayas.

**nigrovenosa** Melichar

- 1898 *Gaetulia nigrovenosa* Melichar, Verh. Zool. Bot. Ges. Wien **48**: 399 (16) [n. sp.]<sup>1</sup>
- 1898 *Gaetulia nigrovenosa* Melichar, Ann. Nat. Hofmus. Wien **13**: 328; Pl. XIII, Fig. 18 [n. sp., illustrated]<sup>1, 2, 3</sup> :327 [Key] :354 [Listed]<sup>2</sup>
- 1906 *Gaetulia nigrovenosa* Distant, Fauna of British India **3**: 394; Fig. 203 [Described, illustrated]<sup>1, 3, 5</sup>
- 1906 *G*[*aetulia*] *nigrovenosa* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **1** (9): 450 [Comparative note]
- 1907 *Gaetulia nigrovenosa* Bierman, Ent. Berichten **2**: 162 [Listed]<sup>6</sup>
- 1908 *Gaetulia nigrovenosa* Bierman, Notes Leyden Mus. **29**: 160 [Listed]<sup>6</sup>
- 1912 *G*[*aetulia*] *nigrovenosa* Distant, Ann. Mag. Nat. Hist. (8) **9**: 651 [Comparative note]
- 1913 *Gaetulia nigrovenosa* Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **12**: 19 [Listed]<sup>3, 5, 6, 7</sup>
- 1914 *Gaetulia nigrovenosa* Melichar, Notes Leyden Mus. **36**: 107 [Listed]<sup>6</sup>
- 1916 *G*[*aetulia*] *nigrovenosa* Distant, Fauna of British India **6**: 116 [Comparative note]
- 1916 *Gaetulia nigrovenosa* Jacobi, Deutsche Ent. Zeit. **1915**: 314 [Notes]<sup>3, 4, 8, 9</sup> Equals *Gaetulia montana* Dist. [error]
- 1919 *Indogaetulia nigrovenosa* Schmidt, Stett. Ent. Zeit. **80**: 172 [Described]<sup>1, 3</sup> Equals *Gaetulia nigrovenosa* Mel. :173 [Comparative note]



- 1922 *Gaetulia nigrovenosa* Karny, *Treubia* **3**: 3 [Listed]<sup>1, 3, 4, 5, 6, 7</sup>  
 1923 *I[ndogaetulia] nigrovenosa* Melichar, *Gen. Insect.* **182**: 170  
 [Listed]<sup>1, 3, 7</sup> Equals *Gaetulia [nigrovenosa Mel.]*  
 1924 *G[actulia] nigrovenosa* Muir, *Mem. Queensland Mus.* **8**: 34  
 [Comparative note]

LOCALITIES: <sup>1</sup> Bengal. <sup>2</sup> Eastern India. <sup>3</sup> Assam. <sup>4</sup> Sumatra. <sup>5</sup> Tenasserim. <sup>6</sup> Java.  
<sup>7</sup> India. <sup>8</sup> Sikkim. <sup>9</sup> Burma.

### Genus *Siopaphora* Metcalf

ORTHOTYPE *Siopa fumivenosa* 1952, Metcalf, *Jour. Washington Acad. Sci.* **42**: 227

[*Siopa Jacobi*]

[ORTHOTYPE *Siopa fumivenosa* [n. sp.] 1917 Jacobi, *Voeltzkow's Reise in Ostafrika* **3**: 535]

[TYPE *S[io]pa fumivenosa* 1923 Melichar, *Gen. Insect.* **182**: 171]

- Siopa* 1917 Jacobi, *Voeltzkow's Reise in Ostafrika* **3**: 535 [gen. n.] :520 [Listed]  
 1923 Melichar, *Gen. Insect.* **182**: 152 [Key] :171 [Described]  
 1936 Schulze, *Kükenthal and Heider, Nomenclator Animalium* **5** (22): 3193 [Listed]  
 1940 Neave, *Nomenclator Zoologicus* **4**: 203 [Listed]  
 1950 Lallemand, *Mem. Inst. Sci. Madagascar (A)* **4**: 92  
 [Comparative note]
- Siopaphora* 1952 Metcalf, *Jour. Washington Acad. Sci.* **42**: 227 [Catalogued] [Nom. nov.] pro *Siopa Jac.* [1917] [nec Hendel] [1909]

#### *fumivenosa* Jacobi

- 1917 *Siopa fumivenosa* Jacobi, *Voeltzkow's Reise in Ostafrika* **3**: 535;  
 Pl. 32, Fig. 5 [n. sp., illustrated]<sup>1</sup>  
 1923 *S[io]pa fumivenosa* Melichar, *Gen. Insect.* **182**: 172 [Listed]<sup>1</sup>  
 1952 [*Siopaphora fumivenosa*] Metcalf, *Jour. Washington Acad. Sci.* **42**: 227 Equals *Siopa fumivenosa* Jac.

LOCALITIES: <sup>1</sup> Madagascar.

### Genus *Pucina* Stål

LOGOTYPE *Cixius pellucidus* 1866 Stål, *Berliner Ent. Zeit.* **10**: 393

LOGOTYPE *Pucina pellucida* 1906 Distant, *Fauna of British India* **3**: 392

TYPE [*Pucina*] *pellucida* 1923 Melichar, *Gen. Insect.* **182**: 172

- Pucina* 1866 Stål, Hemiptera Africana **4**: 221 [gen. n., key]  
 1866 Stål, Berliner Ent. Zeit. **10**: 393 [Listed]  
 1873 Marschall, Nomenclator Zoologicus **1873**: 379 [Listed]  
 1882 Scudder, Bull. United States Nat. Mus. **19**: 271 [Listed]  
 1886 Atkinson, Jour. Asiatic Soc. Bengal **55**: 63 [Described, catalogued]  
 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 296 [Key] :329 [Described] :354 [Listed]  
 1906 Distant, Fauna of British India **3**: 392 [Described, catalogued] :387 [Key]  
 1906 Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **1** (9): 452 [Listed]  
 1916 Jacobi, Deutsche Ent. Zeit. **1915**: 314 [Listed]  
 1923 Melichar, Gen. Insect. **182**: 152 [Key] :172 [Described]  
 1935 Schulze, Kükenthal and Heider, Nomenclator Animalium **4** (21): 2966 [Listed]  
 1938 Jacobi, Sitzber. Ges. Nat. Freunde Berlin **1938**: 189 [Comparative note]  
 1940 Neave, Nomenclator Zoologicus **3**: 1043 [Listed]
- pellucida** Guérin-Ménéville  
 1829 *Cixius pellucidus* Guérin-Ménéville, Plates from Iconographie du Règne Animal **1829**: Pl. 58; Figs. 4, 4a-c [n. sp., illustrated]  
 1834 *Cixius pellucidus* Guérin-Ménéville, Voyage aux Indes-Orientales **1834**: 464 [Described, catalogued]<sup>1</sup>  
 1834 *Cixius pellucidus* Latreille, The Animal Kingdom (Henderson Ed.) **4**: Pl. 68, Figs. 4, 4a [Illustrated]  
 1838 *Cixius pellucidus* Guérin-Ménéville, Voyage sur la Coqueille **2** (2): 189 [Described]<sup>6</sup> :190 [Comparative note]  
 1839 *Ricania pellucida* Spinola, Ann. Soc. Ent. France **8**: 394 [Key] :401 [Described]<sup>2</sup> Equals *Cixius pellucidus* Guér.-Mén. :402, 403 [Comparative notes]  
 1844 *Cixius pellucidus* Guérin-Ménéville, Iconographie du Règne Animal **1829-1838**: 358 [Listed]<sup>1</sup>  
 1850 *R[icania] pellucida* Schaum, Allgemein Encyklopädie Ersch und Gruber **51**: 73 [Listed]<sup>2</sup> Equals *Cixius p[ellucidus]* Guér.-Mén.  
 1851 *Ricania pellucida* Walker, List of Homopterous Insects **2**: 423 [Listed]<sup>2</sup> Equals *Cixius pellucidus* Guér.-Mén.  
 1859 *[Ricania] pellucida* Dohrn, Catalogus Hemipterorum **1859**: 67 [Listed]<sup>2</sup>  
 1866 *[Pucina pellucida]* Stål, Berliner Ent. Zeit. **10**: 393 Equals *Cixius pellucidus* Guér.-Mén.

- 1885 *Cixius* *pellucidus* Girard, *Traité Élémentaire d'Entomologie* **3**: 860; Pl. 102, Figs. 4, 4a-c [Described, illustrated]<sup>1</sup>
- 1886 *Pucina* *pellucida* Atkinson, *Jour. Asiatic Soc. Bengal* **55**: 63 [Described, catalogued]<sup>1, 2</sup> Equals *Cixius* *pellucidus* Guér.-Mén. Equals *Ricania* *pellucida* Spin.
- 1889 *R[icania]* *pellucida* Kirby, *Proc. Zool. Soc. London* **1888**: 555 [Comparative note]
- 1898 *Pucina* *pellucida* Melichar, *Ann. Nat. Hofmus. Wien* **13**: 329; Pl. XIV, Figs. 15, 15a-b [Described, illustrated]<sup>1, 2, 3</sup> Equals *Cixius* *pellucidus* Guér.-Mén. Equals *Ricania* *pellucida* Spin. :354 [Listed]<sup>3</sup>
- 1898 *Stacota* *pellucida* Melichar, *Ann. Nat. Hofmus. Wien* **13**: 337 [Comparative note]
- 1900 *R[icania]* *pellucida* Kirby, *A Monograph of Christmas Island* **1900**: 135 [Comparative note]
- 1906 *Pucina* *pellucida* Distant, *Fauna of British India* **3**: 393; Fig. 202 [Described, catalogued, illustrated]<sup>1, 2, 3</sup> Equals *Ricania* [*pellucida* Spin.] Equals *Cixius* [*pellucidus* Guér.-Mén.]
- 1906 [*Pucina* *pellucida*] Kirkaldy, *Bull. Hawaiian Sugar Pl. Assoc. Div. Ent.* **1** (9): 452 [Listed]<sup>4, 5</sup> Equals *Cixius* *pellucidus* Guér.-Mén.
- 1916 *Pucina* *pellucida* Jacobi, *Deutsche Ent. Zeit.* **1915**: 308 [Catalogued] Equals [*Nogodina* *pallidipennis* Mel.] nec Guér.-Mén. [?]
- 1923 *P[ucina]* *pellucida* Melichar, *Gen. Insect.* **182**: 172 [Listed]<sup>1, 2, 3</sup> Equals *Cixius* [*pellucidus* Guér.-Mén.] Equals *Ricania* [*pellucida* Spin.]
- 1929 *Cixius* *pellucidus* Sherborn, *Index Animalium* **19**: 4824 [Listed]
- 1929 *Ricania* *pellucida* Sherborn, *Index Animalium* **19**: 4826 [Listed] Equals *Cixius* [*pellucidus* Guér.-Mén.]
- LOCALITIES: <sup>1</sup> Bengal. <sup>2</sup> Java. <sup>3</sup> Australia. <sup>4</sup> India (?). <sup>5</sup> Java (?). <sup>6</sup> New South Wales.

### Genus *Paralasonia* Muir

HAPLOTYPE *Paralasonia australis* [n. sp.] 1924 Muir, *Mem. Queensland Mus.* **8**: 35

- Paralasonia* 1924 Muir, *Mem. Queensland Mus.* **8**: 35 [gen. n.]  
 1940 Neave, *Nomenclator Zoologicus* **3**: 573 [Listed]  
 1952 China and Fennah, *Ann. Mag. Nat. Hist.* (12) **5**: 197 [Comparative note]

#### **australis** Muir

- 1924 *Paralasonia australis* Muir, *Mem. Queensland Mus.* **8**: 35; Figs. 5a-b, 6a-c [n. sp., illustrated]<sup>1</sup>

1924 *Paralasonia australis* Hacker, Mem. Queensland Mus. **8**: 41  
[Ecology]<sup>2</sup>

LOCALITIES: <sup>1</sup> Queensland. <sup>2</sup> Russell Island.

### Genus *Salona* Stål

LOGOTYPE *Cixius panorpaepennis* 1866 Stål, Berliner Ent. Zeit. **10**:  
393

TYPE *S[alona] panorpaepennis* 1923 Melichar, Gen. Insect. **182**: 172

- Salona* 1866 Stål, Hemiptera Africana **4**: 220 [gen. n., key]  
1866 Stål, Berliner Ent. Zeit. **10**: 393 [Listed]  
1873 Marschall, Nomenclator Zoologicus **1873**: 380 [Listed]  
1882 Scudder, Bull. United States Nat. Mus. **19**: 283 [Listed]  
1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 295 [Key] :325,  
326 [Comparative note] :326 [Described] :354 [Listed]  
1906 Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **1**  
(9): 452 [Listed]  
1920 Bergroth, Arkiv Zool. **12**: 23 [Notes]  
1923 Melichar, Gen. Insect. **182**: 153 [Key] :172 [Described]  
1936 Schulze, Kükenthal and Heider, Nomenclator Animalium  
**5** (22): 3092 [Listed]  
1940 Neave, Nomenclator Zoologicus **4**: 102 [Listed]

#### **oceanica** Kirkaldy

- 1889 *Ricania hyalina* Kirby, Proc. Zool. Soc. London **1888**: 555 [n.  
sp.]<sup>1</sup>  
1898 *Ricania* (?) *hyalina* Melichar, Ann. Nat. Hofmus. Wien **13**:  
337 [Described]<sup>1</sup>  
1900 *Nogodina hyalina* Kirby, A Monograph of Christmas Island  
**1900**: 130 [Listed] :134; Pl. XV, Fig. 9 [Described, illustrated]<sup>1</sup>  
Equals *Ricania hyalina* Kirby :310 [Listed]<sup>1</sup>  
1909 *Nogodina oceanica* Kirkaldy, Canadian Ent. **41**: 392 Nom. nov.  
pro [*Ricania*] *hyalina* Kirby 1889 nec [*Cicada hyalina*] [Fabricius  
1781]  
1923 *S[alona]* (?) *oceanica* Melichar, Gen. Insect. **182**: 173 [Listed]<sup>1</sup>  
Equals *Ricania hyalina* Kirby  
1933 *Varcia hyalina* Anonymous, Bull. Raffles Mus. **8**: 100 [Listed]<sup>1</sup>  
1936 *Salona oceanica* Izzard, Ann. Mag. Nat. Hist. (10) **17**: 592  
[Listed]<sup>1</sup> Equals *Nogodina hyalina* Kirby Equals *Nogodina*  
*oceanica* Kirk. Equals *Ricania hyalina* Kirby

LOCALITIES: <sup>1</sup> Christmas Island (Indian Ocean).

#### **panorpaepennis** Guérin-Ménéville

- 1838 *Cixius panorpaepennis* Guérin-Ménéville, Voyage sur la Co-  
quille **2** (2): 190 [n. sp.]<sup>1, 2</sup>

- 1839 *Ricania panorpaepennis* Spinola, Ann. Soc. Ent. France **8**: 394 [Key] :402 [Described]<sup>1</sup> Equals *Cixius panorpaepennis* Guér.-Mén.
- 1850 *R[icania] panorpaepennis* Schaum, Allgemeine Encyklopädie Ersch und Gruber **51**: 73 [Listed]<sup>2</sup> Equals *Cixius p[anorpaepennis]* Guér.-Mén.
- 1851 *Ricania panorpaepennis* Walker, List of Homopterous Insects **2**: 423 [Listed]<sup>1, 3</sup> Equals *Cixius panorpaepennis* Guér.-Mén.
- 1859 [*Ricania*] *panorpaepennis* Dohrn, Catalogus Hemipterorum **1859**: 67 [Listed]<sup>3</sup>
- 1866 [*Salona panorpaepennis*] Stål, Berliner Ent. Zeit. **10**: 393 Equals *Cixius panorpaepennis* Guér.-Mén.
- 1889 *R[icania] panorpaepennis* [sic] Kirby, Proc. Zool. Soc. London **1888**: 554, 555 [Comparative note]
- 1898 *Salona panorpaepennis* Melichar, Ann. Nat. Hofmus. Wien **13**: 325 [Comparative note] :327; Pl. XIII, Fig. 2 [Described, illustrated]<sup>1, 2, 3</sup> Equals *Cixius panorpaepennis* Guér.-Mén. Equals *Ricania panorpaepennis* Spin. :337 [Comparative note] :354 [Listed]<sup>2</sup>
- 1900 *R[icania] panorpaepennis* [sic] Kirby, A Monograph of Christmas Island **1900**: 134, 135 [Comparative note]
- 1906 [*Salona panorpaepennis*] Kirkaldy, Bull. Hawaiian Sugar Pl. Assoc. Div. Ent. **1** (9): 452 [Listed]<sup>1, 3</sup> Equals *Cixius panorpaepennis* Guér.-Mén.
- 1923 *S[alona] panorpaepennis* Melichar, Gen. Insect. **182**: 173 [Listed]<sup>1, 2, 3</sup> Equals *Cixius [panorpaepennis* Guér.-Mén.] Equals *Ricania [panorpaepennis* Spin.]
- 1929 *Cixius panorpaepennis* Sherborn, Index Animalium **19**: 4732 [Listed]
- 1929 *Ricania panorpaepennis* Sherborn, Index Animalium **19**: 4732 [Listed] Equals *Cixius [panorpaepennis* Guér.-Mén.]
- LOCALITIES: <sup>1</sup> New South Wales. <sup>2</sup> Australia. <sup>3</sup> Tasmania.

### Genus *Exphora* Signoret

HAPLOTYPE *E[xphora] guérinii* [n. sp.] 1860 Signoret, Ann. Soc. Ent. France (3) **8**: 195

TYPE *E[xphora] guérinii* 1923 Melichar, Gen. Insect. **182**: 171

- Exphora* 1860 Signoret, Ann. Soc. Ent. France (3) **8**: 195 [gen. n.]  
 1866 Stål, Hemiptera Africana **4**: 221 [Key] :233 [Described]  
 1873 Marschall, Nomenclator Zoologicus **1873**: 364 [Listed]  
 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 296 [Key] :324 [Described] :347 [Comparative note] :354 [Listed]

- 1899 Melichar, Verh. Zool. Bot. Ges. Wien **49**: 294 (6) [Comparative note]  
 1917 Jacobi, Voeltzkow's Reise in Ostafrika **3**: 520 [Listed]  
 :535 [Comparative note]  
 1923 Melichar, Gen. Insect. **182**: 152 [Key] :171 [Described]  
 1929 Schulze, Kükenthal and Heider, Nomenclator Animalium **2** (10): 1297 [Listed]  
 1939 Neave, Nomenclator Zoologicus **2**: 393 [Listed]  
 1950 Lallemand, Mém. Inst. Sci. Madagascar (A) **4**: 92 [Comparative note]

**guérinii** Signoret

- 1860 *E[xphora] guérinii* Signoret, Ann. Soc. Ent. France (3) **8**: 196;  
 Pl. 4, Figs. 4, 4a-b [n. sp., illustrated]<sup>1</sup>  
 1866 *E[xphora] guérinii* Stål, Hemiptera Africana **4**: 233 [Described]<sup>1, 2</sup>  
 1891 *Ecphora* [sic] *guérinii* Brancsik, Jahresh. Nat. Ver. Trencsener **13-14**: 166 [Listed]<sup>3</sup>  
 1898 *Exphora guérinii* Melichar, Ann. Nat. Hofmus. Wien **13**: 324;  
 Pl. XIV, Figs. 2, 2a-b [Described, illustrated]<sup>1, 2</sup> :354 [Listed]<sup>1</sup>  
 1917 *Exphora guérinii* Jacobi, Voeltzkow's Reise in Ostafrika **3**:  
 535 [Listed]<sup>1, 2, 3</sup>  
 1923 *E[xphora] guérinii* Melichar, Gen. Insect. **182**: 171 [Listed]<sup>1, 2</sup>  
 1950 *E[xphora] guérinii* Lallemand, Mém. Inst. Sci. Madagascar (A)  
**4**: 92 [Comparative note]

LOCALITIES: <sup>1</sup> Madagascar. <sup>2</sup> Sainte Marie Island. <sup>3</sup> Nossi-Be Island.

**longipennata** Lallemand

- 1950 *Exphora longipennata* Lallemand, Mém. Inst. Sci. Madagascar  
 (A) **4**: 91 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> Madagascar.

**succinae** Lallemand

- 1950 *Exphora succinae* Lallemand, Mém. Inst. Sci. Madagascar (A)  
**4**: 92 [n. sp.]<sup>1</sup>

LOCALITIES: <sup>1</sup> Madagascar.

Genus **Laberia** Stål

HAPLOTYPE *Laberia palliata* [n. sp.] 1866 Stål, Hemiptera Africana **4**:  
 234

TYPE *L[aberia] palliata* 1923 Melichar, Gen. Insect. **182**: 173

- Laberia* 1866 Stål, Hemiptera Africana **4**: 234 [gen. n.] :221 [Key]  
 1873 Marshall, Nomenclator Zoologicus **1873**: 368 [Listed]  
 1898 Melichar, Ann. Nat. Hofmus. Wien **13**: 296 [Key] :329  
 [Described] :354 [Listed]

- 1923 Melichar, Gen. Insect. **182**: 120 [Notes] :153 [Key] :173  
[Described]  
1930 Schulze, Kükenthal and Heider, Nomenclator Animalium  
**3** (13): 1740 [Listed]  
1939 Neave, Nomenclator Zoologicus **2**: 840 [Listed]

**palliata** Stål

- 1866 *L[aberia] palliata* Stål, Hemiptera Africana **4**: 234 [n. sp.]<sup>1</sup>  
1898 *Laberia palliata* Melichar, Ann. Nat. Hofmus. Wien **13**: 330  
[Described]<sup>1</sup> :354 [Listed]<sup>1</sup>  
1923 *L[aberia] palliata* Melichar, Gen. Insect. **182**: 173 [Listed]<sup>1</sup>  
LOCALITIES: <sup>1</sup> Mauritius Island.

Genus **Osaka** Distant

- LOGOTYPE *Osaka hyalina* 1912 Schmidt, Stett. Ent. Zeit. **73**: 83  
TYPE *O[saka] hyalina* 1923 Melichar, Gen. Insect. **182**: 137  
TYPE *Osaka hyalina* 1925 Muir, Trans. Ent. Soc. London **1924**: 473  
Osaka 1909 Distant, Trans. Linn. Soc. London Zool. (2) **13**: 43 [gen. n.]  
1912 Schmidt, Stett. Ent. Zeit. **73**: 83 [Listed]  
1912 Waterhouse, Index Zoologicus No. II **1912**: 205 [Listed]  
1917 Distant, Trans. Linn. Soc. London Zool. **17**: 299 [Listed]  
1920 Bergroth, Arkiv Zool. **12**: 23 [Comparative note]  
1923 Melichar, Gen. Insect. **182**: 122 [Key] :137 [Described]  
1925 Muir, Trans. Ent. Soc. London **1924**: 473 [Notes, taxonomy]  
1933 Schulze, Kükenthal and Heider, Nomenclator Animalium  
**4** (17): 2404 [Listed]  
1940 Neave, Nomenclator Zoologicus **3**: 479 [Listed]

**hyalina** Distant

- 1909 *Osaka hyalina* Distant, Trans. Linn. Soc. London Zool. (2) **13**:  
44; Pl. 4, Figs. 15, 15a [n. sp., illustrated, comparative notes]<sup>1, 2</sup>  
1912 *Osaka hyalina* Schmidt, Stett. Ent. Zeit. **73**: 84 [Notes]  
1917 *Osaka hyalina* Distant, Trans. Linn. Soc. London Zool. **17**:  
299 [Listed]<sup>1, 2, 3, 4, 5, 6</sup>  
1920 *Osaka hyalina* Bergroth, Arkiv Zool. **12**: 23 [Comparative note]  
1923 *O[saka] hyalina* Melichar, Gen. Insect. **182**: 137 [Listed]<sup>1</sup>  
1925 *Osaka hyalina* Muir, Trans. Ent. Soc. London **1924**: 473 [Notes]<sup>2, 5</sup>  
1925 *Osaka hyalina* Singh-Pruthi, Trans. Ent. Soc. London **1925**:  
216; Pl. XXVII, Fig. 223 [♂ genitalia, illustrated] :215 [Listed]  
LOCALITIES: <sup>1</sup> Mahé Island. <sup>2</sup> Seychelles Islands. <sup>3</sup> Silhouette Island. <sup>4</sup> Marie  
Anne Island. <sup>5</sup> Aldabra Island. <sup>6</sup> Île Michel.

**relata** Distant

- 1909 *Osaka relata* Distant, Trans. Linn. Soc. London Zool. (2) **13**:  
44 [n. sp.]<sup>1, 2</sup>

- 1912 *Osaka relata* Schmidt, Stett. Ent. Zeit. **73**: 84 [Notes]  
 1917 *Osaka relata* Distant, Trans. Linn. Soc. London Zool. **17**: 299  
 ■ [Listed]<sup>1, 2, 3, 4, 5</sup>  
 1920 *Osaka relata* Bergroth, Arkiv Zool. **12**: 23 [Comparative note]  
 1923 *O[saka] relata* Melichar, Gen. Insect. **182**: 137 [Listed]<sup>1</sup>  
 1925 *O[saka] relata* Muir, Trans. Ent. Soc. London **1924**: 473 [Notes]<sup>2, 4</sup>  
 LOCALITIES: <sup>1</sup> Cousin Island. <sup>2</sup> Seychelles Islands. <sup>3</sup> Mahé Island. <sup>4</sup> Aldabra  
 Island. <sup>5</sup> Praslin Island

## GENERIC AND SPECIFIC SYNONYMY

### Genus *Apanophrys* Melichar

- Apanophrys* Melichar. See *Varcia* (*Apanophrys* Melichar)  
*annulata* Melichar. See *Varcia* (*Apanophrys*) *annulata* Melichar.  
*decisa* Walker. See *Varcia* (*Apanophrys*) *decisa* Walker.  
*hilaris* Stål. See *Varcia* (*Apanophrys*) *hilaris* Stål.  
*incerta* Melichar. See *Varcia* (*Apanophrys*) *incerta* Melichar.  
*kästneri* Schmidt. See *Varcia* (*Apanophrys*) *kästneri* Schmidt.  
*solita* Melichar. See *Varcia* (*Apanophrys*) *solita* Melichar.  
*sordida* Distant. See *Varcia* (*Apanophrys*) *sordida* Distant.  
*spilota* Melichar. See *Varcia* (*Apanophrys*) *spilota* Melichar.  
*venosa* Walker. See *Varcia* (*Apanophrys*) *venosa* Walker.

### Genus *Ecphora*

- Ecphora*. Typographical error for *Exphora* Signoret.

### Genus *Goniopsis* Melichar

- Goniopsis* Melichar. See *Goniopsara* Metcalf.  
*mystica* Melichar. See *Goniopsara mystica* Melichar.

### Genus *Minaura*

- Minaura*. Typographical error for *Mindura* Stål.

### Genus *Mogodina*

- Mogodina*. Typographical error for *Nogodina* Stål.

### Genus *Myndura*

- Myndura*. Typographical error for *Mindura* Stål.

### Genus *Nagodina*

- Nagodina*. Typographical error for *Nogodina* Stål.

### Genus *Narunderia*

- Narunderia*. Typographical error for *Nurunderia* Distant.



**Genus *Nodina***

*Nodina*. Typographical error for *Nogodina* Stål.

**Genus *Privesmorphus***

*Privesmorphus*. Typographical error for *Privesomorphus* Schmidt.

**Genus *Ricancia***

*Ricancia*. Typographical error for *Riancia* Signoret.

**Genus *Siopa* Jacobi**

*Siopa* Jacobi. See *Siopaphora* Metcalf.

*fumivenosa* Jacobi. See *Siopaphora fumivenosa* Jacobi.

**Genus *Varcilla* Kirkaldy**

*Varcilla* Kirkaldy. See *Varcia* Stål.

*affinis* Kirby. See *Varcia* (*Varcia*) *affinis* Kirby.

*debilis* Melichar. See *Varcia* (*Varcia*) *debilis* Melichar.

*flavicostralis* Kirby. See *Varcia* (*Varcia*) *flavicostralis* Kirby.

*flavicostralis* var. *affinis* Kirby. See *Varcia* (*Varcia*) *affinis* Kirby.

*greeni* Kirby. See *Varcia* (*Varcia*) *greeni* Kirby.

*nigrovittata* Stål. See *Varcia* (*Varcia*) *nigrovittata* Stål.

*pyramidalis* Melichar. See *Varcia* (*Varcia*) *pyramidalis* Melichar.

*similata* Melichar. See *Varcia* (*Varcia*) *similata* Melichar.

INDEX OF GENERA AND HIGHER GROUPS

<i>Aphanophrys</i> Melichar.....	73	<i>Nurunderia</i> Distant.....	61
( <i>Aphanophrys</i> Melichar).....	43	<i>Orthothyreus</i> Schmidt.....	57
<i>Biolleyana</i> Distant.....	51	<i>Osaka</i> Distant.....	72
<i>Bladina</i> Stål.....	16	<i>Paradetya</i> Schmidt.....	24
<i>Colpocara</i> Bergroth.....	22	<i>Paralasonia</i> Muir.....	68
<i>Convarcia</i> Schmidt.....	31	<i>Paravarcia</i> Schmidt.....	45
<i>Criopaca</i> Schmidt.....	62	<i>Philbyella</i> China.....	23
<i>Decoomana</i> Lallemand.....	28	<i>Pisacha</i> Distant.....	29
<i>Detya</i> Distant.....	27	<i>Privesomorphus</i> Schmidt.....	21
<i>Diazanus</i> Hesse.....	46	<i>Probletomus</i> Gerstaecker.....	25
<i>Epacria</i> Gerstaecker.....	55	<i>Pucina</i> Stål.....	66
<i>Exphora</i> Signoret.....	70	<i>Riancia</i> Signoret.....	63
<i>Gaetulia</i> Stål.....	57	<i>Salona</i> Stål.....	69
<i>Goniopsara</i> Metcalf.....	23	<i>Sassula</i> Stål.....	32
<i>Goniopsis</i> Melichar.....	24, 73	<i>Semestra</i> Jacobi.....	15
<i>Indogaetulia</i> Schmidt.....	64	<i>Siopa</i> Jacobi.....	66, 74
<i>Laberia</i> Stål.....	71	<i>Siopaphora</i> Metcalf.....	66
<i>Lasonia</i> Melichar.....	63	<i>Soaemis</i> Jacobi.....	56
<i>Mindura</i> Stål.....	6	<i>Varcia</i> Stål.....	36
<i>Miriza</i> Stål.....	29	( <i>Varcia</i> Stål).....	38
<i>Miriza</i> ( <i>Sassula</i> Stål).....	32	<i>Varcia</i> ( <i>Aphanophrys</i> Melichar)....	43
<i>Miriza</i> ( <i>Varcia</i> Stål).....	36	<i>Varcia</i> ( <i>Varcia</i> Stål).....	38
<i>Morsina</i> Melichar.....	22	<i>Varciella</i> Melichar.....	30
<i>Neovarcia</i> Schmidt.....	53	<i>Varcilla</i> Kirkaldy.....	36, 74
<i>Nogodina</i> Stål.....	46	<i>Varciopsis</i> Jacobi.....	54
<b>NOGODINIDAE</b> .....	1	<i>Vutina</i> Stål.....	3